


Product Range

We feel better under pressure





Hydraulic Components

© 2019 Vitillo S.p.a.

All right reserved. No part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopy, recording or any other information storage and retrieval system, without prior permission in writing from the publisher.

© 2019 Vitillo S.p.a.

Tutti i diritti sono riservati. Nessuna parte di questa pubblicazione può essere riprodotta o trasmessa, in qualunque forma o qualunque mezzo, senza autorizzazione scritta dell'autore.

Complete product range

Vitillo is your solution for any hydraulic applications. Spiral and braided hoses with metal and textile reinforcement, standard and interlock press fittings, BSP, JIC, DIN and ORFS adaptors, customized special fittings.

All our fittings and adapters are available in Zinc chromium III plating, Zinc-nichel plating and Stainless steel.

Whatever the customer's question, Vitillo has the answer.



Press fittings
ISO 12151 SAE J516



JIC adaptors
SAE J514

ORFS adaptors
ORFS J1453

DIN adaptors
DIN 2353

BSP adaptors
BS 5200



Hoses



Bended Pipes



ZINC CHROMIUM III






ZINC NICKEL



STAINLESS STEEL

Alternative Versions





Certifications




MINE SAFETY AND HEALTH
ADMINISTRATION
(MSHA)



DET NORSKE VERITAS (DNV)
GERMANISCHER LLOYD (GL)



RINA (Registro Navale Italiano)



MarED



GOST-R



TEST
Opniujacej Atestujacej I Certyfikujacej
Wiroby Test Sp z.o.o.



UNI EN 45545-2





Hydraulic Hoses



Symbols



LOW TEMPERATURES



HIGH TEMPERATURES



REDUCED BENDING RADIUS



OZONE RESISTANCE

S.F. 4:1

SAFETY FACTOR



EVERGREEN VERSION

MSHA approved



FOREVER VERSION

MSHA approved



HIGH PRESSURE



ABRASION RESISTANCE

ISOBARIC

List Sizes

Key performance
and applications

Features

Alternative
versions**Alpi 3300**
Alpi 4000from 3/16" to 1"
from 1/4" to 1"universal high
pressure solution
BRAIDED**Everest 3000**
Everest 4000
Everest 5000
Everest 6000from 1.1/4" to 1.1/2"
from 3/8" to 1"
from 1/2" to 1.1/2"
from 3/8" to 1.1/2"universal high
pressure solution
SPIRAL**Agri 1SN**
Agri 2SNfrom 3/16" to 1"
"standard hydraulic
application agricultural
sector**Tekno 1SN**
Tekno 2SNfrom 3/16" to 2"
"general hydraulic
application**Tekno 1ST**
Tekno 2STfrom 3/16" to 2"
"

standard purpose hose

**Tekno 1SC**
Tekno 2SCfrom 1/4" to 2"
"light and compact
structure**Tekno R5**

from 3/16" to 5/8"

low-medium pressure
hydraulic lines, general
purpose applications

STANDARD BRAIDED



	List Sizes	Key performance and applications	Features
Tekno 1SC PLUS	from 1/4" to 1.1/4"	medium-high pressure hydraulic lines with installation constraints, return lines and suction lines	  R
Tekno 2SC PLUS	"		
Vulcan 1	from 3/16" to 2"	compressor air lines, high temperatures	  ozone resistant
Vulcan 2	"		
Vulcanoil 1	from 3/16" to 2"	compressors, oil line, high temperatures	  ozone resistant
Vulcanoil 2	"		
VulcanAir	from 1/4" to 2" "	air compressed system up to 175 C, high compatibility with many oils for compressor	  ozone resistant  R
Iceberg 1	from 3/16" to 2"	extremely low temperature refrigerator cells, cold climate	  ozone resistant
Iceberg 2	"	forestry, construction equipment	
Iceberg 3	from 1/4" to 1"		
Teknojack	from 1/4" to 3/8"	extreme static pressure lines, jacking system	  R S.F. 2:1
Forthree	from 1/4" to 1"	very high pressure hydraulic lines with reduced bend radius, three braids	  R
Teknomaster	from 1/4" to 1"	very high pressure hydraulic lines with reduced bend radius hydraulic platforms, hydraulic jack	 
Slim	from 3/16" to 1"	superior lightness and flexibility for pilot lines	 R
Lift-Plus	from 3/4" to 2"	elevator-lifts	 R S.F. 9:1
Premier	from 1/4" to 1"	lifting and material handling machines such as fork lift trucks, aerial lifts, cranes	  R  ozone resistant  Abr.
Dolomiti 1SN	from 3/16" to 2"	medium pressure hydraulic lines and return lines, engine compartments fuel / oil cooler lines, thermal fluid heat transfer systems	  ozone resistant  R
Dolomiti 2SN	"		
Dolomiti 1SC	from 1/4" to 2"		
Dolomiti 2SC	"		
Servocomando	from 1/4" to 1/2"	medium-high pressure for pilot lines	  R
Stronger 1	from 3/16" to 1.1/4"	very high pressure hose with extreme flexibility	  R
Magnum	from 1/4" to 1"	mining equipment, underground and open pit mines, high pressure and heavy duty hydraulic line	  ozone resistant  Abr.



	List Sizes	Key performance and applications	Features	Alternative versions
--	------------	----------------------------------	----------	----------------------

Teknospir 4SP

from 1/4" to 2"

Teknospir 4SH

from 5/8" to 2"

Teknospir R12

from 3/8" to 2"

Teknospir R13

from 3/4" to 2"

Teknospir R15

from 5/8" to 2"

universal high pressure solution



MSHA

**Iceberg 4SP**

from 1/4" to 2"

Iceberg 4SH

from 5/8" to 2"

Iceberg 12

from 3/8" to 1.1/2"

Iceberg 13

from 3/4" to 2"

Iceberg 15

from 5/8" to 2"

extremely low temperature, refrigerator cells, cold climate forestry, construction equipment

**Teknojet 1SN 250**

from 1/4" to 1/2"

Teknojet 2SN 400

"

Teknojet 1SC 250

"

Teknojet 2SC 400

"

Teknojet 1ST 250

"

Teknojet 2ST 400

"

Teknojet 1SN PLUS 315*

"

Teknojet 2SN PLUS 600*

"

professional water jet cleaners



S.F. 4:1



S.F. 3:1*

TeknoBlast

from 3/8" to 3/4"

TeknoBlast PLUS

from 3/8" to 1"

TeknoBlast Superb MSHA

from 1/2" to 3/4"

scale removing application with very high pressure water



S.F. 2.5:1

Sewer Cleaning

from 1/2" to 1"

sewer jetting water cleaning, flushing drains



S.F. 2.5:1



	List Sizes	Key performance and applications	Features
Tekno 1TE/R6	from 3/16" to 1"		
Tekno 2TE	from 3/16" to 1.1/4"		
Tekno 3TE	"	hydraulic control lines. Exhaust under pressure from hydraulic fluids, fuel, grease, air and water	
Tekno R3	"		
Tekno R4	from 3/4" to 4"		
Saugflex x Plus G	"		
Saugflex	from 3/4" to 8"	finds various uses, in particular for suction and delivery of hydraulic fluids, mineral oils and fuels	
Clean Farm	from 1/2"	washing and cleaning with hot water of floors plants for food production, canneries, dairies, slaughterhouses, etc.	




Tekno R7	from 3/16" to 1"		S.F. 4:1
Tekno R7 n.c.	"	designed for medium pressure hydraulic use and for medium pressure conduction of polyols, solvents and paints	non conductive
Tekno R8	from 1/8" to 1"		
Tekno R8 n.c.	"		non conductive
Tekno MTH1	from 3/16" to 1.1/4"	series hoses have been created for these hydraulic use at high pressure	S.F. 4:1
Tekno MTH2	from 1/4" to 1"		
Tekno MTKH	"		
Tekno R18 n.c.	from 3/16" to 1/2"	hydraulic applications where high flexibility is required even in the presence of extreme temperatures.	S.F. 4:1



Tekno FHL	from 1/8" to 1"		
Tekno FHM	from 1/8" to 1"	steam, gas, fluid and aggressive chemicals for high temperatures and pressure	
Tekno FHM DC	from 3/16" to 1"		





Press Fittings



Ferrules for Standard Fittings

B12T.N
FERRULE
FOR 1SN/2SN/2SC
(no skive)



B1SC
FERRULE
FOR 1SC/1SN/2SC
(no skive)



B1K
FERRULE
FOR 1SC-R17-R7-R6
(no skive)



B1T
FERRULE
FOR 1SN/R1AT
(no skive)



B2T
FERRULE
FOR 2SN/R2AT
(no skive)



B1R
FERRULE
FOR 1ST/R2A
(skive)



B2R
FERRULE
FOR 2ST/R2A
(skive)



B3R
FERRULE
FOR R3-R4
(no skive)



B9R
FERRULE
FOR 4SP
(skive)



B4SH
FERRULE
FOR 4SH
(skive)



B7R
FERRULE
FOR R7
(no skive)



BPTFE
FERRULE
FOR BPTFE




BPTFEC
FERRULE
FOR CORRUGATED
BPTFE




B5K
FERRULE
FOR SPIRAL WIRE HOSE
(no skive)



MG
BSPP MALE 60° CONE




MGK
BSPT TAPERED MALE




FDG
BSPP FEMALE 60°
CONE




F90G
BSPP FEMALE SWIVEL
90° ELBOW




F90G K
BSPP FEMALE 90°
ELBOW (compact forged)




F45G
BSPP FEMALE SWIVEL
45° ELBOW




FDG SF
BSPP FEMALE
(slip-on nut)




F90G SF
BSPP FEMALE 90° EL-
BOW (slip-on nut)




F45G SF
BSPP FEMALE 45°
ELBOW (slip-on nut)




FDG SP
BSPP FEMALE
(thrust-wire nut)



F90G SP
BSPP FEMALE 90°
ELBOW (thrust-wire nut)




F45G SP
BSPP FEMALE 45°
ELBOW (thrust-wire nut)




BSP - BSPT


MGSP
BSPP MALE
(flat seat)




FGSP
BSPP FEMALE
(flat seat)




MNPT
NPTF MALE




MNPT LN
NPTF MALE
(long nose)




FNPSM
NPSM FEMALE












MNPT SW
NPTF SWIVEL MALE



























M90NPTF SW
NPTF SWIVEL MALE 90° ELBOW



NPT






















MJ JIC 37° MALE	FDJ JIC 37° FEMALE	FDJ GIR JIC 37° FEMALE SWIVEL (double hex)	F90J JIC 37° FEMALE SWIVEL 90° 5	F90J K JIC 37° FEMALE 90° ELBOW (compact forged)
				
F90J LD JIC 37° FEMALE SWIVEL 90° (long drop)	F45J JIC 37° FEMALE SWIVEL 45°			
				
FDJ SP JIC 37° FEMALE (thrust-wire nut)	F90J SP JIC 37° FEMALE SWIVEL 90° (thrust-wirenut)	F90J SPLD JIC 37° FEMALE SWIVEL 90° (thrust-wire nut long drop)	F45J SP JIC 37° FEMALE SWIVEL 45° (thrust-wirenut)	
				
MOB O-RING BOSS MALE	MOB SW O-RING BOSS MALE SWIVEL	MOB90 SW O-RING BOSS SWIVEL MALE 90° ELBOW		
				
MJ..SV45 SAE 45° MALE	FDJ..GIR45 SAE 45° FEMALE SWIVEL (double hexagon)	F90J..SV45 SAE 45° FEMALE 90° ELBOW	F45J..SV45 SAE 45° FEMALE 45° ELBOW	
				
FDK KOMATSU STYLE FEMALE SWIVEL (cone 60°)	F90K KOMATSU STYLE FEMALE SWIVEL 90° ELBOW	F45K KOMATSU STYLE FEMALE SWIVEL 45° ELBOW		
				
FDT TOYOTA STYLE FEMALE SWIVEL (cone 60°)	F90T TOYOTA STYLE FEMALE SWIVEL 90° ELBOW	F45T TOYOTA STYLE FEMALE SWIVEL 45° ELBOW		
				
ME F METRIC MALE 24° CONE (french type)	FE F METRIC FEMALE 24° CONE (french type)	F90E F METRIC FEMALE 24° CONE 90° (french type)	F45E F METRIC FEMALE 24° CONE 45° (french type)	
				
PDL F STANDPIPE FRENCH TYPE				
				








MM METRIC MALE 60° CONE	FDM METRIC FEMALE 60° CONE	F90M METRIC ° FEMALE SWIVEL 90° ELBOW	F45M METRIC FEMALE SWIVEL 45° ELBOW	
				
ME L METRIC MALE 24° CONE L TYPE / Pg. 99	FE L METRIC FEMALE 24° CONE L TYPE / Pg. 101	F90E L METRIC FEMALE 24° CONE 90° ELBOW L TYPE	F45E L METRIC FEMALE 24° CONE 45° ELBOW L TYPE	
				
MES METRIC MALE 24° CONE -S TYPE	FES METRIC FEMALE 24° CONE -S TYPE	F90E S METRIC FEMALE 24° CONE 90° ELBOW S TYPE	F45E S METRIC FEMALE 24° CONE 45° ELBOW S TYPE	
				
PDL STANDPIPE	P90L STANDPIPE 90° ELBOW	P45L STANDPIPE 40° ELBOW		
				
MAV METRIC MALE FOR AGRICULTURE VALVES				
				
MORFS ORFS MALE	FORFS ORFS FEMALE	FORFS GIR ORFS FEMALE (doble exagon)	F900RFS ORFS FEMALE SWIVEL 90° ELBOW	F900RFS LD ORFS FEMALE SWIVEL 90° ELBOW (long drop)
				
F450RFS ORFS FEMALE SWIVEL 45° ELBOW				
				
FDL FLANGE CODE 61 3000 PSI	F90L FLANGE CODE 61 90° ELBOW 3000 PSI	F90L LD FLANGE CODE 61 90° ELBOW 3000 PSI LD	F60L FLANGE CODE 61 60° ELBOW 3000 PSI	F45L FLANGE CODE 61 45° ELBOW 3000 PSI
				
F30L FLANGE CODE 61 30° ELBOW 3000 PSI	F22.5L FLANGE CODE 61 22.5° ELBOW 3000 PSI			
				

Metric / DIN

ORES

Flanges





FDP FLANGE CODE 62 6000 PSI	F90P FLANGE CODE 62 90° ELBOW 6000 PSI	F90P LD FLANGE CODE 62 90° ELBOW 6000 PSI LD	F60P FLANGE CODE 62 60° ELBOW 6000 PSI	F45P FLANGE CODE 62 45° ELBOW 6000 PSI
				
F30P FLANGE CODE 62 30° ELBOW 6000 PSI	F22.5P FLANGE CODE 62 22.5° ELBOW 6000 PSI			
				
FDS SUPERCAT FLANGE	F90S SUPERCAT FLANGE 90°	F90S LD SUPERCAT FLANGE 90°	F45S SUPERCAT FLANGE 45°	
				
OG BSP BANJO	OM METRIC BANJO			
				
FDW T WATERJET CLEANER FEMALE FK TYPE	F90W T WATERJET CLEANER FEMALE 90° ELBOW FK TYPE	FW D PISTOL WASH CLEANER JUNCTION		
				
MINE STAPLE-LOCK MALE	MINE 90 STAPLE-LOCK MALE 90°	MINE 45 STAPLE-LOCK MALE 45°		
				
GD DOUBLE CONNECTOR	CS BRAZING TAIL			
				
FW WHITWORTH CO2 FEMALE	MW WHITWORTH CO2 MALE			
				
WB4 FERRULE WATERBLAST HOSE (skive - 4 spiral)	WB6 FERRULE WATERBLAST HOSE (skive - 6 spiral)	KMNPTF WB NPTF MALE FOR WATERBLAST HOSE	KFE S WB METRIC FEMALE FOR WATERBLAST HOSE	
				

HB.NS FERRULE FOR SPIRAL HOSE (no skive)	
HMG BSPP MALE 60° CONE	
HFDG.SP BSPP FEMALE (thrust-wire nut)	
HF90G.SP BSPP FEMALE 90° ELBOW (thrust-wire nut)	
HF45G.SP BSPP FEMALE 45° ELBOW (thrust-wire nut)	
BSP	
HMNPTF NPTF MALE	
HMOB O-RING BOSS MALE	
MOB	
HMJ JIC 37° MALE	
HFDJ SP JIC 37° FEMALE (thrust-wire nut)	
HF90J SP JIC 37° FEMALE SWIVEL 90° (thrust-wire nut)	
HF45J SP JIC 37° FEMALE SWIVEL 45° (thrust-wire nut)	
JIC	
HME.L METRIC MALE 24° CONE L TYPE	
HFE.L METRIC FEMALE 24° CONE L TYPE	
HF90E.L METRIC FEMALE 24° CONE 90° ELBOW L TYPE	
HF45E.L METRIC FEMALE 24° CONE 45° ELBOW L TYPE	
Metric /DIN	
HME.S METRIC MALE 24° CONE -S TYPE	
HFE.S METRIC FEMALE 24° CONE -S TYPE	
HF90E.S METRIC FEMALE 24° CONE 90° ELBOW S TYPE	
HF45E.S METRIC FEMALE 24° CONE 45° ELBOW S TYPE	







HMORFS

ORFS MALE




/ Pg. 34























**FORFS GIR**ORFS FEMALE
(doble exagon)**F900RFS**ORFS FEMALE SWIVEL
90° ELBOW**F450RFS**ORFS FEMALE SWIVEL
45° ELBOW


ORFS

HFDL
FLANGE CODE 61
3000 PSI**HF90L**
FLANGE CODE 61
90° ELBOW 3000 PSI**HF45L**
FLANGE CODE 61
45° ELBOW 3000 PSI**HFDP**
FLANGE CODE 62
6000 PSI**HF90P**
FLANGE CODE 62
90° ELBOW 6000 PSI**HF45P**
FLANGE CODE 62
45° ELBOW 6000 PSI

Flanges

HFDS
SUPERCAT FLANGE**HF90S**
SUPERCAT FLANGE
90° ELBOW**HF45S**
SUPERCAT FLANGE
90° ELBOW


KB4SH FERRULE FOR 4SH (skive)	KBH FERRULE FOR R13/R15 (skive)
	
KMG INTERLOCK BSPP MALE	KMKG INTERLOCK BSPT MALE
	
KFDG INTERLOCK BSPP FEMALE	KF90G INTERLOCK BSPP FEMALE 90°ELBOW
	
KF45G INTERLOCK BSPP FEMALE 45°ELBOW	
	
KMPTF INTERLOCK MNPTF MALE	
	
KMJ INTERLOCK JIC MALE	KFDJ INTERLOCK JIC FEMALE
	
KF90J INTERLOCK JIC FEMALE 90°ELBOW	KF90J LD INTERLOCK JIC FEMALE 90°ELBOW (LONG DROP)
	
KF45J INTERLOCK JIC FEMALE 45°ELBOW	
	
KME S INTERLOCK METRIC MALE 24°CONE-S TYPE	KFE S INTERLOCK METRIC FEMALE 24°CONE-S TYPE
	
KF90E S INTERLOCK METRIC FEMALE 24°CONE-S TYPE - 90°	KF45E S INTERLOCK METRIC FEMALE 24°CONE-S TYPE - 45°
	
KMORFS INTERLOCK ORFS MALE	KFORFS INTERLOCK ORFS FEMALE
	
KF900RFS INTERLOCK ORFS FEMALE 90° ELBOW	KF900RFSLD INTERLOCK ORFS FEMALE 90° ELBOW
	
KF450RFS INTERLOCK ORFS FEMALE 45° ELBOW	
	
KFDL INTERLOCK FLANGE CODE 61 3000 PSI	KF90L INTERLOCK FLANGE CODE 61 90°ELBOW 3000 PSI
	
KF90L LD INTERLOCK FLANGE C. 61 90° ELBOW 3000 PSI LD	KF45L INTERLOCK FLANGE CODE 61 45°ELBOW 3000 PSI
	
KFDP INTERLOCK FLANGE CODE 62 6000 PSI	KF90P INTERLOCK FLANGE CODE 62 90°ELBOW 6000 PSI
	
KF90P LD INTERLOCK FLANGE C. 62 90°ELBOW 6000 PSI LD	KF45P INTERLOCK FLANGE CODE 62 45°ELBOW 6000 PSI
	
KFDS INTERLOCK FLANGE SUPERCAT STYLE	KF90S INTERLOCK FLANGE SUPERCAT STYLE 90° ELBOW
	
KF90S LD INTERLOCK FLANGE SUPERCAT STYLE 90° ELBOW	KF45S INTERLOCK FLANGE SUPERCAT STYLE 45°ELBOW
	




JIC Adapters




Components JIC




AMJ
MALE JIC - MALE JIC




LMJ
90° MALE EQUAL
ELBOW-JIC MALE




TMJ
T ADPT MALE JIC



APPMJ
BULKHEAD CONNECTION




LPPMJ
90° BULKHEAD-JIC MALE




QPPMJ
JIC MALE BULKHEAD ELBOW-JIC MALE




AFGJ MJ
ADP SWIVEL FEMAL JIC -
MALE JIC




LMJ. FGJ
90° ADAPTOR FEMALE
JIC-MALE JIC




QMJ.FGJ
45° ADAPTOR FEMALE JIC
-MALE JIC




TMJ FGJ. B
RUN FEMALE JIC-
TEE MALE JIC




TMJ FGJ. P
BRANCH FEMALE JIC-TEE
MALE JIC




AMJ MG. R
ADP MALE JIC
MALE BSPP FORM E




AMJ MG. SV
ADP MALE JIC
MALE BSPP 60°CONE




AMJ MG L
STRAIGHT BULKHEAD
MALE JIC - MALE BSPP




AMJ FFG
ADP MALE JIC - FIXED
FAMALE BSPP




LMJ FFG
90°ADP MALE JIC - FIXED
FAMALE BSPP




TMJ FFG B
RUN TEE MALE JIC -
AMALE BSPP




TMJ FFG P
BRANCH TEE MALE JIC -
FAMALE BSPP




AFGJ MG R
ADAPTOR FEMALE JIC -
MALE BSPP FORM E




AFFG FJ
ADAPTER FOR PRESSURE
CONNECTION




AMJ MM. R
ADP MALE JIC MALE
METRIC FORM E




AMJ MM
ADP MALE JIC MALE
METRIC



AMJ MM L
LONG CONNECTOR MALE
JIC - MALE METRIC



AMJ MM RL
LONG CONNECTOR MALE JIC
- MALE METRIC FORM E



M. JIC - M. JIC

F. JIC - M. JIC

M. JIC - M. BSPP
















M. JIC - F. BSPP























F. JIC - M. BSPP


F. JIC - F. BSPP

M. JIC - M. METRIC

JIC Adapters
















<p>AFGJ MM R ADAPTOR FEMALE JIC - MALE METRIC FORM E</p> 	<p>AFGJ MM ADAPTOR FEMALE JIC - MALE METRIC</p> 
<p>AMJ MU ADP MALE JIC MALE UNF</p> 	<p>AMJ MU L LONG CONNECTOR MALE JIC - MALE UNF</p> 
<p>AFGJ MU ADAPTOR FEMALE JIC - MALE UNF</p> 	
<p>AMJ MGK ADP MALE JIC MALE BSPT/</p> 	<p>LMJ MGK 90° ADAPTOR MALE JIC - BSPT MALE</p> 
<p>TMJ MGK B RUN TEE ADAPTOR MALE JIC-MALE BSPT</p> 	<p>TMJ MGK P BRANCH TEE ADAPTOR MALE JIC-MALE BSPT/</p> 
<p>AFGJ MGK ADAPTOR FEMALE JIC - MALE BSPT</p> 	
<p>AMJ MN ADP MALE JIC MALE NPT</p> 	<p>LMJ MN 90° ADAPTOR MALE JIC - NPT MALE</p> 
<p>TMJ MN P BRANCH TEE ADAPTOR MALE JIC-MALE NPT</p> 	<p>TMJ MN B RUN TEE ADAPTOR MALE JIC-MALE NPT</p> 
<p>AFGJ MN ADAPTOR FEMALE JIC - MALE BSPT</p> 	

M. JIC- F. NPT	AMJ FFN ADP MALE JIC FIXED FE- MALE NPT	APPMJ FFN STRAIGHT BULKHEAD MALE JIC FEMALE NPT	LMJ FFN 90° ADAPTOR MALE JIC- FEMALE NPT	TMJ FFN P BRANCH TEE ADAPTOR MALE JIC-FEMALE NPT	TMJ FFN B RUN TEE ADAPTOR MALE JIC-FEMMALE NPT
					
Weld fittings	AMNJ T WELDING ADP MALE JIC	LMJ .. T 90° ADP MALE JIC SIDE FEMALE TO WELD		LMJ .. W 90° ADP MALE JIC BUTTWELD	
					
Plugs	ATMJ MALE PLUG JIC	ATFGJ FEMALE PLUG UNF			
					
	LMJ MOG 90° ADJUSTABLE MALE JIC- MALE BSPP	LMJ MOM R 90° ADJUSTABLE MALE JIC- MALE METRIC	LMJ MOM 90° ADJUSTABLE MALE JIC- MALE METRIC	LMJ MOU 90° ADJUSTABLE MALE JIC- MALE METRIC	
					
	QMJ MOG 45° ADJUSTABLE MALE JIC- MALE BSPP	QMJ MOM R 45° ADJUSTABLE MALE JIC- MALE METRIC	QMJ MOM 45° ADJUSTABLE MALE JIC- MALE METRIC	QMJ MOU 45° ADJUSTABLE MALE JIC- MALE METRIC	
					
	TMJ MOG B RUN TEE ADJUSTABLE MALE JIC- MALE BSPP	TMJ MOM R B RUN TEE ADJUSTABLE MALE JIC- MALE METRIC	TMJ MOM B RUN TEE ADJUSTABLE MALE JIC- MALE METRIC	TMJ MOU B RUN TEE ADJUSTABLE MALE JIC- MALE METRIC	
					
Locknut adjustable	TMJ MOG P BRUNCH TEE ADJUSTABLE MALE JIC- MALE BSPP	TMJ MOM R P BRUNCH TEE ADJUSTABLE MALE JIC- MALE METRIC	TMJ MOM P BRUNCH TEE ADJUSTABLE MALE JIC- MALE METRIC	TMJ MOU P BRUNCH TEE ADJUSTABLE MALE JIC- MALE METRIC	
					





ORFS Adapters



Components ORFS	ABO BUSH 	DBO ORFS NUT 		
M. ORFS - M. ORFS	AMO MALE ORFS - MALE ORFS 	LMO 90° MALE EQUAL ELBOW-ORFS MALE 	QMO 45° MALE ELBOW-ORFS MALE 	TMO T ADPT MALE ORFS 
Swivel F. - M. ORFS	APPMO BULKHEAD CONNECTION 	LPPMO 90° BULKHEAD-ORFS 	QPPMO ORFS MALE BULKHEAD ELBOW-ORFS MALE 	TPPMO. B RUN TEE BULKHEAD MALE ORFS 
M. ORFS - M. ORFS	AFGO MO ADP SWIVEL FEMAL ORFS - MALE ORFS 	LMO. FGO 90° ADAPTOR FEMALE ORFS-MALE ORFS 	QMO.FGO 45° ADAPTOR FEMALE ORFS -MALE ORFS 	TMO FGO. B RUN FEMALE ORFS-TEE MALE ORFS 
Swivel F. ORFS	AFGO FEMALE ORFS -FEMALE ORFS 			TMO FGO. P BRANCH FEMALE ORFS-TEE MALE ORFS 
M. ORFS - M. BSPP	AMO MG. R ADP MALE ORFS MALE BSPP FORM E 	AMO MG. SV ADP MALE ORFS MALE BSPP 60° CONE 		
M. ORFS - F. BSPP	AMO FFG ADP MALE ORFS - FIXED FAMALE BSPP 	APPMO FFG STRAIGHT BULKHEAD APP MALE ORFS-FEMALE BSPP 		
F. ORFS - M. BSPP	AFGO FFG ORFS SWIVEL NUT BSPP FEMALE 	AFGO MG SV ADP FAMALE ORFS MALE BSPP WITH 60° CONE 	AFGO MG R ADAPTOR FEMALE ORFS - MALE BSPP FORM E 	
M. ORFS - M. METRIC	AMO MM. R ADP MALE ORFS MALE METRIC FORM E 	AMO MM ADP MALE ORFS MALE METRIC 		


F. ORFS - M. METRIC

AFGO FFMORFS SWIVEL NUT METRIC
FEMALE**AFGO MM R**ADAPTOR FEMALE ORFS -
MALE METRIC FORM E


M. ORFS - M. UNF

AMO MU

ADP MALE ORFS MALE UNF






F. ORFS - M. UNF

AFGO MUADAPTOR FEMALE ORFS -
MALE UNF



M. ORFS - M. NPT

AMO MN


ADP MALE ORFS MALE NPT

**LMO MN**90° ADAPTOR MALE
ORFS-NPT MALE**QMO MN**45° ADAPTOR MALE
ORFS-NPT MALE


M. ORFS - F. NPT

AMO FFNADP MALE ORFS FIXED
FEMALE NPT**APPMO FFN**STRAIGHT BULKHEAD
MALE ORFS FEMALE NPT


M. ORFS - M. DIN

AMO MEADP MALE ORFS
MALE DIN



M. ORFS - F. DIN

AMO FEADP MALE ORFS
FEMALE DIN

M. ORFS - M. JIC

AMO MJADP MALE ORFS
MALE JIC


M ORFS -F JIC

AMO FGJADP MALE ORFS
FEMALE JIC**AFGO MJ**ADP FEMALE ORFS
MALE JIC















Weld fittings

AMNS T



WELDING ADP MALE ORFS

**TO .. W**

WELDING UNION

**LMO .. W**90° ADP MALE ORFS SIDE
TO WELD**LMO .. T**90° ADP MALE ORFS SIDE
FEMALE TO WELD**LMO MOG**90° ADJUSTABLE MALE
ORFS- MALE BSPP**LMO MOM R**90° ADJUSTABLE MALE
ORFS- MALE METRIC**LMO MOU**90° ADJUSTABLE MALE
ORFS- MALE METRIC**QMO MOG**45° ADJUSTABLE MALE
ORFS- MALE BSPP**QMO MOM R**45° ADJUSTABLE MALE
ORFS- MALE METRIC**QMO MOU**45° ADJUSTABLE MALE
ORFS- MALE METRIC**TMO MOG B**RUN TEE ADJUSTABLE
MALE ORFS- MALE BSPP**TMO MOM R B**RUN TEE ADJUSTABLE
MALE ORFS- MALE METRIC**TMO MOU B**RUN TEE ADJUSTABLE
MALE ORFS- MALE METRIC**TMO MOG P**BRUNCH TEE ADJUSTABLE
MALE ORFS- MALE BSPP**TMO MOM R P**BRUNCH TEE ADJUSTABLE
MALE ORFS- MALE METRIC**TMO MOU P**BRUNCH TEE ADJUSTABLE
MALE ORFS- MALE METRIC


Locknut adjustable

LFGO MOG90° FEMALE ORFS- AD-
JUSTABLE MALE BSPP**LFGO MOM R**90° FEMALE ORFS- AD-
JUSTABLE MALE METRIC**LFGO MOU**90° ADJUSTABLE MALE
ORFS- MALE METRIC


Plugs


ATMO

MALE PLUG UNF

**ATFGO**

FEMALE PLUG UNF




















DIN Adapters


























Components DIN

DL..DS
DIN 3870**ADT LS**
DOUBLE CUTTING RING**CPD.LS**
BULKHEAD NUT**AME.LS**
METRIC MALE STUD COUPLING**AME.LS**
METRIC MALE REDUCED COUPLING**APPME.LS**
BULKHEAD CONNECTION**LME LS**
DIN MALE EQUAL ELBOW-DIN MALE**LPPME LS**
DIN MALE BULKHEAD ELBOW-DIN MALE**TME LS**
T ADPT DIN MALE/DIN MALE/DIN MALE**TME LS P**
T ADPT DIN M/DIN M/DIN M REDUCED**TME LS B**
T ADPT DIN M/DIN M/REDUCED DIN M**CME LS**
EQUAL CROSS DIN MALE**AFE.LS ME..LS**
DIN FEM. STANDPIPE RED.-DIN MALE**LME LS FE LS**
DIN MALE STUD ELBOW-DIN FEM.**TME LSFE LS P**
T ADPT DIN M./DIN M./DIN FEM**TME LSFE LS B**
T ADPT DIN M./DIN FEM./DIN M**AFE.LS**
DIN FEMALE COUPLING -FEMALE COUPLING**AME.LS FFG**
DIN MALE STUD COUP.-BSPP FEM.**AME.LS FFM**
DIN MALE STUD COUP.-METRIC FEM.

Tube to Tube

Tube to Swivel

Swivel to Female

AME.LS.MG DIN M. STUD COUPLING - BSPP M. FORM B	AME.LS.MG EL DIN M. STUD COUPLING - BSPP M. FORM E	AME.LS.MG SV DIN M. STUD COUPLING SV 60° - BSPP M.	APPME.LS MG EL DIN MALE BULKHEAD CONN-BSPP MALE	
				
AME.LS.MM DIN MALE STUD COUPLING - METRIC MALE 3852 FORM B	AME.LS.MM EL DIN MALE STUD COUPLING - METRIC MALE 3852 FORM E	AME.LS.MU DIN M. STUD COUPLING - UNF/UN MALE		
				
AME.LS.MGK DIN MALE STUD COUPLING - BSPT MALE	AME.LS.MN DIN MALE STUD COUP.- NPT MALE	AME.LS.MMK DIN M. STUD COUP.-M TAPER M		
				
AFE.LS MG EL DIN FEM. STUD STP ADPT-BSPP	AFE.LS MM EL DIN FEM. STUD STP ADPT-METRIC	AFE.LS MN DIN FEM. STUD STP ADPT-NPT MALE	AFE.LS MU DIN FEM. STUD STP ADPT-UNF MALE	
				
LME LS MG DIN MALE STUD ELBOW-BSPP MALE	LME LS MM DIN MALE STUD ELBOW-METRIC MALE	LME LS MGK DIN MALE STUD ELBOW-BSPT MALE	LME LS MMK DIN MALE STUD ELBOW-METRIC MALE	LME LS MN DIN MALE STUD ELBOW-NPT MALE
				
TME LS MG P T ADPT DIN MALE/DIN MALE/BSPP MALE	TME LS MM P T ADPT DIN MALE/DIN MALE/METRIC MALE	TME LS MGK P T ADPT DIN MALE/DIN MALE/BSPT MALE	TME LS MMK P T ADPT DIN M/DIN M./ METR.TAPER	TME LS MN P T ADPT DIN MALE/DIN MALE/NPT MALE
				
TME LS MG B T ADPT DIN MALE/BSPP MALE/DIN MALE	TME LS MM B T ADPT DIN MALE/DIN MALE/METRIC MALE	TME LS MMK B T ADPT DIN M/DIN M./ METR.TAPER	TME LS MGK B T ADPT DIN MALE/ BSPT MALE/DIN MALE	TME LS MN B T ADPT DIN MALE/NPT MALE/DIN MALE
				

Male Stud Connector

Not Adjustable

Locknut Adjustable

Banjo Fittings

Weld Fittings

Port Reducers

Plugs

LME LS MOG
DIN MALE STUD
ELBOW-BSPP M. ADJ



LME LS MOM
DIN M. STUD ELBOW-
METRIC M. ADJ



LME LS MOMR
DIN M. STUD ELBOW-
METRIC M. ADJ



LME LS MOU
DIN MALE STUD
ELBOW-UNF M. ADJ



TME LS MOG P
T ADPT DIN M./DIN M./
BSPP M. ADJ



TME LS MOM P
T ADPT DIN M/DIN M/
METRIC M. ADJ



TME LS MOMR P
T ADPT DIN M/DIN M/
METRIC M. ADJ



TME LS MOU P
T ADPT DIN M./DIN M./
UNF M. ADJ



TME LS MOG B
T ADPT BSPP MALE ADJ/DIN
MALE/DIN MALE



TME LS MOM B
T ADPT METRIC M ADJ/DIN
M/DIN M



TME LS MOMR B
T ADPT METRIC M ADJ/DIN
M/DIN M



TME LS MOU B
T ADPT UNF MALE ADJ/DIN
MALE/DIN MALE



QME LS MOG
DIN MALE 45° ELBOW - BSPP
MALE ADJ



QME LS MOM
DIN M. 45° ELBOW - METRIC
M. ADJ



QME LS MOMR
DIN M. 45° ELBOW - METRIC
M. ADJ



QME LS MOU
DIN MALE 45° ELBOW - UNF
MALE ADJ



LME LS BFG
DIN MALE BANJO
ELBOW - BSPP



LME LS BFM
DIN MALE BANJO
ELBOW - M.




TME LS BFG P
DIN MALE BANJO
TEE - BSPP




TME LS BFM P
DIN MALE BANJO TEE -
METRIC




AME.LW
WELDING BOSS



TLS. W
DIN WELDING NIPPLE



APE.LS W
WELDING BULKHEAD
CONNECTION



LME LS W
DIN MALE-WELDING
ELBOW




ARMG ELFFG
DIN CONNECTOR BSPP
MALE-BSPP FEM



APMG ELFFG
DIN CONNECTOR BSPP
MALE-BSPP FEM



ATFGE..LS
DIN 24° BLACKING PLUG



ATME..LS
DIN 24° PIPE PLUG




ATMM..ELX
DIN INNER HEXAGON PLUG
METRIC



ATMG..ELX
DIN INNER HEXAGON PLUG
BSPP






BSP Adapters



<p>ANGG ADAPTOR MALE BSPP - MALE BSPP</p> 	<p>ARGG REDUCING ADAPTOR M. BSPP - M. BSPP</p> 	<p>ANGG...P STRAIGHT BULKHEAD ADAPTOR BSPP</p> 	<p>APMMG ADAPTOR M. BSPP - MALE BSPP</p> 	<p>LMG 90° ADAPTOR BSPP MALE - BSPP MALE</p> 
<p>LMG...MOG 90° ADJUST. ADAPTOR M. BSPP - M. BSPP</p> 	<p>LPPMG MALE BULKHEAD ELBOW-BSPP MALE</p> 	<p>TMG TEE MALE ADAPTOR BSPP</p> 	<p>TMG...MOG.P ADJUST. TEE M. BSPP - M. BSPP</p> 	<p>TMG...MOG.B ADJUST. TEE MALE BSPP - MALE BSPP</p> 
<p>APMFG ADAPTOR M. BSPP - FIXED F. BSPP</p> 	<p>AMFDG ADAPTOR M. BSPP - SWIVEL F. BSPP</p> 	<p>ARMFC REDUCING PLUG M. BSPP - FIXED F. BSPP</p> 	<p>ARMFL REDUCING ADAP. M. BSPP - FIXED F. BSPP</p> 	<p>AMF90G 90° ADAPTOR M. BSPP - SWIVEL F. BSPP</p> 
<p>AMF45G 45° ADAPTER M. BSPP SWIVEL F. BSPP</p> 	<p>LMG...FGG 90° ADAPTOR M. BSPP - SWIVEL F. BSPP</p> 	<p>TMG...FGG.B RUN TEE M. BSPP - SWIVEL F. BSPP</p> 	<p>TMG...FGG.P BRANCH TEE M. BSPP - SWIVEL F. BSPP</p> 	
<p>AFFDG ADAPTER SWIVEL F. BSPP SWIVEL F. BSPP</p> 	<p>AFF90G 90° ADAP. SWIVEL F. BSPP SWIVEL F. BSPP</p> 	<p>AFF45G 45° ADAP. SWIVEL F. BSPP SWIVEL F. BSPP</p> 	<p>APFFG ADAP. FIXED F. BSPP - FIXED F. BSPP</p> 	<p>LFFG 90° ADAP. FIXED F. BSPP - FIXED F. BSPP</p> 
<p>LFGG 90° SWIVEL FEMALE ADAPTER BSPP</p> 	<p>TFFG TEE ADAP. FIXED F. BSPP - FIXED F. BSPP-M. BSPT</p> 	<p>TFGG TEE FEMALE BSPP</p> 		
<p>ANGK ADAPTER MALE BSPP MALE BSPT</p> 	<p>ARGK REDUCING ADAP. M. BSPP - M. BSPT</p> 	<p>LMGK...MG 90° ADAP. M. BSPP - M. BSPT</p> 	<p>TMG...MGK.B RUN TEE M. BSPP - M. BSPT</p> 	<p>TMG...MGK.P BRANCH TEE M. BSPP - M. BSPT</p> 
<p>LMGK...FFG 90° ADAP. M. BSPT - FIXED F. BSPP</p> 	<p>LMGK...FGG 90° ADAP. M. BSPP - SWIVEL F. BSPP</p> 	<p>TFFG...MGK..B TEE ADAP. FIXED F. BSPP - M. BSPT</p> 	<p>TFFG...MGK..P TEE ADAP. FIXED F. BSPP - FIXED F. BSPP</p> 	
<p>ANGNPT ADAPTER MALE BSPP - MALE NPT</p> 	<p>LMG...MN 90° ADAP. M. BSPP - M. NPT</p> 	<p>TMG...MN.B RUN TEE MALE BSPP - MALE NPT</p> 	<p>TMG...MN.P BRANCH TEE MALE BSPP - MALE NPT</p> 	

LMN...FGG 90° ADAP. M. NPT - SWIVEL F. BSPP	F. BSPP - M. NPT 
ARGM REDUCING ADAP. M. BSPP - M. MALE	M. BSPP - M. BSPP 
AMFDGM ADAPTER M. BSPP METRIC SWIVEL F.	M. BSPP - F. BSPP 
ARMFCM REDUCING PLUG M. MALE - FIXED F. BSPP	M. BSPP - F. BSPP 
ARMFLM RED. ADAP. METRIC M.- METRIC FIXED F.	M. BSPP - M. BSPP 
ARMFCM RED.PLUG M. BSPP - METRIC FIXED F.	M. BSPP-M. BSPP 
ARMFLM RED. ADAPTER M. BSPP - METRIC FIXED F.	M. BSPP-M. BSPP 
ANKK ADAPTER MALE BSPT - MALE BSPT	M. BSPT - M. BSPT 
LMGK 90° ADAPTER MALE BSPT- MALE BSPT	M. BSPT - M. BSPT 
ANMM METRIC MALE ADAPTER	M. METRIC - M. METRIC 
ARMM REDUCING METRIC MALE ADAPTER	TMM ADAPTEUR "T" MALE METRIQUE
ANMM...P METRIC STRAIGHT BULKHEAD ADAPTER	TMM...MOMR..P ADJUSTABLE TEE .M. MALE- METRIC M.
LMM 90° ADAPTER MALE M MALE METRIC	TMM...MOMR..B ADJUSTABLE TEE .M. MALE- METRIC M.
LMM...MOMR 90° ADJUSTABLE METRIC M.-METRIC M.	TMM...FGM..P RUN TEE METRIC M. - METRIC SWIVEL F.
AMFDM ADAP. MALE M. - M. SWIVEL F.	TMM...FGM..B BRANCH TEE METRIC M.- METRIC SWIVEL F.
AMF90M 45° ADAP. METRIC M.- METRIC SWIVEL F.	TMM...FGM..P RUN TEE METRIC M. - METRIC SWIVEL F.
AMF45M 45° ADAP. METRIC M. - METRIC SWIVEL F.	TMM...FGM..B BRANCH TEE METRIC M.- METRIC SWIVEL F.
APMFM METRIC MALE ADAP. - METRIC FIXED FEMALE	TMM...FGM..P RUN TEE METRIC M. - METRIC SWIVEL F.
ARMFLM ADAP. METRIC M.- METRIC FIXED F.	TMM...FGM..B BRANCH TEE METRIC M.- METRIC SWIVEL F.
LMM...FGM 90° ADAPTER METRIC M.- METRIC SWIVEL F.	TMM...FGM..P RUN TEE METRIC M. - METRIC SWIVEL F.
TMM...FGM..P RUN TEE METRIC M. - METRIC SWIVEL F.	TMM...FGM..B BRANCH TEE METRIC M.- METRIC SWIVEL F.

LMN 90° ADAPTER MALE NPT- MALE NPT 	M. NPT - M. NPT
LMN...FFN 90° ADAPTER M.NPT- FIXED FEMALE NPT 	TFFN...MN.P TEE FIXED ADAPTER F. NPT - M. NPT - F. NPT 
LFFN 90° ADAPTER FIXED F. NPT - FIXED F. NPT 	TFFN...MN.B TEE FIXED ADAPTER M. NPT - F. NPT - F. NPT 
F. NPT - F. NPT	AFFDM ADAP. METRIC SWIVEL F.- METRIC SWIVEL F. 
F. METRIC - F. METRIC	AFF90M 90° ADAP. METRIC SWIVEL F.-METRIC SWIVEL F. 
PLUG	AFF45M 45° ADAP. M. SWIVEL F. - METRIC SWIVEL F. 
WELDING	APFFM ADAP. METRIC FIXED F. - METRIC FIXED F. 
	LFGM 90° METRIC SWIVEL F. ADAPTER 
	TFGM TEE METRIC FEMALE 
	ATMG MALE PLUG BSPP 
	ATFG SWIVEL FEMALE PLUG BSPP 
	ATMM METRIC MALE PLUG 
	ATFM SWIVEL METRIC FEMALE PLUG 
	AMNS...T WELDING ADAPTER BSPP 
	AMNS METRIC WELDING ADAPTER BSPP 
	AMNSM METRIC WELDING ADAPTER BSPP 
	AMNSM...T METRIC WELDING ADAPTER BSPP 
	ATSG WELDING UNION MALE BSPP 
	ATSM WELDING METRIC UNION MALE 
	ABSG WELDING STUD BSPP 
	ABSM METRIC WELDING STUD 

AOSG WELDING BANJO BSPP	AOSM METRIC WELDING BANJO	AOFG BANJO BSPP – MALE BSPP	AOFGM BANJO BSPP – MET- RIC MALE	AOFMG METRIC BANJO – MALE BSPP
				
AOFG...B BANJO BSPP – MALE BSPP WITH GUIDE	AOFM METRIC BANJO METRIC MALE	AOM...L METRIC BANJO – MALE DIN 24°	AOG...L BANJO BSPP –MALE DIN 24°	AOG...PDL BANJO BSPP WITH STANDPIPE
				
ABFG BSPP BOLT	ABFM METRIC BOLT	ABFDG DOUBLE BSPP BOLT		ABFDM 90° ADAPTER METRIC MALE - METRIC MALE
				

Product Range - 2019 eu

Data reported in this catalogue are not binding.
Vitillo S.p.a. reserves the right to change specifications without notice.

I dati riportati nella seguente pubblicazione non sono vincolanti.
Vitillo S.p.a. si riserva di apportare modifiche senza preavviso.

Les données exposées dans ce catalogue ne sont pas contraignantes.
Vitillo S.p.a. se réserve le droit d'apporter des modifications sans aucun préavis.

Die vorliegenden Angaben sind nicht bindend.
Vitillo S.p.a. behält sich technische Änderungen vor ohne Mitteilung.

Los datos referidos en la presente publicación son indicativos.
Vitillo S.p.a. se reserva el derecho de modificar las especificaciones sin aviso previo.



Vitillo SPA
Zona Pip Camporeale
83031 Ariano Irpino (Av)
Italy
+39 0825 881555
+39 0825 881956

Vitillo USA Inc
76 Blackburn Center
01930 Gloucester MA
Massachusetts
978-283-0601
978-283-0602

Vitillo Germany GmbH
Düsselberger Str.19
D-42781 Haan
Germany
+49 2104-17420-0
+49 2104-17420-39

Vitillo Poland
Ul. Dworcowa, 53
44340 Laziska-Godow
Poland
+48 327203540
+48 327203541



vitillo.eu
info@vitillo.eu 03/2018