

Press Fitting - Box Quantities

CODE	DESCRIPTION	PCs
B5K06	FERRULE NO SKIVE 3/8"	100
B5K08	FERRULE NO SKIVE 1/2"	100
B5K10	FERRULE NO SKIVE 5/8"	90
B5K12	FERRULE NO SKIVE 3/4"	70
B5K16	FERRULE NO SKIVE 1"	40
B5K204	FERRULE NO SKIVE 1.1/4"	10
B5K206	FERRULE NO SKIVE 1.1/4"	20
B1R03	FERRULE FOR 1ST/R1A H. 3/16	300
B1R04	FERRULE FOR 1ST/R1A H. 1/4	200
B1R05	FERRULE FOR 1ST/R1A H. 5/16	150
B1R06	FERRULE FOR 1ST/R1A H. 3/8	120
B1R08	FERRULE FOR 1ST/R1A H. 1/2	200
B1R10	FERRULE FOR 1ST/R1A H. 5/8	150
B1R12	FERRULE FOR 1ST/R1A H. 3/4	100
B1R16	FERRULE FOR 1ST/R1A H. 1	60
B1R20	FERRULE FOR 1ST/R1A H. 1.1/4	35
B1R24	FERRULE FOR 1ST/R1A H. 1.1/2	30
B1R32	FERRULE FOR 1ST/R1A H. 2	16
B2R03	FERRULE FOR 2ST/R2A H. 3/16	200
B2R04	FERRULE FOR 2ST/R2A H. 1/4	150
B2R05	FERRULE FOR 2ST/R2A H. 5/16	150
B2R06	FERRULE FOR 2ST/R2A H. 3/8	250
B2R08	FERRULE FOR 2ST/R2A H. 1/2	200
B2R10	FERRULE FOR 2ST/R2A H. 5/8	130
B2R12	FERRULE FOR 2ST/R2A H. 3/4	90
B2R16	FERRULE FOR 2ST/R2A H. 1	50
B2R20	FERRULE FOR 2ST/R2A H. 1.1/4	30
B2R24	FERRULE FOR 2ST/R2A H. 1.1/2	25
B2R32	FERRULE FOR 2ST/R2A H. 2	10
B1T03	FERRULE FOR 1SN/R1AT H. 3/16	250
B1T04	FERRULE FOR 1SN/R1AT H. 1/4	200
B1T05	FERRULE FOR 1SN/R1AT H. 5/16	150
B1T06	FERRULE FOR 1SN/R1AT H. 3/8	300
B1T08	FERRULE FOR 1SN/R1AT H. 1/2	200
B1T10	FERRULE FOR 1SN/R1AT H. 5/8	150
B1T12	FERRULE FOR 1SN/R1AT H. 3/4	100
B1T16	FERRULE FOR 1SN/R1AT H. 1	60
B1T20	FERRULE FOR 1SN/R1AT H. 1.1/4	30
B1T24	FERRULE FOR 1SN/R1AT H. 1.1/2	25
B2T03	FERRULE FOR 2SN/R2AT H. 3/16	250
B2T04	FERRULE FOR 2SN/R2AT H. 1/4	150
B2T05	FERRULE FOR 2SN/R2AT H. 5/16	150
B2T06	FERRULE FOR 2SN/R2AT H. 3/8	250
B2T08	FERRULE FOR 2SN/R2AT H. 1/2	200
B2T10	FERRULE FOR 2SN/R2AT H. 5/8	130
B2T12	FERRULE FOR 2SN/R2AT H. 3/4	90
B2T16	FERRULE FOR 2SN/R2AT H. 1	50
B2T20	FERRULE FOR 2SN/R2AT H. 1.1/4	25
B2T24	FERRULE FOR 2SN/R2AT H. 1.1/2	20
B12T03N	FERRULE FOR 1SN-2SN-2SC/R1AT-R2AT-2SC H. 3/16	250
B12T04N	FERRULE FOR 1SN-2SN-2SC/R1AT-R2AT-2SC H. 1/4	150
B12T05N	FERRULE FOR 1SN-2SN-2SC/R1AT-R2AT-2SC H. 5/16	150
B12T06N	FERRULE FOR 1SN-2SN-2SC/R1AT-R2AT-2SC H. 3/8	250

Press Fitting - Box Quantities

CODE	DESCRIPTION	PCs
B12T08N	FERRULE FOR 1SN-2SN-2SC/R1AT-R2AT-2SC H. 1/2	200
B12T10N	FERRULE FOR 1SN-2SN-2SC/R1AT-R2AT-2SC H. 5/8	150
B12T12N	FERRULE FOR 1SN-2SN-2SC/R1AT-R2AT-2SC H. 3/4	100
B12T16N	FERRULE FOR 1SN-2SN-2SC/R1AT-R2AT-2SC H. 1	50
B12T20N	FERRULE FOR 1SN-2SN-2SC/R1AT-R2AT-2SC H. 1.1/4	25
B12T24N	FERRULE FOR 1SN-2SN-2SC/R1AT-R2AT-2SC H. 1.1/2	20
B12T32N	FERRULE FOR 1SN-2SN-2SC/R1AT-R2AT-2SC H. 2	10
B1SC04	FERRULE FOR 1SC-1SN-2SC/1SC-R1AT-2SC H. 1/4	200
B1SC05	FERRULE FOR 1SC-1SN-2SC/1SC-R1AT-2SC H. 5/16	150
B1SC06	FERRULE FOR 1SC-1SN-2SC/1SC-R1AT-2SC H. 3/8	300
B1SC08	FERRULE FOR 1SC-1SN-2SC/1SC-R1AT-2SC H. 1/2	200
B1SC10	FERRULE FOR 1SC-1SN-2SC/1SC-R1AT-2SC H. 5/8	160
B1SC12	FERRULE FOR 1SC-1SN-2SC/1SC-R1AT-2SC H. 3/4	100
B1SC16	FERRULE FOR 1SC-1SN-2SC/1SC-R1AT-2SC H. 1	50
B1K04	FERRULE FOR 1SC-SLIM-R17-R7-R6 1TE/2TE H. 1/4	500
B1K05	FERRULE FOR 1SC-SLIM-R17-R7-R6 1TE/2TE H. 5/16	200
B1K06	FERRULE FOR 1SC-SLIM-R17-R7-R6 1TE/2TE H. 3/8	150
B1K08	FERRULE FOR 1SC-SLIM-R17-R7-R6 1TE/2TE H. 1/2	200
B1K10	FERRULE FOR 1SC-SLIM-R17-R7-R6 1TE/2TE H. 5/8	150
B1K12	FERRULE FOR 1SC-SLIM-R17-R7-R6 1TE/2TE H. 3/4	100
B1K16	FERRULE FOR 1SC-SLIM-R17-R7-R6 1TE/2TE H. 1	60
B1K20	FERRULE FOR 1SC-SLIM-R17-R7-R6 1TE/2TE H. 1.1/4	40
B1K24	FERRULE FOR 1SC-SLIM-R17-R7-R6 1TE/2TE H. 1.1/2	10
B1K32	FERRULE FOR 1SC-SLIM-R17-R7-R6 1TE/2TE H. 2	15
B3R04	FERRULE FOR R3-R4 H. 1/4	200
B3R05	FERRULE FOR R3-R4 H. 5/16	150
B3R06	FERRULE FOR R3-R4 H. 3/8	100
B3R08	FERRULE FOR R3-R4 H. 1/2	200
B3R10	FERRULE FOR R3-R4 H. 5/8	140
B3R12	FERRULE FOR R3-R4 H. 3/4	90
B3R16	FERRULE FOR R3-R4 H. 1	50
B3R20	FERRULE FOR R3-R4 H. 1.1/4	35
B9R04	FERRULE FOR R9R-4SP H. 1/4	150
B9R06	FERRULE FOR R9R-4SP H. 3/8	100
B9R08	FERRULE FOR R9R-4SP H. 1/2	200
B9R10	FERRULE FOR R9R-4SP H. 5/8	120
B9R12	FERRULE FOR R9R-4SP H. 3/4	75
B9R16	FERRULE FOR R9R-4SP H. 1	40
B9R20	FERRULE FOR R9R-4SP H. 1.1/4	25
B9R24	FERRULE FOR R9R-4SP H. 1.1/2	20
B9R32	FERRULE FOR R9R-4SP H. 2	10
B4SH20	FERRULE FOR 4SH H. 1.1/4	30
B4SH24	FERRULE FOR 4SH H. 1.1/2	20
B4SH32	FERRULE FOR 4SH H. 2	10
B7R03	FERRULE FOR R7 H. 3/16	400
B7R04	FERRULE FOR R7 H. 1/4	250
B7R05	FERRULE FOR R7 H. 5/16	200
B7R06	FERRULE FOR R7 H. 3/8	400
B7R08	FERRULE FOR R7 H. 1/2	250
B7R10	FERRULE FOR R7 H. 5/8	200
B7R12	FERRULE FOR R7 H. 3/4	130
B7R16	FERRULE FOR R7 H. 1	70
BPTFE03	FERRULE FOR PTFE H. 3/16	500

Press Fitting - Box Quantities

CODE	DESCRIPTION	PCs
BPTFE04	FERRULE FOR PTFE H. 1/4	250
BPTFE05	FERRULE FOR PTFE H. 5/16	300
BPTFE06	FERRULE FOR PTFE H. 3/8	250
BPTFE08	FERRULE FOR PTFE H. 1/2	250
BPTFE10	FERRULE FOR PTFE H. 5/8	250
BPTFE12	FERRULE FOR PTFE H. 3/4	150
BPTFE16	FERRULE FOR PTFE H. 1	40
BPTFEC04	FERRULE FOR PTFE CORRUGATED H. 1/4	250
BPTFEC06	FERRULE FOR PTFE CORRUGATED H. 3/8	200
BPTFEC08	FERRULE FOR PTFE CORRUGATED H. 1/2	250
BPTFEC10	FERRULE FOR PTFE CORRUGATED H. 5/8	200
BPTFEC12	FERRULE FOR PTFE CORRUGATED H. 3/4	150
BPTFEC16	FERRULE FOR PTFE CORRUGATED H. 1	35
BPTFEC20	FERRULE FOR PTFE CORRUGATED H. 1.1/4	50
BPTFEC24	FERRULE FOR PTFE CORRUGATED H. 1.1/2	20
BPTFEC32	FERRULE FOR PTFE CORRUGATED H. 2	10
KB4SH10	INTER. FERRULE FOR 4SH H. 5/8	30
KB4SH12	INTER. FERRULE FOR 4SH H. 3/4	60
KB4SH16	INTER. FERRULE FOR 4SH H. 1	40
KB4SH20	INTER. FERRULE FOR 4SH H. 1.1/4	25
KB4SH24	INTER. FERRULE FOR 4SH H. 1.1/2	15
KB4SH32	INTER. FERRULE FOR 4SH H. 2	6
KBH1320	INTER. FERRULE FOR R13/R15 H. 1.1/4	20
KBH1324	INTER. FERRULE FOR R13/R15 H. 1.1/2	15
KBH1332	INTER. FERRULE FOR R13 H. 2	5
WB4-06	FERRULE FOR WATERBLAST 4 SPIRAL H. 3/8	10
WB4-08	FERRULE FOR WATERBLAST 4 SPIRAL H. 1/2	10
WB4-12	FERRULE FOR WATERBLAST 4 SPIRAL H. 3/4	10
WB6-08	FERRULE FOR WATERBLAST 6 SPIRAL H. 1/2	10
WB6-12	FERRULE FOR WATERBLAST 6 SPIRAL H. 3/4	10
MG0302	BSPP MALE 1/8 - H. 3/16	150
MG0304	BSPP MALE 1/4 - H. 3/16	100
MG0402	BSPP MALE 1/8 - H. 1/4	100
MG0404	BSPP MALE 1/4 - H. 1/4	250
MG0406	BSPP MALE 3/8 - H. 1/4	150
MG0408	BSPP MALE 1/2 - H. 1/4	100
MG0504	BSPP MALE 1/4 - H. 5/16	50
MG0506	BSPP MALE 3/8 - H. 5/16	150
MG0508	BSPP MALE 1/2 - H. 5/16	100
MG0604	BSPP MALE 1/4 - H. 3/8	50
MG0606	BSPP MALE 3/8 - H. 3/8	150
MG0608	BSPP MALE 1/2 - H. 3/8	100
MG0806	BSPP MALE 3/8 - H. 1/2	50
MG0808	BSPP MALE 1/2 - H. 1/2	75
MG0810	BSPP MALE 5/8 - H. 1/2	20
MG0812	BSPP MALE 3/4 - H. 1/2	50
MG1008	BSPP MALE 1/2 - H. 5/8	20
MG1010	BSPP MALE 5/8 - H. 5/8	50
MG1012	BSPP MALE 3/4 - H. 5/8	20
MG1016	BSPP MALE 1 - H. 5/8	10
MG1208	BSPP MALE 1/2 - H. 3/4	20
MG1210	BSPP MALE 5/8 - H. 3/4	20
MG1212	BSPP MALE 3/4 - H. 3/4	100

Press Fitting - Box Quantities

CODE	DESCRIPTION	PCs
MG1216	BSPP MALE 1 - H. 3/4	25
MG1612	BSPP MALE 3/4 - H. 1	10
MG1616	BSPP MALE 1 - H. 1	50
MG1620	BSPP MALE 1.1/4 - H. 1	15
MG2020	BSPP MALE 1.1/4 - H. 1.1/4	10
MG2024	BSPP MALE 1.1/2 - H. 1.1/4	10
MG2424	BSPP MALE 1.1/2 - H. 1.1/2	10
MG2432	BSPP MALE 2 - H. 1.1/2	5
MG3232	BSPP MALE 2 - H. 2	5
FDG0302	BSPP FEM. 1/8 - H. 3/16	200
FDG0304	BSPP FEM. 1/4 - H. 3/16	150
FDG0402	BSPP FEM. 1/8 - H. 1/4	100
FDG0404	BSPP FEM. 1/4 - H. 1/4	250
FDG0406	BSPP FEM. 3/8 - H. 1/4	200
FDG0408	BSPP FEM. 1/2 - H. 1/4	100
FDG0504	BSPP FEM. 1/4 - H. 5/16	200
FDG0506	BSPP FEM. 3/8 - H. 5/16	150
FDG0508	BSPP FEM. 1/2 - H. 5/16	100
FDG0604	BSPP FEM. 1/4 - H. 3/8	100
FDG0606	BSPP FEM. 3/8 - H. 3/8	150
FDG0608	BSPP FEM. 1/2 - H. 3/8	100
FDG0806	BSPP FEM. 3/8 - H. 1/2	100
FDG0808	BSPP FEM. 1/2 - H. 1/2	75
FDG0810	BSPP FEM. 5/8 - H. 1/2	50
FDG0812	BSPP FEM. 3/4 - H. 1/2	50
FDG1008	BSPP FEM. 1/2 - H. 5/8	50
FDG1010	BSPP FEM. 5/8 - H. 5/8	50
FDG1012	BSPP FEM. 3/4 - H. 5/8	50
FDG1208	BSPP FEM. 1/2 - H. 3/4	20
FDG1210	BSPP FEM. 5/8 - H. 3/4	20
FDG1212	BSPP FEM. 3/4 - H. 3/4	100
FDG1216	BSPP FEM. 1 - H. 3/4	25
FDG1612	BSPP FEM. 3/4 - H. 1	10
FDG1616	BSPP FEM. 1 - H. 1	50
FDG1620	BSPP FEM. 1.1/4 - H. 1	10
FDG2020	BSPP FEM. 1.1/4 - H. 1.1/4	10
FDG2024	BSPP FEM. 1.1/2 - H. 1.1/4	10
FDG2424	BSPP FEM. 1.1/2 - H. 1.1/2	10
F90G0302	BSPP FEM.-90° 1/8 - H. 3/16	150
F90G0304	BSPP FEM.-90° 1/4 - H. 3/16	100
F90G0402	BSPP FEM.-90° 1/8 - H. 1/4	100
F90G0404	BSPP FEM.-90° 1/4 - H. 1/4	150
F90G0406	BSPP FEM.-90° 3/8 - H. 1/4	100
F90G0408	BSPP FEM.-90° 1/2 - H. 1/4	75
F90G0504	BSPP FEM.-90° 1/4 - H. 5/16	100
F90G0506	BSPP FEM.-90° 3/8 - H. 5/16	100
F90G0508	BSPP FEM.-90° 1/2 - H. 5/16	75
F90G0604	BSPP FEM.-90° 1/4 - H. 3/8	50
F90G0606	BSPP FEM.-90° 3/8 - H. 3/8	200
F90G0608	BSPP FEM.-90° 1/2 - H. 3/8	50
F90G0806	BSPP FEM.-90° 3/8 - H. 1/2	50
F90G0808	BSPP FEM.-90° 1/2 - H. 1/2	100
F90G0810	BSPP FEM.-90° 5/8 - H. 1/2	25

Press Fitting - Box Quantities

CODE	DESCRIPTION	PCs
F90G0812	BSPP FEM.-90° 3/4 - H. 1/2	25
F90G1008	BSPP FEM.-90° 1/2 - H. 5/8	25
F90G1010	BSPP FEM.-90° 5/8 - H. 5/8	25
F90G1012	BSPP FEM.-90° 3/4 - H. 5/8	25
F90G1208	BSPP FEM.-90° 1/2 - H. 3/4	10
F90G1210	BSPP FEM.-90° 5/8 - H. 3/4	10
F90G1212	BSPP FEM.-90° 3/4 - H. 3/4	50
F90G1216	BSPP FEM.-90° 1 - H. 3/4	15
F90G1612	BSPP FEM.-90° 3/4 - H. 1	10
F90G1616	BSPP FEM.-90° 1 - H. 1	25
F90G1620	BSPP FEM.-90° 1.1/4 - H. 1	5
F90G2020	BSPP FEM.-90° 1.1/4 - H. 1.1/4	10
F90G2024	BSPP FEM.-90° 1.1/2 - H. 1.1/4	5
F90G2424	BSPP FEM.-90° 1.1/2 - H. 1.1/2	5
F45G0302	BSPP FEM.-45° 1/8 - H. 3/16	100
F45G0304	BSPP FEM.-45° 1/4 - H. 3/16	100
F45G0402	BSPP FEM.-45° 1/8 - H. 1/4	100
F45G0404	BSPP FEM.-45° 1/4 - H. 1/4	150
F45G0406	BSPP FEM.-45° 3/8 - H. 1/4	100
F45G0408	BSPP FEM.-45° 1/2 - H. 1/4	20
F45G0504	BSPP FEM.-45° 1/4 - H. 5/16	50
F45G0506	BSPP FEM.-45° 3/8 - H. 5/16	100
F45G0508	BSPP FEM.-45° 1/2 - H. 5/16	25
F45G0604	BSPP FEM.-45° 1/4 - H. 3/8	25
F45G0606	BSPP FEM.-45° 3/8 - H. 3/8	75
F45G0608	BSPP FEM.-45° 1/2 - H. 3/8	50
F45G0806	BSPP FEM.-45° 3/8 - H. 1/2	25
F45G0808	BSPP FEM.-45° 1/2 - H. 1/2	50
F45G0810	BSPP FEM.-45° 5/8 - H. 1/2	20
F45G0812	BSPP FEM.-45° 3/4 - H. 1/2	10
F45G1008	BSPP FEM.-45° 1/2 - H. 5/8	10
F45G1010	BSPP FEM.-45° 5/8 - H. 5/8	25
F45G1012	BSPP FEM.-45° 3/4 - H. 5/8	20
F45G1208	BSPP FEM.-45° 1/2 - H. 3/4	10
F45G1210	BSPP FEM.-45° 5/8 - H. 3/4	10
F45G1212	BSPP FEM.-45° 3/4 - H. 3/4	20
F45G1216	BSPP FEM.-45° 1 - H. 3/4	20
F45G1612	BSPP FEM.-45° 3/4 - H. 1	10
F45G1616	BSPP FEM.-45° 1 - H. 1	10
F45G1620	BSPP FEM.-45° 1.1/4 - H. 1	10
F45G2020	BSPP FEM.-45° 1.1/4 - H. 1.1/4	10
F45G2024	BSPP FEM.-45° 1.1/2 - H. 1.1/4	5
F45G2424	BSPP FEM.-45° 1.1/2 - H. 1.1/2	5
FDG0302SF	BSPP FEM. 1/8 - H. 3/16 SLIP-ON NUT	100
FDG0304SF	BSPP FEM. 1/4 - H. 3/16 SLIP-ON NUT	100
FDG0404SF	BSPP FEM. 1/4 - H. 1/4 SLIP-ON NUT	200
FDG0406SF	BSPP FEM. 3/8 - H. 1/4 SLIP-ON NUT	50
FDG0506SF	BSPP FEM. 3/8 - H. 5/16 SLIP-ON NUT	50
FDG0606SF	BSPP FEM. 3/8 - H. 3/8 SLIP-ON NUT	150
FDG0608SF	BSPP FEM. 1/2 - H. 3/8 SLIP-ON NUT	100
FDG0808SF	BSPP FEM. 1/2 - H. 1/2 SLIP-ON NUT	75
F90G0302SF	BSPP FEM.-90° 1/8 - H. 3/16 SLIP-ON NUT	50
F90G0304SF	BSPP FEM.-90° 1/4 - H. 3/16 SLIP-ON NUT	50

Press Fitting - Box Quantities

CODE	DESCRIPTION	PCs
F90G0404SF	BSPP FEM.-90° 1/4 - H. 1/4 SLIP-ON NUT	200
F90G0406SF	BSPP FEM.-90° 3/8 - H. 1/4 SLIP-ON NUT	50
F90G0506SF	BSPP FEM.-90° 3/8 - H. 5/16 SLIP-ON NUT	100
F90G0606SF	BSPP FEM.-90° 3/8 - H. 3/8 SLIP-ON NUT	100
F90G0608SF	BSPP FEM.-90° 1/2 - H. 3/8 SLIP-ON NUT	75
F90G0808SF	BSPP FEM.-90° 1/2 - H. 1/2 SLIP-ON NUT	50
F45G0302SF	BSPP FEM.-45° 1/8 - H. 3/16 SLIP-ON NUT	50
F45G0304SF	BSPP FEM.-45° 1/4 - H. 3/16 SLIP-ON NUT	50
F45G0404SF	BSPP FEM.-45° 1/4 - H. 1/4 SLIP-ON NUT	50
F45G0406SF	BSPP FEM.-45° 3/8 - H. 1/4 SLIP-ON NUT	50
F45G0506SF	BSPP FEM.-45° 3/8 - H. 5/16 SLIP-ON NUT	50
F45G0606SF	BSPP FEM.-45° 3/8 - H. 3/8 SLIP-ON NUT	100
F45G0608SF	BSPP FEM.-45° 1/2 - H. 3/8 SLIP-ON NUT	25
F45G0808SF	BSPP FEM.-45° 1/2 - H. 1/2 SLIP-ON NUT	50
FDG0302SP	BSPP FEM. 1/8 - H. 3/16 THRUST-WIRE NUT	100
FDG0304SP	BSPP FEM. 1/4 - H. 3/16 THRUST-WIRE NUT	50
FDG0402SP	BSPP FEM. 1/8 - H. 1/4 THRUST-WIRE NUT	100
FDG0404SP	BSPP FEM. 1/4 - H. 1/4 THRUST-WIRE NUT	100
FDG0406SP	BSPP FEM. 3/8 - H. 1/4 THRUST-WIRE NUT	50
FDG0408SP	BSPP FEM. 1/2 - H. 1/4 THRUST-WIRE NUT	20
FDG0504SP	BSPP FEM. 1/4 - H. 5/16 THRUST-WIRE NUT	20
FDG0506SP	BSPP FEM. 3/8 - H. 5/16 THRUST-WIRE NUT	50
FDG0508SP	BSPP FEM. 1/2 - H. 5/16 THRUST-WIRE NUT	50
FDG0604SP	BSPP FEM. 1/4 - H. 3/8 THRUST-WIRE NUT	20
FDG0606SP	BSPP FEM. 3/8 - H. 3/8 THRUST-WIRE NUT	50
FDG0608SP	BSPP FEM. 1/2 - H. 3/8 THRUST-WIRE NUT	20
FDG0806SP	BSPP FEM. 3/8 - H. 1/2 THRUST-WIRE NUT	20
FDG0808SP	BSPP FEM. 1/2 - H. 1/2 THRUST-WIRE NUT	20
FDG0812SP	BSPP FEM. 3/4 - H. 1/2 THRUST-WIRE NUT	20
FDG1008SP	BSPP FEM. 1/2 - H. 5/8 THRUST-WIRE NUT	50
FDG1012SP	BSPP FEM. 3/4 - H. 5/8 THRUST-WIRE NUT	20
FDG1208SP	BSPP FEM. 1/2 - H. 3/4 THRUST-WIRE NUT	20
FDG1212SP	BSPP FEM. 3/4 - H. 3/4 THRUST-WIRE NUT	40
FDG1612SP	BSPP FEM. 3/4 - H. 1 THRUST-WIRE NUT	10
FDG1616SP	BSPP FEM. 1 - H. 1 THRUST-WIRE NUT	20
FDG1620SP	BSPP FEM. 1.1/4 - H. 1 THRUST-WIRE NUT	10
FDG2020SP	BSPP FEM. 1.1/4 - H. 1.1/4 THRUST-WIRE NUT	10
FDG2024SP	BSPP FEM. 1.1/2 - H. 1.1/4 THRUST-WIRE NUT	10
FDG2424SP	BSPP FEM. 1.1/2 - H. 1.1/2 THRUST-WIRE NUT	10
FDG2432SP	BSPP FEM. 2 - H. 1.1/2 THRUST-WIRE NUT	5
FDG3232SP	BSPP FEM. 2 - H. 2 THRUST-WIRE NUT	5
F90G0302SP	BSPP FEM.-90° 1/8 - H. 3/16 THRUST-WIRE NUT	100
F90G0304SP	BSPP FEM.-90° 1/4 - H. 3/16 THRUST-WIRE NUT	50
F90G0402SP	BSPP FEM.-90° 1/8 - H. 1/4 THRUST-WIRE NUT	50
F90G0404SP	BSPP FEM.-90° 1/4 - H. 1/4 THRUST-WIRE NUT	50
F90G0406SP	BSPP FEM.-90° 3/8 - H. 1/4 THRUST-WIRE NUT	50
F90G0408SP	BSPP FEM.-90° 1/2 - H. 1/4 THRUST-WIRE NUT	20
F90G0504SP	BSPP FEM.-90° 1/4 - H. 5/16 THRUST-WIRE NUT	20
F90G0506SP	BSPP FEM.-90° 3/8 - H. 5/16 THRUST-WIRE NUT	50
F90G0508SP	BSPP FEM.-90° 1/2 - H. 5/16 THRUST-WIRE NUT	20
F90G0604SP	BSPP FEM.-90° 1/4 - H. 3/8 THRUST-WIRE NUT	20
F90G0606SP	BSPP FEM.-90° 3/8 - H. 3/8 THRUST-WIRE NUT	75
F90G0608SP	BSPP FEM.-90° 1/2 - H. 3/8 THRUST-WIRE NUT	20

Press Fitting - Box Quantities

CODE	DESCRIPTION	PCs
F90G0806SP	BSPP FEM.-90° 3/8 - H. 1/2 THRUST-WIRE NUT	20
F90G0808SP	BSPP FEM.-90° 1/2 - H. 1/2 THRUST-WIRE NUT	20
F90G0812SP	BSPP FEM.-90° 3/4 - H. 1/2 THRUST-WIRE NUT	10
F90G1008SP	BSPP FEM.-90° 1/2 - H. 5/8 THRUST-WIRE NUT	10
F90G1012SP	BSPP FEM.-90° 3/4 - H. 5/8 THRUST-WIRE NUT	10
F90G1208SP	BSPP FEM.-90° 1/2 - H. 3/4 THRUST-WIRE NUT	10
F90G1212SP	BSPP FEM.-90° 3/4 - H. 3/4 THRUST-WIRE NUT	20
F90G1216SP	BSPP FEM.-90° 1 - H. 3/4 THRUST-WIRE NUT	10
F90G1612SP	BSPP FEM.-90° 3/4 - H. 1 THRUST-WIRE NUT	10
F90G1616SP	BSPP FEM.-90° 1 - H. 1 THRUST-WIRE NUT	25
F90G1620SP	BSPP FEM.-90° 1.1/4 - H. 1 THRUST-WIRE NUT	5
F90G2020SP	BSPP FEM.-90° 1.1/4 - H. 1.1/4 THRUST-WIRE NUT	10
F90G2024SP	BSPP FEM.-90° 1.1/2 - H. 1.1/4 THRUST-WIRE NUT	5
F90G2424SP	BSPP FEM.-90° 1.1/2 - H. 1.1/2 THRUST-WIRE NUT	5
F90G2432SP	BSPP FEM.-90° 2 - H. 1.1/2 THRUST-WIRE NUT	5
F90G3232SP	BSPP FEM.-90° 2 - H. 2 THRUST-WIRE NUT	3
F45G0302SP	BSPP FEM.-45° 1/8 - H. 3/16 THRUST-WIRE NUT	50
F45G0304SP	BSPP FEM.-45° 1/4 - H. 3/16 THRUST-WIRE NUT	50
F45G0402SP	BSPP FEM.-45° 1/8 - H. 1/4 THRUST-WIRE NUT	50
F45G0404SP	BSPP FEM.-45° 1/4 - H. 1/4 THRUST-WIRE NUT	50
F45G0406SP	BSPP FEM.-45° 3/8 - H. 1/4 THRUST-WIRE NUT	50
F45G0408SP	BSPP FEM.-45° 1/2 - H. 1/4 THRUST-WIRE NUT	20
F45G0504SP	BSPP FEM.-45° 1/4 - H. 5/16 THRUST-WIRE NUT	20
F45G0506SP	BSPP FEM.-45° 3/8 - H. 5/16 THRUST-WIRE NUT	50
F45G0508SP	BSPP FEM.-45° 1/2 - H. 5/16 THRUST-WIRE NUT	20
F45G0604SP	BSPP FEM.-45° 1/4 - H. 3/8 THRUST-WIRE NUT	20
F45G0606SP	BSPP FEM.-45° 3/8 - H. 3/8 THRUST-WIRE NUT	20
F45G0608SP	BSPP FEM.-45° 1/2 - H. 3/8 THRUST-WIRE NUT	20
F45G0806SP	BSPP FEM.-45° 3/8 - H. 1/2 THRUST-WIRE NUT	20
F45G0808SP	BSPP FEM.-45° 1/2 - H. 1/2 THRUST-WIRE NUT	20
F45G0812SP	BSPP FEM.-45° 3/4 - H. 1/2 THRUST-WIRE NUT	10
F45G1008SP	BSPP FEM.-45° 1/2 - H. 5/8 THRUST-WIRE NUT	10
F45G1012SP	BSPP FEM.-45° 3/4 - H. 5/8 THRUST-WIRE NUT	10
F45G1208SP	BSPP FEM.-45° 1/2 - H. 3/4 THRUST-WIRE NUT	10
F45G1212SP	BSPP FEM.-45° 3/4 - H. 3/4 THRUST-WIRE NUT	20
F45G1216SP	BSPP FEM.-45° 1 - H. 3/4 THRUST-WIRE NUT	10
F45G1612SP	BSPP FEM.-45° 3/4 - H. 1 THRUST-WIRE NUT	10
F45G1616SP	BSPP FEM.-45° 1 - H. 1 THRUST-WIRE NUT	10
F45G1620SP	BSPP FEM.-45° 1.1/4 - H. 1 THRUST-WIRE NUT	5
F45G2020SP	BSPP FEM.-45° 1.1/4 - H. 1.1/4 THRUST-WIRE NUT	10
F45G2024SP	BSPP FEM.-45° 1.1/2 - H. 1.1/4 THRUST-WIRE NUT	5
F45G2424SP	BSPP FEM.-45° 1.1/2 - H. 1.1/2 THRUST-WIRE NUT	5
F45G2432SP	BSPP FEM.-45° 2 - H. 1.1/2 THRUST-WIRE NUT	5
F45G3232SP	BSPP FEM.-45° 2 - H. 2 THRUST-WIRE NUT	3
F90G0404K	BSPP FEM.-90° 1/4 - H. 1/4 COMPACT	50
F90G0406K	BSPP FEM.-90° 3/8 - H. 1/4 COMPACT	20
F90G0506K	BSPP FEM.-90° 3/8 - H. 5/16 COMPACT	20
F90G0606K	BSPP FEM.-90° 3/8 - H. 3/8 COMPACT	75
F90G0608K	BSPP FEM.-90° 1/2 - H. 3/8 COMPACT	20
F90G0808K	BSPP FEM.-90° 1/2 - H. 1/2 COMPACT	50
F90G1212K	BSPP FEM.-90° 3/4 - H. 3/4 COMPACT	25
F90G1616K	BSPP FEM.-90° 1 - H. 1 COMPACT	10
F90J0404K	JIC 37° FEM.-90° 7/16 - H. 1/4 COMPACT	20

Press Fitting - Box Quantities

CODE	DESCRIPTION	PCs
F90J0406K	JIC 37° FEM.-90° 9/16 - H. 1/4 COMPACT	20
F90J0606K	JIC 37° FEM.-90° 9/16 - H. 3/8 COMPACT	20
F90J0608K	JIC 37° FEM.-90° 3/4 - H. 3/8 COMPACT	20
F90J0808K	JIC 37° FEM.-90° 3/4 - H. 1/2 COMPACT	20
F90J1212K	JIC 37° FEM.-90° 1.1/16 - H. 3/4 COMPACT	10
F90J1616K	JIC 37° FEM.-90° 1.5/16 - H. 1 COMPACT	5
MGSP0404	BSPP MALE 1/4 - H. 1/4 FLAT SEAT	100
MGSP0406	BSPP MALE 3/8 - H. 1/4 FLAT SEAT	50
MGSP0506	BSPP MALE 3/8 - H. 5/16 FLAT SEAT	50
MGSP0606	BSPP MALE 3/8 - H. 3/8 FLAT SEAT	50
MGSP0608	BSPP MALE 1/2 - H. 3/8 FLAT SEAT	100
MGSP0808	BSPP MALE 1/2 - H. 1/2 FLAT SEAT	75
MGSP0810	BSPP MALE 5/8 - H. 1/2 FLAT SEAT	20
MGSP0812	BSPP MALE 3/4 - H. 1/2 FLAT SEAT	10
MGSP1010	BSPP MALE 5/8 - H. 5/8 FLAT SEAT	20
MGSP1012	BSPP MALE 3/4 - H. 5/8 FLAT SEAT	20
MGSP1212	BSPP MALE 3/4 - H. 3/4 FLAT SEAT	10
MGSP1216	BSPP MALE 1 - H. 3/4 FLAT SEAT	10
MGSP1616	BSPP MALE 1 - H. 1 FLAT SEAT	20
MGSP2020	BSPP MALE 1.1/4 - H. 1.1/4 FLAT SEAT	5
MGSP2424	BSPP MALE 1.1/2 - H. 1.1/2 FLAT SEAT	5
FDGSP0404	BSPP FEM. 1/4 - H. 1/4 FLAT SEAT	100
FDGSP0406	BSPP FEM. 3/8 - H. 1/4 FLAT SEAT	75
FDGSP0506	BSPP FEM. 3/8 - H. 5/16 FLAT SEAT	75
FDGSP0606	BSPP FEM. 3/8 - H. 3/8 FLAT SEAT	150
FDGSP0608	BSPP FEM. 1/2 - H. 3/8 FLAT SEAT	100
FDGSP0808	BSPP FEM. 1/2 - H. 1/2 FLAT SEAT	100
FDGSP0810	BSPP FEM. 5/8 - H. 1/2 FLAT SEAT	20
FDGSP0812	BSPP FEM. 3/4 - H. 1/2 FLAT SEAT	20
FDGSP1010	BSPP FEM. 5/8 - H. 5/8 FLAT SEAT	25
FDGSP1012	BSPP FEM. 3/4 - H. 5/8 FLAT SEAT	20
FDGSP1212	BSPP FEM. 3/4 - H. 3/4 FLAT SEAT	20
FDGSP1216	BSPP FEM. 1 - H. 3/4 FLAT SEAT	10
FDGSP1616	BSPP FEM. 1 - H. 1 FLAT SEAT	20
FDGSP2020	BSPP FEM. 1.1/4 - H. 1.1/4 FLAT SEAT	5
MGK0302	BSPT MALE 1/8 - H. 3/16	200
MGK0304	BSPT MALE 1/4 - H. 3/16	100
MGK0402	BSPT MALE 1/8 - H. 1/4	100
MGK0404	BSPT MALE 1/4 - H. 1/4	100
MGK0406	BSPT MALE 3/8 - H. 1/4	50
MGK0504	BSPT MALE 1/4 - H. 5/16	100
MGK0506	BSPT MALE 3/8 - H. 5/16	150
MGK0604	BSPT MALE 1/4 - H. 3/8	100
MGK0606	BSPT MALE 3/8 - H. 3/8	150
MGK0608	BSPT MALE 1/2 - H. 3/8	100
MGK0806	BSPT MALE 3/8 - H. 1/2	50
MGK0808	BSPT MALE 1/2 - H. 1/2	100
MGK1008	BSPT MALE 1/2 - H. 5/8	20
MGK1012	BSPT MALE 3/4 - H. 5/8	20
MGK1212	BSPT MALE 3/4 - H. 3/4	50
MGK1216	BSPT MALE 1 - H. 3/4	10
MGK1616	BSPT MALE 1 - H. 1	20
MGK1620	BSPT MALE 1.1/4 - H. 1	10

Press Fitting - Box Quantities

CODE	DESCRIPTION	PCs
MGK2020	BSPT MALE 1.1/4 - H. 1.1/4	10
MGK2024	BSPT MALE 1.1/2 - H. 1.1/4	10
MGK2424	BSPT MALE 1.1/2 - H. 1.1/2	10
MGK3232	BSPT MALE 2 - H. 2	5
MNPT0302	NPTF MALE 1/8 - H. 3/16	100
MNPT0304	NPTF MALE 1/4 - H. 3/16	100
MNPT0402	NPTF MALE 1/8 - H. 1/4	100
MNPT0404	NPTF MALE 1/4 - H. 1/4	100
MNPT0406	NPTF MALE 3/8 - H. 1/4	50
MNPT0408	NPTF MALE 1/2 - H. 1/4	100
MNPT0504	NPTF MALE 1/4 - H. 5/16	100
MNPT0506	NPTF MALE 3/8 - H. 5/16	150
MNPT0508	NPTF MALE 1/2 - H. 5/16	100
MNPT0604	NPTF MALE 1/4 - H. 3/8	50
MNPT0606	NPTF MALE 3/8 - H. 3/8	150
MNPT0608	NPTF MALE 1/2 - H. 3/8	100
MNPT0806	NPTF MALE 3/8 - H. 1/2	50
MNPT0808	NPTF MALE 1/2 - H. 1/2	75
MNPT0812	NPTF MALE 3/4 - H. 1/2	50
MNPT1008	NPTF MALE 1/2 - H. 5/8	25
MNPT1012	NPTF MALE 3/4 - H. 5/8	20
MNPT1212	NPTF MALE 3/4 - H. 3/4	50
MNPT1216	NPTF MALE 1 - H. 3/4	10
MNPT1612	NPTF MALE 3/4 - H. 1	10
MNPT1616	NPTF MALE 1 - H. 1	20
MNPT1620	NPTF MALE 1.1/4 - H. 1	10
MNPT2020	NPTF MALE 1.1/4 - H. 1.1/4	10
MNPT2024	NPTF MALE 1.1/2 - H. 1.1/4	10
MNPT2424	NPTF MALE 1.1/2 - H. 1.1/2	10
MNPT3232	NPTF MALE 2 - H. 2	5
MJ0304	JIC 37° MALE 7/16 - H. 3/16	100
MJ0305	JIC 37° MALE 1/2 - H. 3/16	100
MJ0404	JIC 37° MALE 7/16 - H. 1/4	100
MJ0405	JIC 37° MALE 1/2 - H. 1/4	100
MJ0406	JIC 37° MALE 9/16 - H. 1/4	100
MJ0505	JIC 37° MALE 1/2 - H. 5/16	50
MJ0506	JIC 37° MALE 9/16 - H. 5/16	100
MJ0507	JIC 37° MALE 5/8 - H. 5/16	75
MJ0508	JIC 37° MALE 3/4 - H. 5/16	75
MJ0606	JIC 37° MALE 9/16 - H. 3/8	200
MJ0607	JIC 37° MALE 5/8 - H. 3/8	50
MJ0608	JIC 37° MALE 3/4 - H. 3/8	150
MJ0610	JIC 37° MALE 7/8 - H. 3/8	75
MJ0808	JIC 37° MALE 3/4 - H. 1/2	100
MJ0810	JIC 37° MALE 7/8 - H. 1/2	75
MJ0812	JIC 37° MALE 1.1/16 - H. 1/2	50
MJ1010	JIC 37° MALE 7/8 - H. 5/8	75
MJ1012	JIC 37° MALE 1.1/16 - H. 5/8	50
MJ1210	JIC 37° MALE 7/8 - H. 3/4	20
MJ1212	JIC 37° MALE 1.1/16 - H. 3/4	35
MJ1214	JIC 37° MALE 1.3/16 - H. 3/4	10
MJ1216	JIC 37° MALE 1.5/16 - H. 3/4	25
MJ1612	JIC 37° MALE 1.1/16 - H. 1	10

Press Fitting - Box Quantities

CODE	DESCRIPTION	PCs
MJ1616	JIC 37° MALE 1.5/16 - H. 1	20
MJ1620	JIC 37° MALE 1.5/8 - H. 1	15
MJ2020	JIC 37° MALE 1.5/8 - H. 1.1/4	10
MJ2024	JIC 37° MALE 1.7/8 - H. 1.1/4	10
MJ2424	JIC 37° MALE 1.7/8 - H. 1.1/2	10
MJ3232	JIC 37° MALE 2.1/2 - H. 2	5
FDJ0304	JIC 37° FEM. 7/16 - H. 3/16	150
FDJ0305	JIC 37° FEM. 1/2 - H. 3/16	100
FDJ0404	JIC 37° FEM. 7/16 - H. 1/4	150
FDJ0405	JIC 37° FEM. 1/2 - H. 1/4	150
FDJ0406	JIC 37° FEM. 9/16 - H. 1/4	200
FDJ0505	JIC 37° FEM. 1/2 - H. 5/16	100
FDJ0506	JIC 37° FEM. 9/16 - H. 5/16	200
FDJ0507	JIC 37° FEM. 5/8 - H. 5/16	50
FDJ0508	JIC 37° FEM. 3/4 - H. 5/16	100
FDJ0606	JIC 37° FEM. 9/16 - H. 3/8	200
FDJ0607	JIC 37° FEM. 5/8 - H. 3/8	150
FDJ0608	JIC 37° FEM. 3/4 - H. 3/8	100
FDJ0610	JIC 37° FEM. 7/8 - H. 3/8	75
FDJ0808	JIC 37° FEM. 3/4 - H. 1/2	100
FDJ0810	JIC 37° FEM. 7/8 - H. 1/2	75
FDJ0812	JIC 37° FEM. 1.1/16 - H. 1/2	50
FDJ1010	JIC 37° FEM. 7/8 - H. 5/8	50
FDJ1012	JIC 37° FEM. 1.1/16 - H. 5/8	50
FDJ1210	JIC 37° FEM. 7/8 - H. 3/4	20
FDJ1212	JIC 37° FEM. 1.1/16 - H. 3/4	100
FDJ1214	JIC 37° FEM. 1.3/16 - H. 3/4	30
FDJ1216	JIC 37° FEM. 1.5/16 - H. 3/4	25
FDJ1612	JIC 37° FEM. 1.1/16 - H. 1	10
FDJ1616	JIC 37° FEM. 1.5/16 - H. 1	50
FDJ1620	JIC 37° FEM. 1.5/8 - H. 1	15
FDJ2020	JIC 37° FEM. 1.5/8 - H. 1.1/4	10
FDJ2024	JIC 37° FEM. 1.7/8 - H. 1.1/4	10
FDJ2424	JIC 37° FEM. 1.7/8 - H. 1.1/2	10
F90J0304	JIC 37° FEM.-90° 7/16 - H. 3/16	100
F90J0305	JIC 37° FEM.-90° 1/2 - H. 3/16	50
F90J0404	JIC 37° FEM.-90° 7/16 - H. 1/4	200
F90J0405	JIC 37° FEM.-90° 1/2 - H. 1/4	100
F90J0406	JIC 37° FEM.-90° 9/16 - H. 1/4	150
F90J0505	JIC 37° FEM.-90° 1/2 - H. 5/16	50
F90J0506	JIC 37° FEM.-90° 9/16 - H. 5/16	100
F90J0507	JIC 37° FEM.-90° 5/8 - H. 5/16	50
F90J0508	JIC 37° FEM.-90° 3/4 - H. 5/16	25
F90J0606	JIC 37° FEM.-90° 9/16 - H. 3/8	100
F90J0607	JIC 37° FEM.-90° 5/8 - H. 3/8	75
F90J0608	JIC 37° FEM.-90° 3/4 - H. 3/8	70
F90J0610	JIC 37° FEM.-90° 7/8 - H. 3/8	50
F90J0808	JIC 37° FEM.-90° 3/4 - H. 1/2	100
F90J0810	JIC 37° FEM.-90° 7/8 - H. 1/2	100
F90J0812	JIC 37° FEM.-90° 1.1/16 - H. 1/2	35
F90J1010	JIC 37° FEM.-90° 7/8 - H. 5/8	25
F90J1012	JIC 37° FEM.-90° 1.1/16 - H. 5/8	25
F90J1210	JIC 37° FEM.-90° 7/8 - H. 3/4	10

Press Fitting - Box Quantities

CODE	DESCRIPTION	PCs
F90J1212	JIC 37° FEM.-90° 1.1/16 - H. 3/4	50
F90J1214	JIC 37° FEM.-90° 1.3/16 - H. 3/4	20
F90J1216	JIC 37° FEM.-90° 1.5/16 - H. 3/4	15
F90J1612	JIC 37° FEM.-90° 1.1/16 - H. 1	10
F90J1616	JIC 37° FEM.-90° 1.5/16 - H. 1	25
F90J1620	JIC 37° FEM.-90° 1.5/8 - H. 1	5
F90J2020	JIC 37° FEM.-90° 1.5/8 - H. 1.1/4	10
F90J2024	JIC 37° FEM.-90° 1.7/8 - H. 1.1/4	5
F90J2424	JIC 37° FEM.-90° 1.7/8 - H. 1.1/2	5
F90J0404LD	JIC 37° FEM.-90° 7/16 - H. 1/4 LONG DROP	On request
F90J0405LD	JIC 37° FEM.-90° 1/2 - H. 1/4 LONG DROP	On request
F90J0406LD	JIC 37° FEM.-90° 9/16 - H. 1/4 LONG DROP	On request
F90J0606LD	JIC 37° FEM.-90° 9/16 - H. 3/8 LONG DROP	On request
F90J0608LD	JIC 37° FEM.-90° 3/4 - H. 3/8 LONG DROP	On request
F90J0808LD	JIC 37° FEM.-90° 3/4 - H. 1/2 LONG DROP	On request
F90J0810LD	JIC 37° FEM.-90° 7/8 - H. 1/2 LONG DROP	On request
F90J1010LD	JIC 37° FEM.-90° 7/8 - H. 5/8 LONG DROP	On request
F90J1212LD	JIC 37° FEM.-90° 1.1/16 - H. 3/4 LONG DROP	On request
F90J1616LD	JIC 37° FEM.-90° 1.5/16 - H. 1 LONG DROP	On request
F45J0304	JIC 37° FEM.-45° 7/16 - H. 3/16	100
F45J0305	JIC 37° FEM.-45° 1/2 - H. 3/16	50
F45J0404	JIC 37° FEM.-45° 7/16 - H. 1/4	50
F45J0405	JIC 37° FEM.-45° 1/2 - H. 1/4	50
F45J0406	JIC 37° FEM.-45° 9/16 - H. 1/4	50
F45J0505	JIC 37° FEM.-45° 1/2 - H. 5/16	50
F45J0506	JIC 37° FEM.-45° 9/16 - H. 5/16	50
F45J0507	JIC 37° FEM.-45° 5/8 - H. 5/16	25
F45J0508	JIC 37° FEM.-45° 3/4 - H. 5/16	25
F45J0606	JIC 37° FEM.-45° 9/16 - H. 3/8	100
F45J0607	JIC 37° FEM.-45° 5/8 - H. 3/8	75
F45J0608	JIC 37° FEM.-45° 3/4 - H. 3/8	70
F45J0610	JIC 37° FEM.-45° 7/8 - H. 3/8	50
F45J0808	JIC 37° FEM.-45° 3/4 - H. 1/2	50
F45J0810	JIC 37° FEM.-45° 7/8 - H. 1/2	50
F45J0812	JIC 37° FEM.-45° 1.1/16 - H. 1/2	35
F45J1010	JIC 37° FEM.-45° 7/8 - H. 5/8	25
F45J1012	JIC 37° FEM.-45° 1.1/16 - H. 5/8	30
F45J1210	JIC 37° FEM.-45° 7/8 - H. 3/4	10
F45J1212	JIC 37° FEM.-45° 1.1/16 - H. 3/4	20
F45J1214	JIC 37° FEM.-45° 1.3/16 - H. 3/4	20
F45J1216	JIC 37° FEM.-45° 1.5/16 - H. 3/4	20
F45J1612	JIC 37° FEM.-45° 1.1/16 - H. 1	15
F45J1616	JIC 37° FEM.-45° 1.5/16 - H. 1	10
F45J1620	JIC 37° FEM.-45° 1.5/8 - H. 1	5
F45J2020	JIC 37° FEM.-45° 1.5/8 - H. 1.1/4	5
F45J2024	JIC 37° FEM.-45° 1.7/8 - H. 1.1/4	5
F45J2424	JIC 37° FEM.-45° 1.7/8 - H. 1.1/2	5
FDJ0304SP	JIC 37° FEM. 7/16 - H. 3/16 THRUST-WIRE NUT	50
FDJ0305SP	JIC 37° FEM. 1/2 - H. 3/16 THRUST-WIRE NUT	50
FDJ0404SP	JIC 37° FEM. 7/16 - H. 1/4 THRUST-WIRE NUT	50
FDJ0405SP	JIC 37° FEM. 1/2 - H. 1/4 THRUST-WIRE NUT	50
FDJ0406SP	JIC 37° FEM. 9/16 - H. 1/4 THRUST-WIRE NUT	50
FDJ0505SP	JIC 37° FEM. 1/2 - H. 5/16 THRUST-WIRE NUT	20

Press Fitting - Box Quantities

CODE	DESCRIPTION	PCs
FDJ0506SP	JIC 37° FEM. 9/16 - H. 5/16 THRUST-WIRE NUT	20
FDJ0508SP	JIC 37° FEM. 3/4 - H. 5/16 THRUST-WIRE NUT	20
FDJ0606SP	JIC 37° FEM. 9/16 - H. 3/8 THRUST-WIRE NUT	100
FDJ0608SP	JIC 37° FEM. 3/4 - H. 3/8 THRUST-WIRE NUT	50
FDJ0610SP	JIC 37° FEM. 7/8 - H. 3/8 THRUST-WIRE NUT	20
FDJ0808SP	JIC 37° FEM. 3/4 - H. 1/2 THRUST-WIRE NUT	20
FDJ0810SP	JIC 37° FEM. 7/8 - H. 1/2 THRUST-WIRE NUT	75
FDJ0812SP	JIC 37° FEM. 1.1/16 - H. 1/2 THRUST-WIRE NUT	20
FDJ1010SP	JIC 37° FEM. 7/8 - H. 5/8 THRUST-WIRE NUT	20
FDJ1012SP	JIC 37° FEM. 1.1/16 - H. 5/8 THRUST-WIRE NUT	20
FDJ1210SP	JIC 37° FEM. 7/8 - H. 3/4 THRUST-WIRE NUT	20
FDJ1212SP	JIC 37° FEM. 11/16 - H. 3/4 THRUST-WIRE NUT	40
FDJ1216SP	JIC 37° FEM. 15/16 - H. 3/4 THRUST-WIRE NUT	10
FDJ1612SP	JIC 37° FEM. 1.1/16 - H. 1 THRUST-WIRE NUT	5
FDJ1616SP	JIC 37° FEM. 1.5/16 - H. 1 THRUST-WIRE NUT	20
FDJ1620SP	JIC 37° FEM. 1.5/8 - H. 1 THRUST-WIRE NUT	5
FDJ2020SP	JIC 37° FEM. 15/8 - H. 1.1/4 THRUST-WIRE NUT	5
FDJ2024SP	JIC 37° FEM. 1.7/8 - H. 1.1/4 THRUST-WIRE NUT	5
FDJ2424SP	JIC 37° FEM. 1.7/8 - H. 1.1/2 THRUST-WIRE NUT	5
FDJ2432SP	JIC 37° FEM. 2.1/2 - H. 1.1/2 THRUST-WIRE NUT	5
FDJ3232SP	JIC 37° FEM. 2.1/2 - H. 2 THRUST-WIRE NUT	5
F90J0304SP	JIC 37° FEM.-90° 7/16 - H. 3/16 THRUST-WIRE NUT	20
F90J0305SP	JIC 37° FEM.-90° 1/2 - H. 3/16 THRUST-WIRE NUT	75
F90J0404SP	JIC 37° FEM.-90° 7/16 - H. 1/4 THRUST-WIRE NUT	50
F90J0405SP	JIC 37° FEM.-90° 1/2 - H. 1/4 THRUST-WIRE NUT	50
F90J0406SP	JIC 37° FEM.-90° 9/16 - H. 1/4 THRUST-WIRE NUT	50
F90J0505SP	JIC 37° FEM.-90° 1/2 - H. 5/16 THRUST-WIRE NUT	20
F90J0506SP	JIC 37° FEM.-90° 9/16 - H. 5/16 THRUST-WIRE NUT	50
F90J0508SP	JIC 37° FEM.-90° 3/4 - H. 5/16 THRUST-WIRE NUT	75
F90J0606SP	JIC 37° FEM.-90° 9/16 - H. 3/8 THRUST-WIRE NUT	25
F90J0608SP	JIC 37° FEM.-90° 3/4 - H. 3/8 THRUST-WIRE NUT	50
F90J0610SP	JIC 37° FEM.-90° 7/8 - H. 3/8 THRUST-WIRE NUT	25
F90J0808SP	JIC 37° FEM.-90° 3/4 - H. 1/2 THRUST-WIRE NUT	20
F90J0810SP	JIC 37° FEM.-90° 7/8 - H. 1/2 THRUST-WIRE NUT	50
F90J0812SP	JIC 37° FEM.-90° 1.1/16 - H. 1/2 THRUST-WIRE NUT	10
F90J1010SP	JIC 37° FEM.-90° 7/8 - H. 5/8 THRUST-WIRE NUT	25
F90J1012SP	JIC 37° FEM.-90° 1.1/16 - H. 5/8 THRUST-WIRE NUT	10
F90J1210SP	JIC 37° FEM.-90° 7/8 - H. 3/4 THRUST-WIRE NUT	10
F90J1212SP	JIC 37° FEM.-90° 11/16 - H. 3/4 THRUST-WIRE NUT	20
F90J1216SP	JIC 37° FEM.-90° 1.5/16 - H. 3/4 THRUST-WIRE NUT	10
F90J1612SP	JIC 37° FEM.-90° 1.1/16 - H. 1 THRUST-WIRE NUT	5
F90J1616SP	JIC 37° FEM.-90° 1.5/16 - H. 1 THRUST-WIRE NUT	10
F90J1620SP	JIC 37° FEM.-90° 1.5/8 - H. 1 THRUST-WIRE NUT	5
F90J2020SP	JIC 37° FEM.-90° 1.5/8 - H. 1.1/4 THRUST-WIRE NUT	5
F90J2024SP	JIC 37° FEM.-90° 1.7/8 - H. 1.1/4 THRUST-WIRE NUT	5
F90J2424SP	JIC 37° FEM.-90° 1.7/8 - H. 1.1/2 THRUST-WIRE NUT	5
F90J2432SP	JIC 37° FEM.-90° 2.1/2 - H. 1.1/2 THRUST-WIRE NUT	5
F90J3232SP	JIC 37° FEM.-90° 2.1/2 - H. 2 THRUST-WIRE NUT	3
F90J0404SPLD	JIC 37° FEM.-90° 7/16 - H. 1/4 LONG DROP - THRUST-WIRE NUT	On request
F90J0405SPLD	JIC 37° FEM.-90° 1/2 - H. 1/4 LONG DROP - THRUST-WIRE NUT	On request
F90J0406SPLD	JIC 37° FEM.-90° 9/16 - H. 1/4 LONG DROP - THRUST-WIRE NUT	On request
F90J0606SPLD	JIC 37° FEM.-90° 9/16 - H. 3/8 LONG DROP - THRUST-WIRE NUT	On request
F90J0608SPLD	JIC 37° FEM.-90° 3/4 - H. 3/8 LONG DROP - THRUST-WIRE NUT	On request

Press Fitting - Box Quantities

CODE	DESCRIPTION	PCs
F90J0808SPLD	JIC 37° FEM.-90° 3/4 - H. 1/2 LONG DROP - THRUST-WIRE NUT	On request
F90J0810SPLD	JIC 37° FEM.-90° 7/8 - H. 1/2 LONG DROP - THRUST-WIRE NUT	On request
F90J1010SPLD	JIC 37° FEM.-90° 7/8 - H. 5/8 LONG DROP - THRUST-WIRE NUT	On request
F90J1212SPLD	JIC 37° FEM.-90° 1.1/16 - H. 3/4 LONG DROP - THRUST-WIRE NUT	On request
F90J1616SPLD	JIC 37° FEM.-90° 1.5/16 - H. 1 LONG DROP - THRUST-WIRE NUT	On request
F45J0304SP	JIC 37° FEM.-45° 7/16 - H. 3/16 THRUST-WIRE NUT	20
F45J0305SP	JIC 37° FEM.-45° 1/2 - H. 3/16 THRUST-WIRE NUT	75
F45J0404SP	JIC 37° FEM.-45° 7/16 - H. 1/4 THRUST-WIRE NUT	50
F45J0405SP	JIC 37° FEM.-45° 1/2 - H. 1/4 THRUST-WIRE NUT	50
F45J0406SP	JIC 37° FEM.-45° 9/16 - H. 1/4 THRUST-WIRE NUT	50
F45J0505SP	JIC 37° FEM.-45° 1/2 - H. 5/16 THRUST-WIRE NUT	20
F45J0506SP	JIC 37° FEM.-45° 9/16 - H. 5/16 THRUST-WIRE NUT	50
F45J0508SP	JIC 37° FEM.-45° 3/4 - H. 5/16 THRUST-WIRE NUT	20
F45J0606SP	JIC 37° FEM.-45° 9/16 - H. 3/8 THRUST-WIRE NUT	25
F45J0608SP	JIC 37° FEM.-45° 3/4 - H. 3/8 THRUST-WIRE NUT	25
F45J0610SP	JIC 37° FEM.-45° 7/8 - H. 3/8 THRUST-WIRE NUT	25
F45J0808SP	JIC 37° FEM.-45° 3/4 - H. 1/2 THRUST-WIRE NUT	20
F45J0810SP	JIC 37° FEM.-45° 7/8 - H. 1/2 THRUST-WIRE NUT	20
F45J0812SP	JIC 37° FEM.-45° 1.1/16 - H. 1/2 THRUST-WIRE NUT	10
F45J1010SP	JIC 37° FEM.-45° 7/8 - H. 5/8 THRUST-WIRE NUT	25
F45J1012SP	JIC 37° FEM.-45° 1.1/16 - H. 5/8 THRUST-WIRE NUT	10
F45J1210SP	JIC 37° FEM.-45° 7/8 - H. 3/4 THRUST-WIRE NUT	10
F45J1212SP	JIC 37° FEM.-45° 11/16 - H. 3/4 THRUST-WIRE NUT	10
F45J1216SP	JIC 37° FEM.-45° 1.5/16 - H. 3/4 THRUST-WIRE NUT	5
F45J1612SP	JIC 37° FEM.-45° 1.1/16 - H. 1 THRUST-WIRE NUT	5
F45J1616SP	JIC 37° FEM.-45° 1.5/16 - H. 1 THRUST-WIRE NUT	10
F45J1620SP	JIC 37° FEM.-45° 1.5/8 - H. 1 THRUST-WIRE NUT	5
F45J2020SP	JIC 37° FEM.-45° 1.5/8 - H. 1.1/4 THRUST-WIRE NUT	5
F45J2024SP	JIC 37° FEM.-45° 1.7/8 - H. 1.1/4 THRUST-WIRE NUT	5
F45J2424SP	JIC 37° FEM.-45° 1.7/8 - H. 1.1/2 THRUST-WIRE NUT	5
F45J2432SP	JIC 37° FEM.-45° 3.1/2 - H. 1.1/2 THRUST-WIRE NUT	5
F45J3232SP	JIC 37° FEM.-45° 2.1/2 - H. 2 THRUST-WIRE NUT	4
FDJ0404GIR	JIC 37° FEM. 7/16 - H. 1/4 DOUBLE HEX.	50
FDJ0405GIR	JIC 37° FEM. 1/2 - H. 1/4 DOUBLE HEX.	50
FDJ0406GIR	JIC 37° FEM. 9/16 - H. 1/4 DOUBLE HEX.	50
FDJ0505GIR	JIC 37° FEM. 1/2 - H. 5/16 DOUBLE HEX.	On request
FDJ0506GIR	JIC 37° FEM. 9/16 - H. 5/16 DOUBLE HEX.	25
FDJ0605GIR	JIC 37° FEM. 1/2 - H. 3/8 DOUBLE HEX.	On request
FDJ0606GIR	JIC 37° FEM. 9/16 - H. 3/8 DOUBLE HEX.	50
FDJ0608GIR	JIC 37° FEM. 3/4 - H. 3/8 DOUBLE HEX.	25
FDJ0610GIR	JIC 37° FEM. 7/8 - H. 3/8 DOUBLE HEX.	On request
FDJ0612GIR	JIC 37° FEM. 1.1/16 - H. 3/8 DOUBLE HEX.	On request
FDJ0806GIR	JIC 37° FEM. 9/16 - H. 1/2 DOUBLE HEX.	On request
FDJ0808GIR	JIC 37° FEM. 3/4 - H. 1/2 DOUBLE HEX.	25
FDJ0810GIR	JIC 37° FEM. 7/8 - H. 1/2 DOUBLE HEX.	50
FDJ0812GIR	JIC 37° FEM. 1.1/16 - H. 1/2 DOUBLE HEX.	On request
FDJ0816GIR	JIC 37° FEM. 1.5/16 - H. 1/2 DOUBLE HEX.	On request
FDJ1010GIR	JIC 37° FEM. 7/8 - H. 5/8 DOUBLE HEX.	20
FDJ1012GIR	JIC 37° FEM. 1.1/16 - H. 5/8 DOUBLE HEX.	10
FDJ1014GIR	JIC 37° FEM. 1.3/16 - H. 5/8 DOUBLE HEX.	On request
FDJ1210GIR	JIC 37° FEM. 7/8 - H. 3/4 DOUBLE HEX.	On request
FDJ1212GIR	JIC 37° FEM. 1.1/16 - H. 3/4 DOUBLE HEX.	10
FDJ1214GIR	JIC 37° FEM. 1.3/16 - H. 3/4 DOUBLE HEX.	On request

Press Fitting - Box Quantities

CODE	DESCRIPTION	PCs
FDJ1216GIR	JIC 37° FEM. 1.5/16 - H. 3/4 DOUBLE HEX.	On request
FDJ1612GIR	JIC 37° FEM. 1.1/16 - H. 1 DOUBLE HEX.	On request
FDJ1614GIR	JIC 37° FEM. 1.3/16 - H. 1 DOUBLE HEX.	On request
FDJ1616GIR	JIC 37° FEM. 1.5/16 - H. 1 DOUBLE HEX.	5
FDJ1620GIR	JIC 37° FEM. 1.5/8 - H. 1 DOUBLE HEX.	On request
FDJ2020GIR	JIC 37° FEM. 1.5/8 - H. 1.1/4 DOUBLE HEX.	On request
FDK0414	KOMATSU METRIC FEM. 14x1.5 - H. 1/4	50
FDK0416	KOMATSU METRIC FEM. 16x1.5 - H. 1/4	50
FDK0516	KOMATSU METRIC FEM. 16x1.5 - H. 5/16	50
FDK0614	KOMATSU METRIC FEM. 14x1.5 - H. 3/8	50
FDK0616	KOMATSU METRIC FEM. 16x1.5 - H. 3/8	50
FDK0618	KOMATSU METRIC FEM. 18x1.5 - H. 3/8	25
FDK0818	KOMATSU METRIC FEM. 18x1.5 - H. 1/2	20
FDK0820	KOMATSU METRIC FEM. 20x1.5 - H. 1/2	20
FDK0822	KOMATSU METRIC FEM. 22x1.5 - H. 1/2	20
FDK0824	KOMATSU METRIC FEM. 24x1.5 - H. 1/2	15
FDK1022	KOMATSU METRIC FEM. 22x1.5 - H. 5/8	20
FDK1024	KOMATSU METRIC FEM. 24x1.5 - H. 5/8	10
FDK1230	KOMATSU METRIC FEM. 30x1.5 - H. 3/4	10
FDK1633	KOMATSU METRIC FEM. 33x1.5 - H. 1	10
FDK2036	KOMATSU METRIC FEM. 36x1.5 - H. 1.1/4	5
FDK2442	KOMATSU METRIC FEM. 42x1.5 - H. 1.1/2	5
F90K0414	KOMATSU METRIC FEM.-90° 14x1.5 - H. 1/4	50
F90K0416	KOMATSU METRIC FEM.-90° 16x1.5 - H. 1/4	50
F90K0516	KOMATSU METRIC FEM.-90° 16x1.5 - H. 5/16	25
F90K0614	KOMATSU METRIC FEM.-90° 14x1.5 - H. 3/8	25
F90K0616	KOMATSU METRIC FEM.-90° 16x1.5 - H. 3/8	25
F90K0618	KOMATSU METRIC FEM.-90° 18x1.5 - H. 3/8	25
F90K0818	KOMATSU METRIC FEM.-90° 18x1.5 - H. 1/2	25
F90K0820	KOMATSU METRIC FEM.-90° 20x1.5 - H. 1/2	25
F90K0822	KOMATSU METRIC FEM.-90° 22x1.5 - H. 1/2	25
F90K0824	KOMATSU METRIC FEM.-90° 24x1.5 - H. 1/2	25
F90K1022	KOMATSU METRIC FEM.-90° 22x1.5 - H. 5/8	10
F90K1024	KOMATSU METRIC FEM.-90° 24x1.5 - H. 5/8	10
F90K1230	KOMATSU METRIC FEM.-90° 30x1.5 - H. 3/4	10
F90K1633	KOMATSU METRIC FEM.-90° 33x1.5 - H. 1	10
F90K2036	KOMATSU METRIC FEM.-90° 36 x1.5 - H. 1.1/4	5
F90K2442	KOMATSU METRIC FEM.-90° 42x1.5 - H. 1.1/2	5
F45K0414	KOMATSU METRIC FEM.-45° 14x1.5 - H. 1/4	25
F45K0416	KOMATSU METRIC FEM.-45° 16x1.5 - H. 1/4	25
F45K0516	KOMATSU METRIC FEM.-45° 16x1.5 - H. 5/16	25
F45K0614	KOMATSU METRIC FEM.-45° 14x1.5 - H. 3/8	25
F45K0616	KOMATSU METRIC FEM.-45° 16x1.5 - H. 3/8	25
F45K0618	KOMATSU METRIC FEM.-45° 18x1.5 - H. 3/8	25
F45K0818	KOMATSU METRIC FEM.-45° 18x1.5 - H. 1/2	10
F45K0820	KOMATSU METRIC FEM.-45° 20x1.5 - H. 1/2	10
F45K0822	KOMATSU METRIC FEM.-45° 22x1.5 - H. 1/2	10
F45K0824	KOMATSU METRIC FEM.-45° 24x1.5 - H. 1/2	10
F45K1022	KOMATSU METRIC FEM.-45° 22x1.5 - H. 5/8	10
F45K1024	KOMATSU METRIC FEM.-45° 24x1.5 - H. 5/8	10
F45K1230	KOMATSU METRIC FEM.-45° 30x1.5 - H. 3/4	10
F45K1633	KOMATSU METRIC FEM.-45° 33x1.5 - H. 1	10
F45K2036	KOMATSU METRIC FEM.-45° 36x1.5 - H. 1.1/4	5

Press Fitting - Box Quantities

CODE	DESCRIPTION	PCs
F45K2442	KOMATSU METRIC FEM.-45° 42x1.5 - H. 1.1/2	5
FDT0404	TOYOTA FEM. 1/4 - H. 1/4	50
FDT0606	TOYOTA FEM. 3/8 - H. 3/8	50
FDT0808	TOYOTA FEM. 1/2 - H. 1/2	25
FDT1212	TOYOTA FEM. 3/4 - H. 3/4	15
FDT1616	TOYOTA FEM. 1 - H. 1	20
FDT2020	TOYOTA FEM. 1.1/4 - H. 1.1/4	5
FDT2424	TOYOTA FEM. 1.1/2 - H. 1.1/2	5
F90T0404	TOYOTA FEM.-90° 1/4 - H. 1/4	50
F90T0606	TOYOTA FEM.-90° 3/8 - H. 3/8	20
F90T0808	TOYOTA FEM.-90° 1/2 - H. 1/2	20
F90T1212	TOYOTA FEM.-90° 3/4 - H. 3/4	20
F90T1616	TOYOTA FEM.-90° 1 - H. 1	10
F90T2020	TOYOTA FEM.-90° 1.1/4 - H. 1.1/4	10
F90T2424	TOYOTA FEM.-90° 1.1/2 - H. 1.1/2	5
F45T0404	TOYOTA FEM.-45° 1/4 - H. 1/4	25
F45T0606	TOYOTA FEM.-45° 3/8 - H. 3/8	25
F45T0808	TOYOTA FEM.-45° 1/2 - H. 1/2	10
F45T1212	TOYOTA FEM.-45° 3/4 - H. 3/4	10
F45T1616	TOYOTA FEM.-45° 1 - H. 1	10
F45T2020	TOYOTA FEM.-45° 1.1/4 - H. 1.1/4	10
F45T2424	TOYOTA FEM.-45° 1.1/2 - H. 1.1/2	5
MINE0404	STAPLE-LOCK MALE H. 1/4	50
MINE0606	STAPLE-LOCK MALE H. 3/8	50
MINE0808	STAPLE-LOCK MALE H. 1/2	50
MINE1212	STAPLE-LOCK MALE H. 3/4	20
MINE1616	STAPLE-LOCK MALE H. 1	20
MINE2020	STAPLE-LOCK MALE H. 1.1/4	10
MINE2424	STAPLE-LOCK MALE H. 1.1/2	5
MINE3232	STAPLE-LOCK MALE H. 2	5
MM0310	METRIC MALE 10x1 - H. 3/16	100
MM0312	METRIC MALE 12x1.5 - H. 3/16	100
MM0410	METRIC MALE 10x1 - H. 1/4	100
MM0412	METRIC MALE 12x1.5 - H. 1/4	100
MM0414	METRIC MALE 14x1.5 - H. 1/4	75
MM0416	METRIC MALE 16x1.5 - H. 1/4	50
MM0418	METRIC MALE 18x1.5 - H. 1/4	50
MM0514	METRIC MALE 14x1.5 - H. 5/16	75
MM0516	METRIC MALE 16x1.5 - H. 5/16	50
MM0518	METRIC MALE 18x1.5 - H. 5/16	50
MM0614	METRIC MALE 14x1.5 - H. 3/8	50
MM0616	METRIC MALE 16x1.5 - H. 3/8	50
MM0618	METRIC MALE 18x1.5 - H. 3/8	50
MM0620	METRIC MALE 20x1.5 - H. 3/8	25
MM0622	METRIC MALE 22x1.5 - H. 3/8	25
MM0818	METRIC MALE 18x1.5 - H. 1/2	25
MM0820	METRIC MALE 20x1.5 - H. 1/2	25
MM0822	METRIC MALE 22x1.5 - H. 1/2	25
MM0824	METRIC MALE 24x1.5 - H. 1/2	25
MM0826	METRIC MALE 26x1.5 - H. 1/2	20
MM1026	METRIC MALE 26x1.5 - H. 5/8	20
MM1226	METRIC MALE 26x1.5 - H. 3/4	20
MM1230	METRIC MALE 30x1.5 - H. 3/4	10

Press Fitting - Box Quantities

CODE	DESCRIPTION	PCs
MM1638	METRIC MALE 38x1.5 - H. 1	10
MM2045	METRIC MALE 45x1.5 - H. 1.1/4	5
MM2452	METRIC MALE 52x1.5 - H. 1.1/2	5
FDM0310	METRIC FEM. 10x1 - H. 3/16	100
FDM0312	METRIC FEM. 12x1.5 - H. 3/16	100
FDM0410	METRIC FEM. 10x1 - H. 1/4	100
FDM0412	METRIC FEM. 12x1.5 - H. 1/4	100
FDM0414	METRIC FEM. 14x1.5 - H. 1/4	100
FDM0416	METRIC FEM. 16x1.5 - H. 1/4	50
FDM0418	METRIC FEM. 18x1.5 - H. 1/4	50
FDM0514	METRIC FEM. 14x1.5 - H. 5/16	100
FDM0516	METRIC FEM. 16x1.5 - H. 5/16	50
FDM0518	METRIC FEM. 18x1.5 - H. 5/16	50
FDM0614	METRIC FEM. 14x1.5 - H. 3/8	100
FDM0616	METRIC FEM. 16x1.5 - H. 3/8	150
FDM0618	METRIC FEM. 18x1.5 - H. 3/8	150
FDM0620	METRIC FEM. 20x1.5 - H. 3/8	100
FDM0622	METRIC FEM. 22x1.5 - H. 3/8	100
FDM0818	METRIC FEM. 18x1.5 - H. 1/2	100
FDM0820	METRIC FEM. 20x1.5 - H. 1/2	75
FDM0822	METRIC FEM. 22x1.5 - H. 1/2	100
FDM0824	METRIC FEM. 24x1.5 - H. 1/2	25
FDM0826	METRIC FEM. 26x1.5 - H. 1/2	25
FDM1026	METRIC FEM. 26x1.5 - H. 5/8	20
FDM1027	METRIC FEM. 27x1.5 - H. 5/8	20
FDM1226	METRIC FEM. 26x1.5 - H. 3/4	20
FDM1227	METRIC FEM. 27x1.5 - H. 3/4	20
FDM1230	METRIC FEM. 30x1.5 - H. 3/4	10
FDM1233	METRIC FEM. 33x1.5 H. 3/4	10
FDM1638	METRIC FEM. 38x1.5 - H. 1	10
FDM2045	METRIC FEM. 45x1.5 - H. 1.1/4	5
FDM2452	METRIC FEM. 52x1.5 - H. 1.1/2	5
F90M0310	METRIC FEM.-90° 10x1 - H. 3/16	100
F90M0312	METRIC FEM.-90° 12x1.5 - H. 3/16	100
F90M0410	METRIC FEM.-90° 10x1 - H. 1/4	100
F90M0412	METRIC FEM.-90° 12x1.5 - H. 1/4	100
F90M0414	METRIC FEM.-90° 14x1.5 - H. 1/4	150
F90M0416	METRIC FEM.-90° 16x1.5 - H. 1/4	50
F90M0418	METRIC FEM.-90° 18x1.5 - H. 1/4	50
F90M0514	METRIC FEM.-90° 14x1.5 - H. 5/16	50
F90M0516	METRIC FEM.-90° 16x1.5 - H. 5/16	50
F90M0518	METRIC FEM.-90° 18x1.5 - H. 5/16	50
F90M0614	METRIC FEM.-90° 14x1.5 - H. 3/8	100
F90M0616	METRIC FEM.-90° 16x1.5 - H. 3/8	75
F90M0618	METRIC FEM.-90° 18x1.5 - H. 3/8	75
F90M0620	METRIC FEM.-90° 20x1.5 - H. 3/8	50
F90M0622	METRIC FEM.-90° 22x1.5 - H. 3/8	50
F90M0818	METRIC FEM.-90° 18x1.5 - H. 1/2	50
F90M0820	METRIC FEM.-90° 20x1.5 - H. 1/2	50
F90M0822	METRIC FEM.-90° 22x1.5 - H. 1/2	50
F90M0824	METRIC FEM.-90° 24x1.5 - H. 1/2	25
F90M0826	METRIC FEM.-90° 26x1x5 - H. 1/2	20
F90M1026	METRIC FEM.-90° 26x1.5 - H. 5/8	20

Press Fitting - Box Quantities

CODE	DESCRIPTION	PCs
F90M1027	METRIC FEM.-90° 27x1.5 - H. 5/8	20
F90M1226	METRIC FEM.-90° 26x1.5 - H. 3/4	20
F90M1227	METRIC FEM.-90° 27x1.5 - H. 3/4	20
F90M1230	METRIC FEM.-90° 30x1.5 - H. 3/4	20
F90M1638	METRIC FEM.-90° 38x1.5 - H. 1	10
F90M2045	METRIC FEM.-90° 45x1.5 - H. 1.1/4	5
F90M2452	METRIC FEM.-90° 52x1.5 - H. 1.1/2	5
F45M0310	METRIC FEM.-45° 10x1 - H. 3/16	50
F45M0312	METRIC FEM.-45° 12x1.5 - H. 3/16	50
F45M0410	METRIC FEM.-45° 10x1 - H. 1/4	50
F45M0412	METRIC FEM.-45° 12x1.5 - H. 1/4	50
F45M0414	METRIC FEM.-45° 14x1.5 - H. 1/4	50
F45M0416	METRIC FEM.-45° 16x1.5 - H. 1/4	50
F45M0418	METRIC FEM.-45° 18x1.5 - H. 1/4	50
F45M0514	METRIC FEM.-45° 14x1.5 - H. 5/16	50
F45M0516	METRIC FEM.-45° 16x1.5 - H. 5/16	50
F45M0518	METRIC FEM.-45° 18x1.5 - H. 5/16	50
F45M0614	METRIC FEM.-45° 14x1.5 - H. 3/8	25
F45M0616	METRIC FEM.-45° 16x1.5 - H. 3/8	25
F45M0618	METRIC FEM.-45° 18x1.5 - H. 3/8	25
F45M0620	METRIC FEM.-45° 20x1.5 - H. 3/8	50
F45M0622	METRIC FEM.-45° 22x1.5 - H. 3/8	50
F45M0818	METRIC FEM.-45° 18x1.5 - H. 1/2	50
F45M0820	METRIC FEM.-45° 20x1.5 - H. 1/2	50
F45M0822	METRIC FEM.-45° 22x1.5 - H. 1/2	50
F45M0824	METRIC FEM.-45° 24x1.5 - H. 1/2	25
F45M0826	METRIC FEM.-45° 26x1x5 - H. 1/2	20
F45M1026	METRIC FEM.-45° 26x1.5 - H. 5/8	25
F45M1027	METRIC FEM.-45° 27x1.5 - H. 5/8	25
F45M1226	METRIC FEM.-45° 26x1.5 - H. 3/4	25
F45M1227	METRIC FEM.-45° 27x1.5 - H. 3/4	25
F45M1230	METRIC FEM.-45° 30x1.5 - H. 3/4	20
F45M1638	METRIC FEM.-45° 38x1.5 - H. 1	10
F45M2045	METRIC FEM.-45° 45x1.5 - H. 1.1/4	5
F45M2452	METRIC FEM.-45° 52x1.5 - H. 1.1/2	5
ME0312L6	METRIC MALE 24° L.S. 12x1.5 - H. 3/16 L6	100
ME0314L8	METRIC MALE 24° L.S. 14x1.5 - H. 3/16 L8	100
ME0412L6	METRIC MALE 24° L.S. 12x1.5 - H. 1/4 L6	100
ME0414L8	METRIC MALE 24° L.S. 14x1.5 - H. 1/4 L8	150
ME0416L10	METRIC MALE 24° L.S. 16x1.5 - H. 1/4 L10	250
ME0418L12	METRIC MALE 24° L.S. 18x1.5 - H. 1/4 L12	200
ME0514L8	METRIC MALE 24° L.S. 14x1.5 - H. 5/16 L8	100
ME0516L10	METRIC MALE 24° L.S. 16x1.5 - H. 5/16 L10	100
ME0518L12	METRIC MALE 24° L.S. 18x1.5 - H. 5/16 L12	200
ME0616L10	METRIC MALE 24° L.S. 16x1.5 - H. 3/8 L10	200
ME0618L12	METRIC MALE 24° L.S. 18x1.5 - H. 3/8 L12	150
ME0622L15	METRIC MALE 24° L.S. 22x1.5 - H. 3/8 L15	100
ME0818L12	METRIC MALE 24° L.S. 18x1.5 - H. 1/2 L12	50
ME0822L15	METRIC MALE 24° L.S. 22x1.5 - H. 1/2 L15	100
ME0826L18	METRIC MALE 24° L.S. 26x1.5 - H. 1/2 L18	75
ME1026L18	METRIC MALE 24° L.S. 26x1.5 - H. 5/8 L18	75
ME1030L22	METRIC MALE 24° L.S. 30x2 - H. 5/8 L22	40
ME1226L18	METRIC MALE 24° L.S. 26x1.5 - H. 3/4 L18	20

Press Fitting - Box Quantities

CODE	DESCRIPTION	PCs
ME1230L22	METRIC MALE 24° L.S. 30x2 - H. 3/4 L22	100
ME1636L28	METRIC MALE 24° L.S. 36x2 - H. 1 L28	50
ME2045L35	METRIC MALE 24° L.S. 45x2 - H. 1.1/4 L35	10
ME2452L42	METRIC MALE 24° L.S. 52x2 - H. 1.1/2 L42	5
FE0312L6	METRIC FEM. 24° L.S. 12x1.5 - H. 3/16 L6 O-RING	200
FE0314L8	METRIC FEM. 24° L.S. 14x1.5 - H. 3/16 L8 O-RING	150
FE0412L6	METRIC FEM. 24° L.S. 12x1.5 - H. 1/4 L6 O-RING	150
FE0414L8	METRIC FEM. 24° L.S. 14x1.5 - H. 1/4 L8 O-RING	250
FE0416L10	METRIC FEM. 24° L.S. 16x1.5 - H. 1/4 L10 O-RING	200
FE0418L12	METRIC FEM. 24° L.S. 18x1.5 - H. 1/4 L12 O-RING	150
FE0514L8	METRIC FEM. 24° L.S. 14x1.5 - H. 5/16 L8 O-RING	100
FE0516L10	METRIC FEM. 24° L.S. 16x1.5 - H. 5/16 L10 O-RING	200
FE0518L12	METRIC FEM. 24° L.S. 18x1.5 - H. 5/16 L12 O-RING	150
FE0616L10	METRIC FEM. 24° L.S. 16x1.5 - H. 3/8 L10 O-RING	150
FE0618L12	METRIC FEM. 24° L.S. 18x1.5 - H. 3/8 L12 O-RING	150
FE0622L15	METRIC FEM. 24° L.S. 22x1.5 - H. 3/8 L15 O-RING	100
FE0818L12	METRIC FEM. 24° L.S. 18x1.5 - H. 1/2 L12 O-RING	100
FE0822L15	METRIC FEM. 24° L.S. 22x1.5 - H. 1/2 L15 O-RING	75
FE0826L18	METRIC FEM. 24° L.S. 26x1.5 - H. 1/2 L18 O-RING	75
FE1026L18	METRIC FEM. 24° L.S. 26x1.5 - H. 5/8 L18 O-RING	50
FE1030L22	METRIC FEM. 24° L.S. 30x2 - H. 5/8 L22 O-RING	50
FE1226L18	METRIC FEM. 24° L.S. 26x1.5 - H. 3/4 L18 O-RING	50
FE1230L22	METRIC FEM. 24° L.S. 30x2 - H. 3/4 L22 O-RING	75
FE1636L28	METRIC FEM. 24° L.S. 36x2 - H. 1 L28 O-RING	50
FE2045L35	METRIC FEM. 24° L.S. 45x2 - H. 1.1/4 L35 O-RING	10
FE2452L42	METRIC FEM. 24° L.S. 52x2 - H. 1.1/2 L42 O-RING	5
F90E0312L6	METRIC FEM. 24° L.S.-90° 12x1.5 - H. 3/16 L6 O-RING	150
F90E0314L8	METRIC FEM. 24° L.S.-90° 14x1.5 - H. 3/16 L8 O-RING	100
F90E0412L6	METRIC FEM. 24° L.S.-90° 12x1.5 - H. 1/4 L6 O-RING	100
F90E0414L8	METRIC FEM. 24° L.S.-90° 14x1.5 - H. 1/4 L8 O-RING	150
F90E0416L10	METRIC FEM. 24° L.S.-90° 16x1.5 - H. 1/4 L10 O-RING	150
F90E0418L12	METRIC FEM. 24° L.S.-90° 18x1.5 - H. 1/4 L12 O-RING	150
F90E0514L8	METRIC FEM. 24° L.S.-90° 14x1.5 - H. 5/16 L8 O-RING	50
F90E0516L10	METRIC FEM. 24° L.S.-90° 16x1.5 - H. 5/16 L10 O-RING	150
F90E0518L12	METRIC FEM. 24° L.S.-90° 18x1.5 - H. 5/16 L12 O-RING	100
F90E0616L10	METRIC FEM. 24° L.S.-90° 16x1.5 - H. 3/8 L10 O-RING	100
F90E0618L12	METRIC FEM. 24° L.S.-90° 18x1.5 - H. 3/8 L12 O-RING	100
F90E0622L15	METRIC FEM. 24° L.S.-90° 22x1.5 - H. 3/8 L15 O-RING	75
F90E0818L12	METRIC FEM. 24° L.S.-90° 18x1.5 - H. 1/2 L12 O-RING	20
F90E0822L15	METRIC FEM. 24° L.S.-90° 22x1.5 - H. 1/2 L15 O-RING	100
F90E0826L18	METRIC FEM. 24° L.S.-90° 26x1.5 - H. 1/2 L18 O-RING	100
F90E1026L18	METRIC FEM. 24° L.S.-90° 26x1.5 - H. 5/8 L18 O-RING	35
F90E1030L22	METRIC FEM. 24° L.S.-90° 30x2 - H. 5/8 L22 O-RING	50
F90E1226L18	METRIC FEM. 24° L.S.-90° 26x1.5 - H. 3/4 L18 O-RING	20
F90E1230L22	METRIC FEM. 24° L.S.-90° 30x2 - H. 3/4 L22 O-RING	50
F90E1636L28	METRIC FEM. 24° L.S.-90° 36x2 - H. 1 L28 O-RING	25
F90E2045L35	METRIC FEM. 24° L.S.-90° 45x2 - H. 1.1/4 L35 O-RING	10
F90E2452L42	METRIC FEM. 24° L.S.-90° 52x2 - H. 1.1/2 L42 O-RING	5
F45E0312L6	METRIC FEM. 24° L.S.-45° 12x1.5 - H. 3/16 L6 O-RING	100
F45E0314L8	METRIC FEM. 24° L.S.-45° 14x1.5 - H. 3/16 L8 O-RING	75
F45E0412L6	METRIC FEM. 24° L.S.-45° 12x1.5 - H. 1/4 L6 O-RING	100
F45E0414L8	METRIC FEM. 24° L.S.-45° 14x1.5 - H. 1/4 L8 O-RING	150
F45E0416L10	METRIC FEM. 24° L.S.-45° 16x1.5 - H. 1/4 L10 O-RING	150

Press Fitting - Box Quantities

CODE	DESCRIPTION	PCs
F45E0418L12	METRIC FEM. 24° L.S.-45° 18x1.5 - H. 1/4 L12 O-RING	150
F45E0514L8	METRIC FEM. 24° L.S.-45° 14x1.5 - H. 5/16 L8 O-RING	50
F45E0516L10	METRIC FEM. 24° L.S.-45° 16x1.5 - H. 5/16 L10 O-RING	150
F45E0518L12	METRIC FEM. 24° L.S.-45° 18x1.5 - H. 5/16 L12 O-RING	100
F45E0616L10	METRIC FEM. 24° L.S.-45° 16x1.5 - H. 3/8 L10 O-RING	100
F45E0618L12	METRIC FEM. 24° L.S.-45° 18x1.5 - H. 3/8 L12 O-RING	100
F45E0622L15	METRIC FEM. 24° L.S.-45° 22x1.5 - H. 3/8 L15 O-RING	75
F45E0818L12	METRIC FEM. 24° L.S.-45° 18x1.5 - H. 1/2 L12 O-RING	20
F45E0822L15	METRIC FEM. 24° L.S.-45° 22x1.5 - H. 1/2 L15 O-RING	100
F45E0826L18	METRIC FEM. 24° L.S.-45° 26x1.5 - H. 1/2 L18 O-RING	50
F45E1026L18	METRIC FEM. 24° L.S.-45° 26x1.5 - H. 5/8 L18 O-RING	35
F45E1030L22	METRIC FEM. 24° L.S.-45° 30x2 - H. 5/8 L22 O-RING	25
F45E1226L18	METRIC FEM. 24° L.S.-45° 26x1.5 - H. 3/4 L18 O-RING	10
F45E1230L22	METRIC FEM. 24° L.S.-45° 30x2 - H. 3/4 L22 O-RING	50
F45E1636L28	METRIC FEM. 24° L.S.-45° 36x2 - H. 1 L28 O-RING	25
F45E2045L35	METRIC FEM. 24° L.S.-45° 45x2 - H. 1.1/4 L35 O-RING	10
F45E2452L42	METRIC FEM. 24° L.S.-45° 52x2 - H. 1.1/2 L42 O-RING	5
ME0314S6	METRIC MALE 24° H.S. 14x1.5 - H. 3/16 S6	100
ME0316S8	METRIC MALE 24° H.S. 16x1.5 - H. 3/16 S8	100
ME0414S6	METRIC MALE 24° H.S. 14x1.5 - H. 1/4 S6	100
ME0416S8	METRIC MALE 24° H.S. 16x1.5 - H. 1/4 S8	100
ME0418S10	METRIC MALE 24° H.S. 18x1.5 - H. 1/4 S10	100
ME0420S12	METRIC MALE 24° H.S. 20x1.5 - H. 1/4 S12	50
ME0518S10	METRIC MALE 24° H.S. 18x1.5 - H. 5/16 S10	75
ME0520S12	METRIC MALE 24° H.S. 20x1.5 - H. 5/16 S12	50
ME0618S10	METRIC MALE 24° H.S. 18x1.5 - H. 3/8 S10	150
ME0620S12	METRIC MALE 24° H.S. 20x1.5 - H. 3/8 S12	150
ME0622S14	METRIC MALE 24° H.S. 22x1.5 - H. 3/8 S14	100
ME0822S14	METRIC MALE 24° H.S. 22x1.5 - H. 1/2 S14	100
ME0824S16	METRIC MALE 24° H.S. 24x1.5 - H. 1/2 S16	75
ME1030S20	METRIC MALE 24° H.S. 30x2 - H. 5/8 S20	35
ME1230S20	METRIC MALE 24° H.S. 30x2 - H. 3/4 S20	100
ME1236S25	METRIC MALE 24° H.S. 36x2 - H. 3/4 S25	30
ME1242S30	METRIC MALE 24° H.S. 42x2 - H. 3/4 S30	20
ME1636S25	METRIC MALE 24° H.S. 36x2 - H. 1 S25	20
ME1642S30	METRIC MALE 24° H.S. 42x2 - H. 1 S30	15
ME2042S30	METRIC MALE 24° H.S. 42x2 - H. 1.1/4 S30	10
ME2052S38	METRIC MALE 24° H.S. 52x2 - H. 1.1/4 S38	10
ME2452S38	METRIC MALE 24° H.S. 52x2 - H. 1.1/2 S38	5
FE0314S6	METRIC FEM. 24° H.S. 14x1.5 - H. 3/16 S6 O-RING	100
FE0316S8	METRIC FEM. 24° H.S. 16x1.5 - H. 3/16 S8 O-RING	100
FE0414S6	METRIC FEM. 24° H.S. 14x1.5 - H. 1/4 S6 O-RING	100
FE0416S8	METRIC FEM. 24° H.S. 16x1.5 - H. 1/4 S8 O-RING	100
FE0418S10	METRIC FEM. 24° H.S. 18x1.5 - H. 1/4 S10 O-RING	200
FE0420S12	METRIC FEM. 24° H.S. 20x1.5 - H. 1/4 S12 O-RING	150
FE0518S10	METRIC FEM. 24° H.S. 18x1.5 - H. 5/16 S10 O-RING	150
FE0520S12	METRIC FEM. 24° H.S. 20x1.5 - H. 5/16 S12 O-RING	150
FE0618S10	METRIC FEM. 24° H.S. 18x1.5 - H. 3/8 S10 O-RING	150
FE0620S12	METRIC FEM. 24° H.S. 20x1.5 - H. 3/8 S12 O-RING	100
FE0622S14	METRIC FEM. 24° H.S. 22x1.5 - H. 3/8 S14 O-RING	100
FE0822S14	METRIC FEM. 24° H.S. 22x1.5 - H. 1/2 S14 O-RING	75
FE0824S16	METRIC FEM. 24° H.S. 24x1.5 - H. 1/2 S16 O-RING	75
FE1030S20	METRIC FEM. 24° H.S. 30x2 - H. 5/8 S20 O-RING	40

Press Fitting - Box Quantities

CODE	DESCRIPTION	PCs
FE1230S20	METRIC FEM. 24° H.S. 30x2 - H. 3/4 S20 O-RING	75
FE1236S25	METRIC FEM. 24° H.S. 36x2 - H. 3/4 S25 O-RING	25
FE1636S25	METRIC FEM. 24° H.S. 36x2 - H. 1 S25 O-RING	40
FE1642S30	METRIC FEM. 24° H.S. 42x2 - H. 1 S30 O-RING	35
FE2042S30	METRIC FEM. 24° H.S. 42x2 - H. 1.1/4 S30 O-RING	10
FE2052S38	METRIC FEM. 24° H.S. 52x2 - H. 1.1/4 S38 O-RING	10
FE2452S38	METRIC FEM. 24° H.S. 52x2 - H. 1.1/2 S38 O-RING	5
F90E0314S6	METRIC FEM. 24° H.S.-90° 14x1.5 - H. 3/16 S6 O-RING	100
F90E0316S8	METRIC FEM. 24° H.S.-90° 16x1.5 - H. 3/16 S8 O-RING	100
F90E0414S6	METRIC FEM. 24° H.S.-90° 14x1.5 - H. 1/4 S6 O-RING	100
F90E0416S8	METRIC FEM. 24° H.S.-90° 16x1.5 - H. 1/4 S8 O-RING	100
F90E0418S10	METRIC FEM. 24° H.S.-90° 18x1.5 - H. 1/4 S10 O-RING	100
F90E0420S12	METRIC FEM. 24° H.S.-90° 20x1.5 - H. 1/4 S12 O-RING	100
F90E0518S10	METRIC FEM. 24° H.S.-90° 18x1.5 - H. 5/16 S10 O-RING	100
F90E0520S12	METRIC FEM. 24° H.S.-90° 20x1.5 - H. 5/16 S12 O-RING	100
F90E0618S10	METRIC FEM. 24° H.S.-90° 18x1.5 - H. 3/8 S10 O-RING	75
F90E0620S12	METRIC FEM. 24° H.S.-90° 20x1.5 - H. 3/8 S12 O-RING	100
F90E0622S14	METRIC FEM. 24° H.S.-90° 22x1.5 - H. 3/8 S14 O-RING	75
F90E0822S14	METRIC FEM. 24° H.S.-90° 22x1.5 - H. 1/2 S14 O-RING	50
F90E0824S16	METRIC FEM. 24° H.S.-90° 24x1.5 - H. 1/2 S16 O-RING	100
F90E1030S20	METRIC FEM. 24° H.S.-90° 30x2 - H. 5/8 S20 O-RING	50
F90E1230S20	METRIC FEM. 24° H.S.-90° 30x2 - H. 3/4 S20 O-RING	50
F90E1236S25	METRIC FEM. 24° H.S.-90° 36x2 - H. 3/4 S25 O-RING	30
F90E1636S25	METRIC FEM. 24° H.S.-90° 36x2 - H. 1 S25 O-RING	25
F90E1642S30	METRIC FEM. 24° H.S.-90° 42x2 - H. 1 S30 O-RING	20
F90E2042S30	METRIC FEM. 24° H.S.-90° 42x2 - H. 1.1/4 S30 O-RING	5
F90E2052S38	METRIC FEM. 24° H.S.-90° 52x2 - H. 1.1/4 S38 O-RING	5
F90E2452S38	METRIC FEM. 24° H.S.-90° 52x2 - H. 1.1/2 S38 O-RING	5
F45E0314S6	METRIC FEM. 24° H.S.-45° 14x1.5 - H. 3/16 S6 O-RING	50
F45E0316S8	METRIC FEM. 24° H.S.-45° 16x1.5 - H. 3/16 S8 O-RING	50
F45E0414S6	METRIC FEM. 24° H.S.-45° 14x1.5 - H. 1/4 S6 O-RING	50
F45E0416S8	METRIC FEM. 24° H.S.-45° 16x1.5 - H. 1/4 S8 O-RING	50
F45E0418S10	METRIC FEM. 24° H.S.-45° 18x1.5 - H. 1/4 S10 O-RING	50
F45E0420S12	METRIC FEM. 24° H.S.-45° 20x1.5 - H. 1/4 S12 O-RING	100
F45E0518S10	METRIC FEM. 24° H.S.-45° 18x1.5 - H. 5/16 S10 O-RING	100
F45E0520S12	METRIC FEM. 24° H.S.-45° 20x1.5 - H. 5/16 S12 O-RING	100
F45E0618S10	METRIC FEM. 24° H.S.-45° 18x1.5 - H. 3/8 S10 O-RING	100
F45E0620S12	METRIC FEM. 24° H.S.-45° 20x1.5 - H. 3/8 S12 O-RING	100
F45E0622S14	METRIC FEM. 24° H.S.-45° 22x1.5 - H. 3/8 S14 O-RING	75
F45E0822S14	METRIC FEM. 24° H.S.-45° 22x1.5 - H. 1/2 S14 O-RING	50
F45E0824S16	METRIC FEM. 24° H.S.-45° 24x1.5 - H. 1/2 S16 O-RING	100
F45E1030S20	METRIC FEM. 24° H.S.-45° 30x2 - H. 5/8 S20 O-RING	25
F45E1230S20	METRIC FEM. 24° H.S.-45° 30x2 - H. 3/4 S20 O-RING	20
F45E1236S25	METRIC FEM. 24° H.S.-45° 36x2 - H. 3/4 S25 O-RING	20
F45E1636S25	METRIC FEM. 24° H.S.-45° 36x2 - H. 1 S25 O-RING	10
F45E1642S30	METRIC FEM. 24° H.S.-45° 42x2 - H. 1 S30 O-RING	10
F45E2042S30	METRIC FEM. 24° H.S.-45° 42x2 - H. 1.1/4 S30 O-RING	5
F45E2052S38	METRIC FEM. 24° H.S.-45° 52x2 - H. 1.1/4 S38 O-RING	5
F45E2452S38	METRIC FEM. 24° H.S.-45° 52x2 - H. 1.1/2 S38 O-RING	5
ME0413F	METRIC MALE 24° FRENCH TYPE 20x1.5 - H. 1/4	50
ME0513F	METRIC MALE 24° FRENCH TYPE 20x1.5 - H. 5/16	50
ME0613F	METRIC MALE 24° FRENCH TYPE 20x1.5 - H. 3/8	50
ME0617F	METRIC MALE 24° FRENCH TYPE 24x1.5 - H. 3/8	25

Press Fitting - Box Quantities

CODE	DESCRIPTION	PCs
ME0817F	METRIC MALE 24° FRENCH TYPE 24x1.5 - H. 1/2	25
ME0821F	METRIC MALE 24° FRENCH TYPE 30x1.5 - H. 1/2	20
ME1021F	METRIC MALE 24° FRENCH TYPE 30x1.5 - H. 5/8	20
ME1221F	METRIC MALE 24° FRENCH TYPE 30x1.5 - H. 3/4	20
ME1227F	METRIC MALE 24° FRENCH TYPE 36x1.5 - H. 3/4	10
ME1633F	METRIC MALE 24° FRENCH TYPE 45x1.5 - H. 1	5
ME2033F	METRIC MALE 24° FRENCH TYPE 45x1.5 - H. 1.1/4	5
FE0413F	METRIC FEM. 24° FRENCH TYPE 20x1.5 - H. 1/4	50
FE0513F	METRIC FEM. 24° FRENCH TYPE 20x1.5 - H. 5/16	150
FE0613F	METRIC FEM. 24° FRENCH TYPE 20x1.5 - H. 3/8	100
FE0617F	METRIC FEM. 24° FRENCH TYPE 24x1.5 - H. 3/8	25
FE0817F	METRIC FEM. 24° FRENCH TYPE 24x1.5 - H. 1/2	25
FE0821F	METRIC FEM. 24° FRENCH TYPE 30x1.5 - H. 1/2	20
FE1021F	METRIC FEM. 24° FRENCH TYPE 30x1.5 - H. 5/8	20
FE1221F	METRIC FEM. 24° FRENCH TYPE 30x1.5 - H. 3/4	15
FE1227F	METRIC FEM. 24° FRENCH TYPE 36x1.5 - H. 3/4	10
FE1633F	METRIC FEM. 24° FRENCH TYPE 45x1.5 - H. 1	15
FE2033F	METRIC FEM. 24° FRENCH TYPE 45x1.5 - H. 1.1/4	15
F90E0413F	METRIC FEM. 24° FRENCH TYPE-90° 20x1.5 - H. 1/4	50
F90E0513F	METRIC FEM. 24° FRENCH TYPE-90° 20x1.5 - H. 5/16	50
F90E0613F	METRIC FEM. 24° FRENCH TYPE-90° 20x1.5 - H. 3/8	35
F90E0617F	METRIC FEM. 24° FRENCH TYPE-90° 24x1.5 - H. 3/8	20
F90E0817F	METRIC FEM. 24° FRENCH TYPE-90° 24x1.5 - H. 1/2	20
F90E0821F	METRIC FEM. 24° FRENCH TYPE-90° 30x1.5 - H. 1/2	25
F90E1021F	METRIC FEM. 24° FRENCH TYPE-90° 30x1.5 - H. 5/8	20
F90E1221F	METRIC FEM. 24° FRENCH TYPE-90° 30x1.5 - H. 3/4	20
F90E1227F	METRIC FEM. 24° FRENCH TYPE-90° 36x1.5 - H. 3/4	15
F90E1633F	METRIC FEM. 24° FRENCH TYPE-90° 45x1.5 - H. 1	5
F90E2033F	METRIC FEM. 24° FRENCH TYPE-90° 45x1.5 - H. 1.1/4	5
F45E0413F	METRIC FEM. 24° FRENCH TYPE-45° 20x1.5 - H. 1/4	50
F45E0513F	METRIC FEM. 24° FRENCH TYPE-45° 20x1.5 - H. 5/16	35
F45E0613F	METRIC FEM. 24° FRENCH TYPE-45° 20x1.5 - H. 3/8	25
F45E0617F	METRIC FEM. 24° FRENCH TYPE-45° 24x1.5 - H. 3/8	20
F45E0817F	METRIC FEM. 24° FRENCH TYPE-45° 24x1.5 - H. 1/2	20
F45E0821F	METRIC FEM. 24° FRENCH TYPE-45° 30x1.5 - H. 1/2	30
F45E1021F	METRIC FEM. 24° FRENCH TYPE-45° 30x1.5 - H. 5/8	10
F45E1221F	METRIC FEM. 24° FRENCH TYPE-45° 30x1.5 - H. 3/4	10
F45E1227F	METRIC FEM. 24° FRENCH TYPE-45° 36x1.5 - H. 3/4	10
F45E1633F	METRIC FEM. 24° FRENCH TYPE-45° 45x1.5 - H. 1	5
F45E2033F	METRIC FEM. 24° FRENCH TYPE-45° 45x1.5 - H. 1.1/4	5
MORFS0406	ORFS MALE 9/16 - H. 1/4	100
MORFS0409	ORFS MALE 11/16 - H. 1/4	100
MORFS0509	ORFS MALE 11/16 - H. 5/16	50
MORFS0609	ORFS MALE 11/16 - H. 3/8	50
MORFS0611	ORFS MALE 13/16 - H. 3/8	50
MORFS0613	ORFS MALE 1 - H. 3/8	50
MORFS0811	ORFS MALE 13/16 - H. 1/2	100
MORFS0813	ORFS MALE 1 - H. 1/2	75
MORFS0814	ORFS MALE 1.3/16 - H. 1/2	50
MORFS1013	ORFS MALE 1 - H. 5/8	50
MORFS1014	ORFS MALE 1.3/16 - H. 5/8	35
MORFS1214	ORFS MALE 1.3/16 - H. 3/4	35
MORFS1215	ORFS MALE 1.7/16 - H. 3/4	25

Press Fitting - Box Quantities

CODE	DESCRIPTION	PCs
MORFS1615	ORFS MALE 1.7/16 - H. 1	15
MORFS2021	ORFS MALE 1.11/16 - H. 1.1/4	10
MORFS2432	ORFS MALE 2 - H. 1.1/2	10
FORFS0406	ORFS FEM. 9/16 - H. 1/4	150
FORFS0409	ORFS FEM. 11/16 - H. 1/4	150
FORFS0509	ORFS FEM. 11/16 - H. 5/16	150
FORFS0609	ORFS FEM. 11/16 - H. 3/8	150
FORFS0611	ORFS FEM. 13/16 - H. 3/8	100
FORFS0811	ORFS FEM. 13/16 - H. 1/2	100
FORFS0813	ORFS FEM. 1 - H. 1/2	50
FORFS0814	ORFS FEM. 1.3/16 - H. 1/2	40
FORFS1013	ORFS FEM. 1 - H. 5/8	50
FORFS1014	ORFS FEM. 1.3/16 - H. 5/8	40
FORFS1214	ORFS FEM. 1.3/16 - H. 3/4	75
FORFS1215	ORFS FEM. 1.7/16 - H. 3/4	30
FORFS1615	ORFS FEM. 1.7/16 - H. 1	20
FORFS1621	ORFS FEM. 1.11/16 - H. 1	5
FORFS2021	ORFS FEM. 1.11/16 - H. 1.1/4	10
FORFS2432	ORFS FEM. 2 - H. 1.1/2	5
FORFS0406GIR	ORFS FEM. 9/16 - H. 1/4 DOUBLE HEX.	150
FORFS0409GIR	ORFS FEM. 11/16 - H. 1/4 DOUBLE HEX.	On request
FORFS0509GIR	ORFS FEM. 11/16 - H. 5/16 DOUBLE HEX.	On request
FORFS0606GIR	ORFS FEM. 9/16 - H. 3/8 DOUBLE HEX.	On request
FORFS0609GIR	ORFS FEM. 11/16 - H. 3/8 DOUBLE HEX.	50
FORFS0611GIR	ORFS FEM. 13/16 - H. 3/8 DOUBLE HEX.	On request
FORFS0809GIR	ORFS FEM. 11/16 - H. 1/2 DOUBLE HEX.	On request
FORFS0811GIR	ORFS FEM. 13/16 - H. 1/2 DOUBLE HEX.	50
FORFS0813GIR	ORFS FEM. 1 - H. 1/2 DOUBLE HEX.	On request
FORFS0814GIR	ORFS FEM. 1.3/16 - H. 1/2 DOUBLE HEX.	On request
FORFS1013GIR	ORFS FEM. 1 - H. 5/8 DOUBLE HEX.	On request
FORFS1014GIR	ORFS FEM. 1.3/16 - H. 5/8 DOUBLE HEX.	On request
FORFS1213GIR	ORFS FEM. 1 - H. 3/4 DOUBLE HEX.	5
FORFS1214GIR	ORFS FEM. 1.3/16 - H. 3/4 DOUBLE HEX.	On request
FORFS1215GIR	ORFS FEM. 1.7/16 - H. 3/4 DOUBLE HEX.	On request
FORFS1614GIR	ORFS FEM. 1.3/16 - H. 1 DOUBLE HEX.	On request
FORFS1615GIR	ORFS FEM. 1.7/16 - H. 1 DOUBLE HEX.	On request
FORFS1621GIR	ORFS FEM. 1.11/16 - H. 1 DOUBLE HEX.	On request
FORFS2021GIR	ORFS FEM. 1.1/16 - H. 1.1/4 DOUBLE HEX.	On request
FORFS2432GIR	ORFS FEM. 2 - H. 1.1/2 DOUBLE HEX.	On request
F90ORFS0406	ORFS FEM.-90° 9/16 - H. 1/4	100
F90ORFS0409	ORFS FEM.-90° 11/16 - H. 1/4	100
F90ORFS0411	ORFS FEM.-90° 13/16 - H. 1/4	On request
F90ORFS0509	ORFS FEM.-90° 11/16 - H. 5/16	50
F90ORFS0606	ORFS FEM.-90° 9/16 - H. 3/8	50
F90ORFS0609	ORFS FEM.-90° 11/16 - H. 3/8	100
F90ORFS0611	ORFS FEM.-90° 13/16 - H. 3/8	75
F90ORFS0809	ORFS FEM.-90° 11/16 - H. 1/2	On request
F90ORFS0811	ORFS FEM.-90° 13/16 - H. 1/2	50
F90ORFS0813	ORFS FEM.-90° 1 - H. 1/2	40
F90ORFS0814	ORFS FEM.-90° 1.3/16 - H. 1/2	30
F90ORFS1013	ORFS FEM.-90° 1 - H. 5/8	35
F90ORFS1014	ORFS FEM.-90° 1.3/16 - H. 5/8	25
F90ORFS1214	ORFS FEM.-90° 1.3/16 - H. 3/4	50

Press Fitting - Box Quantities

CODE	DESCRIPTION	PCs
F90ORFS1215	ORFS FEM.-90° 1.7/16 - H. 3/4	20
F90ORFS1615	ORFS FEM.-90° 1.7/16 - H. 1	10
F90ORFS2021	ORFS FEM.-90° 1.11/16 - H. 1.1/4	5
F90ORFS2432	ORFS FEM.-90° 2 - H. 1.1/2	3
F90ORFS0406LD	ORFS FEM.-90° 9/16 - H. 1/4 LONG DROP	On request
F90ORFS0609LD	ORFS FEM.-90° 11/16 - H. 3/8 LONG DROP	On request
F90ORFS0611LD	ORFS FEM.-90° 13/16 - H. 3/8 LONG DROP	On request
F90ORFS0811LD	ORFS FEM.-90° 13/16 - H. 1/2 LONG DROP	On request
F90ORFS0813LD	ORFS FEM.-90° 1 - H. 1/2 LONG DROP	On request
F90ORFS1013LD	ORFS FEM.-90° 1 - H. 5/8 LONG DROP	On request
F90ORFS1014LD	ORFS FEM.-90° 1.3/16 - H. 5/8 LONG DROP	On request
F90ORFS1214LD	ORFS FEM.-90° 1.3/16 - H. 3/4 LONG DROP	On request
F90ORFS1615LD	ORFS FEM.-90° 1.7/16 - H. 1 LONG DROP	On request
F45ORFS0406	ORFS FEM.-45° 9/16 - H. 1/4	50
F45ORFS0409	ORFS FEM.-45° 11/16 - H. 1/4	50
F45ORFS0509	ORFS FEM.-45° 11/16 - H. 5/16	50
F45ORFS0606	ORFS FEM.-45° 9/16 - H. 3/8	On request
F45ORFS0609	ORFS FEM.-45° 11/16 - H. 3/8	100
F45ORFS0611	ORFS FEM.-45° 13/16 - H. 3/8	35
F45ORFS0811	ORFS FEM.-45° 13/16 - H. 1/2	50
F45ORFS0813	ORFS FEM.-45° 1 - H. 1/2	35
F45ORFS0814	ORFS FEM.-45° 1.3/16 - H. 1/2	30
F45ORFS1013	ORFS FEM.-45° 1 - H. 5/8	20
F45ORFS1014	ORFS FEM.-45° 1.3/16 - H. 5/8	20
F45ORFS1214	ORFS FEM.-45° 1.3/16 - H. 3/4	20
F45ORFS1215	ORFS FEM.-45° 1.7/16 - H. 3/4	20
F45ORFS1615	ORFS FEM.-45° 1.7/16 - H. 1	10
F45ORFS2021	ORFS FEM.-45° 1.11/16 - H. 1.1/4	5
F45ORFS2432	ORFS FEM.-45° 2 - H. 1.1/2	5
GD04	DOUBLE CONNECTOR H. 1/4	100
GD05	DOUBLE CONNECTOR H. 5/16	100
GD06	DOUBLE CONNECTOR H. 3/8	150
GD08	DOUBLE CONNECTOR H. 1/2	100
GD10	DOUBLE CONNECTOR H. 5/8	25
GD12	DOUBLE CONNECTOR H. 3/4	20
GD16	DOUBLE CONNECTOR H. 1	20
GD20	DOUBLE CONNECTOR H. 1.1/4	5
CS03	BRAZING TAIL H. 3/16	200
CS04	BRAZING TAIL H. 1/4	200
CS04T8	BRAZING TAIL H. 1/4 SOCKET 8	100
CS05	BRAZING TAIL H. 5/16	100
CS05T10	BRAZING TAIL H. 5/16 SOCKET 10	On request
CS06	BRAZING TAIL H. 3/8	100
CS06T10	BRAZING TAIL H. 3/8 SOCKET 10	100
CS06T12	BRAZING TAIL H. 3/8 SOCKET 12	125
CS08	BRAZING TAIL H. 1/2	50
CS08T14	BRAZING TAIL H. 1/2 SOCKET 14	50
CS08T15	BRAZING TAIL H. 1/2 SOCKET 15	50
CS08T16	BRAZING TAIL H. 1/2 SOCKET 16	50
CS10	BRAZING TAIL H. 5/8	20
CS12	BRAZING TAIL H. 3/4	20
CS16	BRAZING TAIL H. 1	10
CS20	BRAZING TAIL H. 1.1/4	5

Press Fitting - Box Quantities

CODE	DESCRIPTION	PCs
CS24	BRAZING TAIL H. 1.1/2	5
CS32	BRAZING TAIL H. 2	5
PDL0413F	STANDPIPE FRENCH TYPE 13 - H. 1/4	On request
PDL0513F	STANDPIPE FRENCH TYPE 13 - H. 5/16	On request
PDL0613F	STANDPIPE FRENCH TYPE 13 - H. 3/8	On request
PDL0617F	STANDPIPE FRENCH TYPE 17 - H. 3/8	On request
PDL0817F	STANDPIPE FRENCH TYPE 17 - H. 1/2	On request
PDL0821F	STANDPIPE FRENCH TYPE 21 - H. 1/2	On request
PDL1021F	STANDPIPE FRENCH TYPE 21 - H. 5/8	On request
PDL1221F	STANDPIPE FRENCH TYPE 21 - H. 3/4	On request
PDL1227F	STANDPIPE FRENCH TYPE 27 - H. 3/4	On request
PDL1633F	STANDPIPE FRENCH TYPE 33 - H. 1	On request
PDL2033F	STANDPIPE FRENCH TYPE 33 - H. 1.1/4	On request
PDL0306	STANDPIPE 6 - H. 3/16	200
PDL0308	STANDPIPE 8 - H. 3/16	100
PDL0406	STANDPIPE 6 - H. 1/4	200
PDL0408	STANDPIPE 8 - H. 1/4	200
PDL0410	STANDPIPE 10 - H. 1/4	150
PDL0412	STANDPIPE 12 - H. 1/4	100
PDL0508	STANDPIPE 8 - H. 5/16	150
PDL0510	STANDPIPE 10 - H. 5/16	100
PDL0512	STANDPIPE 12 - H. 5/16	100
PDL0610	STANDPIPE 10 - H. 3/8	200
PDL0612	STANDPIPE 12 - H. 3/8	250
PDL0614	STANDPIPE 14 - H. 3/8	50
PDL0615	STANDPIPE 15 - H. 3/8	50
PDL0812	STANDPIPE 12 - H. 1/2	50
PDL0814	STANDPIPE 14 - H. 1/2	50
PDL0815	STANDPIPE 15 - H. 1/2	100
PDL0816	STANDPIPE 16 - H. 1/2	100
PDL0818	STANDPIPE 18 - H. 1/2	50
PDL1018	STANDPIPE 18 - H. 5/8	35
PDL1020	STANDPIPE 20 - H. 5/8	50
PDL1022	STANDPIPE 22 - H. 5/8	25
PDL1218	STANDPIPE 18 - H. 3/4	25
PDL1220	STANDPIPE 20 - H. 3/4	50
PDL1222	STANDPIPE 22 - H. 3/4	50
PDL1225	STANDPIPE 25 - H. 3/4	35
PDL1625	STANDPIPE 25 - H. 1	25
PDL1628	STANDPIPE 28 - H. 1	25
PDL1630	STANDPIPE 30 - H. 1	25
PDL2030	STANDPIPE 30 - H. 1.1/4	10
PDL2035	STANDPIPE 35 - H. 1.1/4	10
PDL2038	STANDPIPE 38 - H. 1.1/4	10
PDL2438	STANDPIPE 38 - H. 1.1/2	10
PDL2442	STANDPIPE 42 - H. 1.1/2	10
OG0302	BSPP BANJO 1/8 - H. 3/16	150
OG0304	BSPP BANJO 1/4 - H. 3/16	100
OG0402	BSPP BANJO 1/8 - H. 1/4	150
OG0404	BSPP BANJO 1/4 - H. 1/4	200
OG0406	BSPP BANJO 3/8 - H. 1/4	100
OG0408	BSPP BANJO 1/2 - H. 1/4	50
OG0504	BSPP BANJO 1/4 - H. 5/16	150

Press Fitting - Box Quantities

CODE	DESCRIPTION	PCs
OG0506	BSPP BANJO 3/8 - H. 5/16	100
OG0508	BSPP BANJO 1/2 - H. 5/16	50
OG0604	BSPP BANJO 1/4 - H. 3/8	150
OG0606	BSPP BANJO 3/8 - H. 3/8	100
OG0608	BSPP BANJO 1/2 - H. 3/8	75
OG0806	BSPP BANJO 3/8 - H. 1/2	75
OG0808	BSPP BANJO 1/2 - H. 1/2	50
OG0810	BSPP BANJO 5/8 - H. 1/2	50
OG0812	BSPP BANJO 3/4 - H. 1/2	25
OG1008	BSPP BANJO 1/2 - H. 5/8	25
OG1010	BSPP BANJO 5/8 - H. 5/8	35
OG1012	BSPP BANJO 3/4 - H. 5/8	25
OG1212	BSPP BANJO 3/4 - H. 3/4	25
OG1216	BSPP BANJO 1 - H. 3/4	10
OG1612	BSPP BANJO 3/4 - H. 1	20
OG1616	BSPP BANJO 1 - H. 1	10
OG2020	BSPP BANJO 1.1/4 - H. 1.1/4	5
OM0310	METRIC BANJO 10x1 - H. 3/16	150
OM0312	METRIC BANJO 12x1.5 - H. 3/16	100
OM0314	METRIC BANJO 14x1.5 - H. 3/16	100
OM0410	METRIC BANJO 10x1 - H. 1/4	150
OM0412	METRIC BANJO 12x1.5 - H. 1/4	100
OM0414	METRIC BANJO 14x1.5 - H. 1/4	200
OM0416	METRIC BANJO 16x1.5 - H. 1/4	100
OM0418	METRIC BANJO 18x1.5 - H. 1/4	100
OM0512	METRIC BANJO 12x1.5 - H. 5/16	100
OM0514	METRIC BANJO 14x1.5 - H. 5/16	150
OM0516	METRIC BANJO 16x1.5 - H. 5/16	100
OM0518	METRIC BANJO 18x1.5 - H. 5/16	75
OM0520	METRIC BANJO 20x1.5 - H. 5/16	75
OM0522	METRIC BANJO 22x1.5 - H. 5/16	75
OM0614	METRIC BANJO 14x1.5 - H. 3/8	150
OM0616	METRIC BANJO 16x1.5 - H. 3/8	100
OM0618	METRIC BANJO 18x1.5 - H. 3/8	75
OM0620	METRIC BANJO 20x1.5 - H. 3/8	50
OM0622	METRIC BANJO 22x1.5 - H. 3/8	50
OM0818	METRIC BANJO 18x1.5 - H. 1/2	50
OM0820	METRIC BANJO 20x1.5 - H. 1/2	50
OM0822	METRIC BANJO 22x1.5 - H. 1/2	50
OM0826	METRIC BANJO 26x1.5 - H. 1/2	25
OM1022	METRIC BANJO 22x1.5 - H. 5/8	50
OM1026	METRIC BANJO 26x1.5 - H. 5/8	25
OM1226	METRIC BANJO 26x1.5 - H. 3/4	25
OM1230	METRIC BANJO 30x1.5 - H. 3/4	15
OM1630	METRIC BANJO 30x1.5 - H. 1	10
FDW0422T14	FEM. WATERJET CLEANER-FK TYPE 22x1.5-H.1/4 T14	50
FDW0422T15	FEM. WATERJET CLEANER-FK TYPE 22x1.5-H.1/4 T15	50
FDW0422T15L	FEM. WATERJET CLEANER-FK TYPE 22x1.5 -H.1/4 T15L	50
FDW0522T14	FEM. WATERJET CLEANER-FK TYPE 22x1.5-H.5/16 T14	50
FDW0522T15	FEM. WATERJET CLEANER-FK TYPE 22x1.5-H. 5/16 T15	50
FDW0522T15L	FEM. WATERJET CLEANER-FK TYPE 22x1.5-H. 5/16 T15L	50
FDW0622T14	FEM. WATERJET CLEANER-FK TYPE 22x1.5-H. 3/8 T14	50
FDW0622T15	FEM. WATERJET CLEANER-FK TYPE 22x1.5-H. 3/8 T15	50

Press Fitting - Box Quantities

CODE	DESCRIPTION	PCs
FW04D10	PISTOL WASH CLEANER JUNCTION H. 1/4	20
FW04D11	PISTOL WASH CLEANER JUNCTION H. 1/4	20
FW05D10	PISTOL WASH CLEANER JUNCTION H. 5/16	20
FW05D11	PISTOL WASH CLEANER JUNCTION H. 5/16	20
FDL0808I	FLANGE C.61 3000 PSI 1/2 - H. 1/2	10
FDL0810I	FLANGE C.61 3000 PSI 5/8 - H. 1/2	15
FDL0812I	FLANGE C.61 3000 PSI 3/4 - H. 1/2	10
FDL1008I	FLANGE C.61 3000 PSI 1/2 - H. 5/8	10
FDL1010I	FLANGE C.61 3000 PSI 5/8 - H. 5/8	10
FDL1012I	FLANGE C.61 3000 PSI 3/4 - H. 5/8	20
FDL1208I	FLANGE C.61 3000 PSI 1/2 - H. 3/4	15
FDL1212I	FLANGE C.61 3000 PSI 3/4 - H. 3/4	25
FDL1216I	FLANGE C.61 3000 PSI 1 - H. 3/4	20
FDL1612I	FLANGE C.61 3000 PSI 3/4 - H. 1	10
FDL1616I	FLANGE C.61 3000 PSI 1 - H. 1	10
FDL1620I	FLANGE C.61 3000 PSI 1.1/4 - H. 1	10
FDL2016I	FLANGE C.61 3000 PSI 1 - H. 1.1/4	10
FDL2020I	FLANGE C.61 3000 PSI 1.1/4 - H. 1.1/4	10
FDL2024I	FLANGE C.61 3000 PSI 1.1/2 - H. 1.1/4	5
FDL2424I	FLANGE C.61 3000 PSI 1.1/2 - H. 1.1/2	5
FDL2432I	FLANGE C.61 3000 PSI 2 - H. 1.1/2	5
FDL3232I	FLANGE C.61 3000 PSI 2 - H. 2	3
F45L0808I	FLANGE C.61 3000 PSI-45° 1/2 - H. 1/2	10
F45L0810I	FLANGE C.61 3000 PSI-45° 5/8 - H. 1/2	10
F45L0812I	FLANGE C.61 3000 PSI-45° 3/4 - H. 1/2	10
F45L1008I	FLANGE C.61 3000 PSI-45° 1/2 - H. 5/8	10
F45L1010I	FLANGE C.61 3000 PSI-45° 5/8 - H. 5/8	10
F45L1012I	FLANGE C.61 3000 PSI-45° 3/4 - H. 5/8	10
F45L1208I	FLANGE C.61 3000 PSI-45° 1/2 - H. 3/4	10
F45L1212I	FLANGE C.61 3000 PSI-45° 3/4 - H. 3/4	10
F45L1216I	FLANGE C.61 3000 PSI-45° 1 - H. 3/4	20
F45L1612I	FLANGE C.61 3000 PSI-45° 3/4 - H. 1	5
F45L1616I	FLANGE C.61 3000 PSI-45° 1 - H. 1	10
F45L1620I	FLANGE C.61 3000 PSI-45° 1.1/4 - H. 1	10
F45L2016I	FLANGE C.61 3000 PSI-45° 1 - H. 1.1/4	5
F45L2020I	FLANGE C.61 3000 PSI-45° 1.1/4 - H. 1.1/4	5
F45L2024I	FLANGE C.61 3000 PSI-45° 1.1/2 - H. 1.1/4	5
F45L2424I	FLANGE C.61 3000 PSI-45° 1.1/2 - H. 1.1/2	10
F45L2432I	FLANGE C.61 3000 PSI-45° 2 - H. 1.1/2	5
F45L3232I	FLANGE C.61 3000 PSI-45° 2 - H. 2	5
F90L0808I	FLANGE C.61 3000 PSI-90° 1/2 - H. 1/2	10
F90L0810I	FLANGE C.61 3000 PSI-90° 5/8 - H. 1/2	10
F90L0812I	FLANGE C.61 3000 PSI-90° 3/4 - H. 1/2	10
F90L1008I	FLANGE C.61 3000 PSI-90° 1/2 - H. 5/8	10
F90L1010I	FLANGE C.61 3000 PSI-90° 5/8 - H. 5/8	10
F90L1012I	FLANGE C.61 3000 PSI-90° 3/4 - H. 5/8	10
F90L1208I	FLANGE C.61 3000 PSI-90° 1/2 - H. 3/4	10
F90L1212I	FLANGE C.61 3000 PSI-90° 3/4 - H. 3/4	20
F90L1216I	FLANGE C.61 3000 PSI-90° 1 - H. 3/4	10
F90L1612I	FLANGE C.61 3000 PSI-90° 3/4 - H. 1	10
F90L1616I	FLANGE C.61 3000 PSI-90° 1 - H. 1	5
F90L1620I	FLANGE C.61 3000 PSI-90° 1.1/4 - H. 1	5
F90L2016I	FLANGE C.61 3000 PSI-90° 1 - H. 1.1/4	5

Press Fitting - Box Quantities

CODE	DESCRIPTION	PCs
F90L2020I	FLANGE C.61 3000 PSI-90° 1.1/4 - H. 1.1/4	5
F90L2024I	FLANGE C.61 3000 PSI-90° 1.1/2 - H. 1.1/4	5
F90L2424I	FLANGE C.61 3000 PSI-90° 1.1/2 - H. 1.1/2	5
F90L2432I	FLANGE C.61 3000 PSI-90° 2 - H. 1.1/2	5
F90L3232I	FLANGE C.61 3000 PSI-90° 2 - H. 2	3
FDP0808I	FLANGE C.62 6000 PSI 1/2 - H. 1/2	10
FDP0812I	FLANGE C.62 6000 PSI 3/4 - H. 1/2	10
FDP1008I	FLANGE C.62 6000 PSI 1/2 - H. 5/8	10
FDP1012I	FLANGE C.62 6000 PSI 3/4 - H. 5/8	20
FDP1208I	FLANGE C.62 6000 PSI 1/2 - H. 3/4	15
FDP1212I	FLANGE C.62 6000 PSI 3/4 - H. 3/4	25
FDP1216I	FLANGE C.62 6000 PSI 1 - H. 3/4	15
FDP1612I	FLANGE C.62 6000 PSI 3/4 - H. 1	10
FDP1616I	FLANGE C.62 6000 PSI 1 - H. 1	10
FDP1620I	FLANGE C.62 6000 PSI 1.1/4 - H. 1	10
FDP2016I	FLANGE C.62 6000 PSI 1 - H. 1.1/4	10
FDP2020I	FLANGE C.62 6000 PSI 1.1/4 - H. 1.1/4	10
FDP2024I	FLANGE C.62 6000 PSI 1.1/2 - H. 1.1/4	5
FDP2424I	FLANGE C.62 6000 PSI 1.1/2 - H. 1.1/2	5
FDP2432I	FLANGE C.62 6000 PSI 2 - H. 1.1/2	3
FDP3232I	FLANGE C.62 6000 PSI 2 - H. 2	3
F45P0808I	FLANGE C.62 6000 PSI-45° 1/2 - H. 1/2	10
F45P0812I	FLANGE C.62 6000 PSI-45° 3/4 - H. 1/2	10
F45P1008I	FLANGE C.62 6000 PSI-45° 1/2 - H. 5/8	10
F45P1012I	FLANGE C.62 6000 PSI-45° 3/4 - H. 5/8	10
F45P1208I	FLANGE C.62 6000 PSI-45° 1/2 - H. 3/4	10
F45P1212I	FLANGE C.62 6000 PSI-45° 3/4 - H. 3/4	10
F45P1216I	FLANGE C.62 6000 PSI-45° 1 - H. 3/4	5
F45P1612I	FLANGE C.62 6000 PSI-45° 3/4 - H. 1	5
F45P1616I	FLANGE C.62 6000 PSI-45° 1 - H. 1	5
F45P1620I	FLANGE C.62 6000 PSI-45° 1.1/4 - H. 1	5
F45P2016I	FLANGE C.62 6000 PSI-45° 1 - H. 1.1/4	5
F45P2020I	FLANGE C.62 6000 PSI-45° 1.1/4 - H. 1.1/4	5
F45P2024I	FLANGE C.62 6000 PSI-45° 1.1/2 - H. 1.1/4	5
F45P2424I	FLANGE C.62 6000 PSI-45° 1.1/2 - H. 1.1/2	5
F45P2432I	FLANGE C.62 6000 PSI-45° 2 - H. 1.1/2	5
F45P3232I	FLANGE C.62 6000 PSI-45° 2 - H. 2	4
F90P0808I	FLANGE C.62 6000 PSI-90° 1/2 - H. 1/2	10
F90P0812I	FLANGE C.62 6000 PSI-90° 3/4 - H. 1/2	10
F90P1008I	FLANGE C.62 6000 PSI-90° 1/2 - H. 5/8	10
F90P1012I	FLANGE C.62 6000 PSI-90° 3/4 - H. 5/8	10
F90P1208I	FLANGE C.62 6000 PSI-90° 1/2 - H. 3/4	10
F90P1212I	FLANGE C.62 6000 PSI-90° 3/4 - H. 3/4	15
F90P1216I	FLANGE C.62 6000 PSI-90° 1 - H. 3/4	10
F90P1612I	FLANGE C.62 6000 PSI-90° 3/4 - H. 1	10
F90P1616I	FLANGE C.62 6000 PSI-90° 1 - H. 1	5
F90P1620I	FLANGE C.62 6000 PSI-90° 1.1/4 - H. 1	5
F90P2016I	FLANGE C.62 6000 PSI-90° 1 - H. 1.1/4	5
F90P2020I	FLANGE C.62 6000 PSI-90° 1.1/4 - H. 1.1/4	10
F90P2024I	FLANGE C.62 6000 PSI-90° 1.1/2 - H. 1.1/4	5
F90P2424I	FLANGE C.62 6000 PSI-90° 1.1/2 - H. 1.1/2	5
F90P2432I	FLANGE C.62 6000 PSI-90° 2 - H. 1.1/2	5
F90P3232I	FLANGE C.62 6000 PSI-90° 2 - H. 2	3

Press Fitting - Box Quantities

CODE	DESCRIPTION	PCs
F90P1212ILD	FLANGE C.62 6000 PSI-90° 3/4 - H. 3/4 LONG DROP	On request
F90P1216ILD	FLANGE C.62 6000 PSI-90° 1 - H. 3/4 LONG DROP	On request
F90P1616ILD	FLANGE C.62 6000 PSI-90° 1 - H. 1 LONG DROP	On request
F90P2020ILD	FLANGE C.62 6000 PSI-90° 1.1/4 - H.1.1/4 LONG DROP	On request
F90P2424ILD	FLANGE C.62 6000 PSI-90° 1.1/2 - H.1.1/2 LONG DROP	On request
FDS1212I	SUPERCAT FLANGE 3/4 - H. 3/4	25
FDS1216I	SUPERCAT FLANGE 1 - H. 3/4	15
FDS1616I	SUPERCAT FLANGE 1 - H. 1	10
FDS1620I	SUPERCAT FLANGE 1.1/4 - H. 1	10
FDS2020I	SUPERCAT FLANGE 1.1/4 - H. 1.1/4	10
FDS2024I	SUPERCAT FLANGE 1.1/2 - H. 1.1/4	5
FDS2424I	SUPERCAT FLANGE 1.1/2 - H. 1.1/2	5
F90S1212I	SUPERCAT FLANGE-90° 3/4 - H. 3/4	15
F90S1216I	SUPERCAT FLANGE-90° 1 - H. 3/4	10
F90S1616I	SUPERCAT FLANGE-90° 1 - H. 1	5
F90S1620I	SUPERCAT FLANGE-90° 1.1/4 - H. 1	5
F90S2020I	SUPERCAT FLANGE-90° 1.1/4 - H. 1.1/4	5
F90S2024I	SUPERCAT FLANGE-90° 1.1/2 - H. 1.1/4	5
F90S2424I	SUPERCAT FLANGE-90° 1.1/2 - H. 1.1/2	5
F45S1212I	SUPERCAT FLANGE-45° 3/4 - H. 3/4	10
F45S1216I	SUPERCAT FLANGE-45° 1 - H. 3/4	5
F45S1616I	SUPERCAT FLANGE-45° 1 - H. 1	10
F45S1620I	SUPERCAT FLANGE-45° 1.1/4 - H. 1	10
F45S2020I	SUPERCAT FLANGE-45° 1.1/4 - H. 1.1/4	5
F45S2024I	SUPERCAT FLANGE-45° 1.1/2 - H. 1.1/4	5
F45S2424I	SUPERCAT FLANGE-45° 1.1/2 - H. 1.1/2	5
FW0621.7	WHITWORTH CO2 FEM. 21.7 - H. 3/8	10
FW0821.7	WHITWORTH CO2 FEM. 21.7 - H. 1/2	20
MW0621.7	WHITWORTH CO2 MALE 21.7 - H. 3/8	20
MW0821.7	WHITWORTH CO2 MALE 21.7 - H. 1/2	20
KMG1212	INTER. BSPP MALE 3/4 - H. 3/4	10
KMG1616	INTER. BSPP MALE 1 - H. 1	10
KMG1620	INTER. BSPP MALE 1.1/4 - H. 1	10
KMG2020	INTER. BSPP MALE 1.1/4 - H. 1.1/4	10
KMG2424	INTER. BSPP MALE 1.1/2 - H. 1.1/2	5
KMG3232	INTER. BSPP MALE 2 - H. 2	4
KMGK1212	INTER. BSPT MALE 3/4 - H. 3/4	10
KMGK1616	INTER. BSPT MALE 1 - H. 1	10
KMGK2020	INTER. BSPT MALE 1.1/4 - H. 1.1/4	10
KMGK2424	INTER. BSPT MALE 1.1/2 - H. 1.1/2	10
KMGK3232	INTER. BSPT MALE 2 - H. 2	4
KFDG1212	INTER. BSPP FEM. 3/4 - H. 3/4 O-RING - THRUST-WIRE NUT	25
KFDG1616	INTER. BSPP FEM. 1 - H. 1 O-RING - THRUST-WIRE NUT	10
KFDG1620	INTER. BSPP FEM. 1.1/4 - H. 1 O-RING - THRUST-WIRE NUT	10
KFDG2020	INTER. BSPP FEM. 1.1/4 - H. 1.1/4 O-RING - THRUST-WIRE NUT	10
KFDG2424	INTER. BSPP FEM. 1.1/2 - H. 1.1/2 O-RING - THRUST-WIRE NUT	5
KFDG3232	INTER. BSPP FEM. 2 - H. 2 O-RING - THRUST-WIRE NUT	4
KF90G1212	INTER. BSPP FEM.-90° 3/4 - H. 3/4 O-RING - THRUST-WIRE NUT	10
KF90G1616	INTER. BSPP FEM.-90° 1 - H. 1 O-RING - THRUST-WIRE NUT	5
KF90G1620	INTER. BSPP FEM.-90° 1.1/4 - H. 1 O-RING - THRUST-WIRE NUT	5
KF90G2020	INTER. BSPP FEM.-90° 1.1/4 - H. 1.1/4 O-RING - THRUST-WIRE NUT	5
KF90G2424	INTER. BSPP FEM.-90° 1.1/2 - H. 1.1/2 O-RING - THRUST-WIRE NUT	5
KF90G3232	INTER. BSPP FEM.-60° 2 - H. 2 O-RING - THRUST-WIRE NUT	3

Press Fitting - Box Quantities

CODE	DESCRIPTION	PCs
KF45G1212	INTER. BSPP FEM.-45° 3/4 - H. 3/4 O-RING - THRUST-WIRE NUT	10
KF45G1616	INTER. BSPP FEM.-45° 1 - H. 1 O-RING - THRUST-WIRE NUT	10
KF45G1620	INTER. BSPP FEM.-45° 1.1/4 - H. 1 O-RING - THRUST-WIRE NUT	5
KF45G2020	INTER. BSPP FEM.-45° 1.1/4 - H. 1.1/4 O-RING - THRUST-WIRE NUT	5
KF45G2424	INTER. BSPP FEM.-45° 1.1/2 - H. 1.1/2 O-RING - THRUST-WIRE NUT	5
KF45G3232	INTER. BSPP FEM.-45° 2 - H. 2 O-RING - THRUST-WIRE NUT	3
KMNPTF1212	INTER. NPTF MALE 3/4 - H. 3/4	10
KMNPTF1216	INTER. NPTF MALE 1 - H. 3/4	10
KMNPTF1616	INTER. NPTF MALE 1 - H. 1	10
KMNPTF1620	INTER. NPTF MALE 1.1/4 - H. 1	5
KMNPTF2020	INTER. NPTF MALE 1.1/4 - H. 1.1/4	5
KMNPTF2024	INTER. NPTF MALE 1.1/2 - H. 1.1/4	5
KMNPTF2424	INTER. NPTF MALE 1.1/2 - H. 1.1/2	5
KMNPTF3232	INTER. NPTF MALE 2 - H. 2	4
KMJ1212	INTER. JIC 37° MALE 1.1/16 - H. 3/4	10
KMJ1214	INTER. JIC 37° MALE 1.3/16 - H. 3/4	10
KMJ1216	INTER. JIC 37° MALE 1.5/16 - H. 3/4	10
KMJ1616	INTER. JIC 37° MALE 1.5/16 - H. 1	10
KMJ1620	INTER. JIC 37° MALE 1.5/8 - H. 1	10
KMJ2020	INTER. JIC 37° MALE 1.5/8 - H. 1.1/4	10
KMJ2024	INTER. JIC 37° MALE 1.7/8 - H. 1.1/4	5
KMJ2424	INTER. JIC 37° MALE 1.7/8 - H. 1.1/2	5
KMJ3232	INTER. JIC 37° MALE 2.1/2 - H. 2	4
KFDJ1212	INTER. JIC 37° FEM. 1.1/16 - H. 3/4	10
KFDJ1214	INTER. JIC 37° FEM. 1.3/16 - H. 3/4	10
KFDJ1216	INTER. JIC 37° FEM. 1.5/16 - H. 3/4	10
KFDJ1616	INTER. JIC 37° FEM. 1.5/16 - H. 1	10
KFDJ1620	INTER. JIC 37° FEM. 1.5/8 - H. 1	10
KFDJ2020	INTER. JIC 37° FEM. 1.5/8 - H. 1.1/4	10
KFDJ2024	INTER. JIC 37° FEM. 1.7/8 - H. 1.1/4	5
KFDJ2424	INTER. JIC 37° FEM. 1.7/8 - H. 1.1/2	5
KFDJ3232	INTER. JIC 37° FEM. 2.1/2 - H. 2	4
KF90J1212	INTER. JIC 37° FEM.-90° 1.1/16 - H. 3/4	10
KF90J1214	INTER. JIC 37° FEM.-90° 1.3/16 - H. 3/4	10
KF90J1216	INTER. JIC 37° FEM.-90° 1.5/16 - H. 3/4	10
KF90J1616	INTER. JIC 37° FEM.-90° 1.5/16 - H. 1	10
KF90J1620	INTER. JIC 37° FEM.-90° 1.5/8 - H. 1	5
KF90J2020	INTER. JIC 37° FEM.-90° 1.5/8 - H. 1.1/4	5
KF90J2024	INTER. JIC 37° FEM.-90° 1.7/8 - H. 1.1/4	5
KF90J2424	INTER. JIC 37° FEM.-90° 1.7/8 - H. 1.1/2	5
KF90J3232	INTER. JIC 37° FEM.-90° 2.1/2 - H. 2	3
KF90J1212LD	INTER. JIC 37° FEM.-90° 1.1/16 - H. 3/4 LONG DROP	On request
KF90J1616LD	INTER. JIC 37° FEM.-90° 1.5/16 - H. 1 LONG DROP	On request
KF90J1620LD	INTER. JIC 37° FEM.-90° 1.5/8 - H. 1 LONG DROP	On request
KF90J2020LD	INTER. JIC 37° FEM.-90° 1.5/8 - H. 1.1/4 LONG DROP	On request
KF90J2424LD	INTER. JIC 37° FEM.-90° 1.7/8 - H. 1.1/4 LONG DROP	On request
KF90J3232LD	INTER. JIC 37° FEM.-90° 2.1/2 - H. 2 LONG DROP	On request
KF45J1212	INTER. JIC 37° FEM.-45° 1.1/16 - H. 3/4	10
KF45J1214	INTER. JIC 37° FEM.-45° 1.3/16 - H. 3/4	10
KF45J1216	INTER. JIC 37° FEM.-45° 1.5/16 - H. 3/4	10
KF45J1616	INTER. JIC 37° FEM.-45° 1.5/16 - H. 1	10
KF45J1620	INTER. JIC 37° FEM.-45° 1.5/8 - H. 1	5
KF45J2020	INTER. JIC 37° FEM.-45° 1.5/8 - H. 1.1/4	5

Press Fitting - Box Quantities

CODE	DESCRIPTION	PCs
KF45J2024	INTER. JIC 37° FEM.-45° 1.7/8 - H. 1.1/4	5
KF45J2424	INTER. JIC 37° FEM.-45° 1.7/8 - H. 1.1/2	5
KF45J3232	INTER. JIC 37° FEM.-45° 2.1/2 - H. 2	4
KME1230S20	INTER. METRIC MALE 24° H.S. 30x2 - H. 3/4 S20	10
KME1236S25	INTER. METRIC MALE 24° H.S. 36x2 - H. 3/4 S25	10
KME1636S25	INTER. METRIC MALE 24° H.S. 36x2 - H. 1 S25	10
KME1642S30	INTER. METRIC MALE 24° H.S. 42x2 - H. 1 S30	10
KME2042S30	INTER. METRIC MALE 24° H.S. 42x2 - H. 1.1/4 S30	10
KME2052S38	INTER. METRIC MALE 24° H.S. 52x2 - H. 1.1/4 S38	10
KME2452S38	INTER. METRIC MALE 24° H.S. 52x2 - H. 1.1/2 S38	5
KFE1030S20	INTER. METRIC FEM. 24° H.S. 30x2 - H. 5/8 S20 O-RING	10
KFE1230S20	INTER. METRIC FEM. 24° H.S. 30x2 - H. 3/4 S20 O-RING	10
KFE1236S25	INTER. METRIC FEM. 24° H.S. 36x2 - H. 3/4 S25 O-RING	10
KFE1636S25	INTER. METRIC FEM. 24° H.S. 36x2 - H. 1 S25 O-RING	10
KFE1642S30	INTER. METRIC FEM. 24° H.S. 42x2 - H. 1 S30 O-RING	10
KFE2042S30	INTER. METRIC FEM. 24° H.S. 42x2 - H. 1.1/4 S30 O-RING	10
KFE2052S38	INTER. METRIC FEM. 24° H.S. 52x2 - H. 1.1/4 S38 O-RING	5
KFE2452S38	INTER. METRIC FEM. 24° H.S. 52x2 - H. 1.1/2 S38 O-RING	5
KF90E1030S20	INTER. METRIC FEM. 24° H.S.-90° 30x2 - H. 5/8 S20 O-RING	10
KF90E1230S20	INTER. METRIC FEM. 24° H.S.-90° 30x2 - H. 3/4 S20 O-RING	10
KF90E1236S25	INTER. METRIC FEM. 24° H.S.-90° 36x2 - H. 3/4 S25 O-RING	10
KF90E1636S25	INTER. METRIC FEM. 24° H.S.-90° 36x2 - H. 1 S25 O-RING	10
KF90E1642S30	INTER. METRIC FEM. 24° H.S.-90° 42x2 - H. 1 S30 O-RING	5
KF90E2042S30	INTER. METRIC FEM. 24° H.S.-90° 42x2 - H.1.1/4 S30 O-RING	5
KF90E2052S38	INTER. METRIC FEM. 24° H.S.-90° 52x2 - H.1.1/4 S38 O-RING	5
KF90E2452S38	INTER. METRIC FEM. 24° H.S.-90° 52x2 - H.1.1/2 S38 O-RING	5
KF45E1030S20	INTER. METRIC FEM. 24° H.S.-45° 30x2 - H. 5/8 S20 O-RING	10
KF45E1230S20	INTER. METRIC FEM. 24° H.S.-45° 30x2 - H. 3/4 S20 O-RING	10
KF45E1236S25	INTER. METRIC FEM. 24° H.S.-45° 36x2 - H. 3/4 S25 O-RING	10
KF45E1636S25	INTER. METRIC FEM. 24° H.S.-45° 36x2 - H. 1 S25 O-RING	10
KF45E1642S30	INTER. METRIC FEM. 24° H.S.-45° 42x2 - H. 1 S30 O-RING	10
KF45E2042S30	INTER. METRIC FEM. 24° H.S.-45° 42x2 - H.1.1/4 S30 O-RING	5
KF45E2052S38	INTER. METRIC FEM. 24° H.S.-45° 52x2 - H.1.1/4 S38 O-RING	5
KF45E2452S38	INTER. METRIC FEM. 24° H.S.-45° 52x2 - H.1.1/2 S38 O-RING	5
KMORFS1215	INTER. ORFS MALE 1.7/16 - H. 3/4	10
KMORFS1615	INTER. ORFS MALE 1.7/16 - H. 1	10
KMORFS1621	INTER. ORFS MALE 1.11/16 - H. 1	5
KMORFS2021	INTER. ORFS MALE 1.11/16 - H. 1.1/4	5
KFORFS1014	INTER. ORFS FEM. 1.3/16 - H. 5/8	10
KFORFS1214	INTER. ORFS FEM. 1.3/16 - H. 3/4	10
KFORFS1215	INTER. ORFS FEM. 1.7/16 - H. 3/4	10
KFORFS1615	INTER. ORFS FEM. 1.7/16 - H. 1	10
KFORFS2021	INTER. ORFS FEM. 1.11/16 - H. 1.1/4	10
KF90ORFS1014	INTER. ORFS FEM.-90° 1.3/16 - H. 5/8	10
KF90ORFS1214	INTER. ORFS FEM.-90° 1.3/16 - H. 3/4	10
KF90ORFS1215	INTER. ORFS FEM.-90° 1.7/16 - H. 3/4	10
KF90ORFS1615	INTER. ORFS FEM.-90° 1.7/16 - H. 1	10
KF90ORFS1621	INTER. ORFS FEM.-90° 1.11/16 - H. 1	5
KF90ORFS2021	INTER. ORFS FEM.-90° 1.11/16 - H. 1.1/4	5
KF90ORFS1214LI	INTER. ORFS FEM.-90° 1.3/16 - H. 3/4 LONG DROP	On request
KF90ORFS1615LI	INTER. ORFS FEM.-90° 1.7/16 - H. 1 LONG DROP	On request
KF90ORFS2021LI	INTER. ORFS FEM.-90° 1.11/16 - H. 1.1/4 LONG DROP	On request
KF45ORFS1014	INTER. ORFS FEM.-45° 1.3/16 - H. 5/8	10

Press Fitting - Box Quantities

CODE	DESCRIPTION	PCs
KF45ORFS1214	INTER. ORFS FEM.-45° 1.3/16 - H. 3/4	10
KF45ORFS1215	INTER. ORFS FEM.-45° 1.7/16 - H. 3/4	10
KF45ORFS1615	INTER. ORFS FEM.-45° 1.7/16 - H. 1	10
KF45ORFS1621	INTER. ORFS FEM.-45° 1.11/16 - H. 1	5
KF45ORFS2021	INTER. ORFS FEM.-45° 1.11/16 - H. 1.1/4	5
KFDL1212I	INTER. FLANGE C.61 3000 PSI 3/4 - H. 3/4	10
KFDL1216I	INTER. FLANGE C.61 3000 PSI 1 - H. 3/4	10
KFDL1612I	INTER. FLANGE C.61 3000 PSI 3/4 - H. 1	10
KFDL1616I	INTER. FLANGE C.61 3000 PSI 1 - H. 1	10
KFDL1620I	INTER. FLANGE C.61 3000 PSI 1.1/4 - H. 1	10
KFDL2020I	INTER. FLANGE C.61 3000 PSI 1.1/4 - H. 1.1/4	10
KFDL2024I	INTER. FLANGE C.61 3000 PSI 1.1/2 - H. 1.1/4	5
KFDL2424I	INTER. FLANGE C.61 3000 PSI 1.1/2 - H. 1.1/2	5
KFDL2432I	INTER. FLANGE C.61 3000 PSI 2 - H. 1.1/2	5
KFDL3232I	INTER. FLANGE C.61 3000 PSI 2 - H. 2	4
KF90L1212I	INTER. FLANGE C.61 3000 PSI-90° 3/4 - H. 3/4	10
KF90L1216I	INTER. FLANGE C.61 3000 PSI-90° 1 - H. 3/4	10
KF90L1612I	INTER. FLANGE C.61 3000 PSI-90° 3/4 - H. 1	10
KF90L1616I	INTER. FLANGE C.61 3000 PSI-90° 1 - H. 1	10
KF90L1620I	INTER. FLANGE C.61 3000 PSI-90° 1.1/4 - H. 1	5
KF90L2020I	INTER. FLANGE C.61 3000 PSI-90° 1.1/4 - H. 1.1/4	10
KF90L2024I	INTER. FLANGE C.61 3000 PSI-90° 1.1/2 - H. 1.1/4	5
KF90L2424I	INTER. FLANGE C.61 3000 PSI-90° 1.1/2 - H. 1.1/2	5
KF90L2432I	INTER. FLANGE C.61 3000 PSI-90° 2 - H. 1.1/2	5
KF90L3232I	INTER. FLANGE C.61 3000 PSI-90° 2 - H. 2	3
KF45L1212I	INTER. FLANGE C.61 3000 PSI-45° 3/4 - H. 3/4	10
KF45L1216I	INTER. FLANGE C.61 3000 PSI-45° 1 - H. 3/4	10
KF45L1612I	INTER. FLANGE C.61 3000 PSI-45° 3/4 - H. 1	10
KF45L1616I	INTER. FLANGE C.61 3000 PSI-45° 1 - H. 1	10
KF45L1620I	INTER. FLANGE C.61 3000 PSI-45° 1.1/4 - H. 1	5
KF45L2020I	INTER. FLANGE C.61 3000 PSI-45° 1.1/4 - H. 1.1/4	5
KF45L2024I	INTER. FLANGE C.61 3000 PSI-45° 1.1/2 - H. 1.1/4	5
KF45L2424I	INTER. FLANGE C.61 3000 PSI-45° 1.1/2 - H. 1.1/2	5
KF45L2432I	INTER. FLANGE C.61 3000 PSI-45° 2 - H. 1.1/2	5
KF45L3232I	INTER. FLANGE C.61 3000 PSI-45° 2 - H. 2	5
KFDP1212I	INTER. FLANGE C.62 6000 PSI 3/4 - H. 3/4	10
KFDP1216I	INTER. FLANGE C.62 6000 PSI 1 - H. 3/4	10
KFDP1612I	INTER. FLANGE C.62 6000 PSI 3/4 - H. 1	10
KFDP1616I	INTER. FLANGE C.62 6000 PSI 1 - H. 1	10
KFDP1620I	INTER. FLANGE C.62 6000 PSI 1.1/4 - H. 1	10
KFDP2020I	INTER. FLANGE C.62 6000 PSI 1.1/4 - H. 1.1/4	5
KFDP2024I	INTER. FLANGE C.62 6000 PSI 1.1/2 - H. 1.1/4	5
KFDP2424I	INTER. FLANGE C.62 6000 PSI 1.1/2 - H. 1.1/2	5
KFDP2432I	INTER. FLANGE C.62 6000 PSI 2 - H. 1.1/2	4
KFDP3232I	INTER. FLANGE C.62 6000 PSI 2 - H. 2	4
KF90P1212I	INTER. FLANGE C.62 6000 PSI-90° 3/4 - H. 3/4	10
KF90P1216I	INTER. FLANGE C.62 6000 PSI-90° 1 - H. 3/4	10
KF90P1612I	INTER. FLANGE C.62 6000 PSI-90° 3/4 - H. 1	5
KF90P1616I	INTER. FLANGE C.62 6000 PSI-90° 1 - H. 1	5
KF90P1620I	INTER. FLANGE C.62 6000 PSI-90° 1.1/4 - H. 1	5
KF90P2020I	INTER. FLANGE C.62 6000 PSI-90° 1.1/4 - H. 1.1/4	10
KF90P2024I	INTER. FLANGE C.62 6000 PSI-90° 1.1/2 - H. 1.1/4	5
KF90P2424I	INTER. FLANGE C.62 6000 PSI-90° 1.1/2 - H. 1.1/2	5

Press Fitting - Box Quantities

CODE	DESCRIPTION	PCs
KF90P2432I	INTER. FLANGE C.62 6000 PSI-90° 2 - H. 1.1/2	4
KF90P3232I	INTER. FLANGE C.62 6000 PSI-90° 2 - H. 2	3
KF90P1212ILD	INTER. FLANGE C.62 6000 PSI-90° 3/4 - H. 3/4 LONG DROP	On request
KF90P1216ILD	INTER. FLANGE C.62 6000 PSI-90° 1 - H. 3/4 LONG DROP	On request
KF90P1616ILD	INTER. FLANGE C.62 6000 PSI-90° 1 - H. 1 LONG DROP	On request
KF90P2020ILD	INTER. FLANGE C.62 6000 PSI-90° 1.1/4 - H.1.1/4 LONG DROP	On request
KF90P2024ILD	INTER. FLANGE C.62 6000 PSI-90° 1.1/2 - H.1.1/4 LONG DROP	On request
KF45P1212I	INTER. FLANGE C.62 6000 PSI-45° 3/4 - H. 3/4	10
KF45P1216I	INTER. FLANGE C.62 6000 PSI-45° 1 - H. 3/4	10
KF45P1612I	INTER. FLANGE C.62 6000 PSI-45° 3/4 - H. 1	5
KF45P1616I	INTER. FLANGE C.62 6000 PSI-45° 1 - H. 1	10
KF45P1620I	INTER. FLANGE C.62 6000 PSI-45° 1.1/4 - H. 1	5
KF45P2020I	INTER. FLANGE C.62 6000 PSI-45° 1.1/4 - H. 1.1/4	5
KF45P2024I	INTER. FLANGE C.62 6000 PSI-45° 1.1/2 - H. 1.1/4	10
KF45P2424I	INTER. FLANGE C.62 6000 PSI-45° 1.1/2 - H. 1.1/2	5
KF45P2432I	INTER. FLANGE C.62 6000 PSI-45° 2 - H. 1.1/2	5
KF45P3232I	INTER. FLANGE C.62 6000 PSI-45° 2 - H. 2	3
KFDS1212I	INTER. SUPERCAT FLANGE 3/4 - H. 3/4	10
KFDS1216I	INTER. SUPERCAT FLANGE 1 - H. 3/4	10
KFDS1616I	INTER. SUPERCAT FLANGE 1 - H. 1	10
KFDS1620I	INTER. SUPERCAT FLANGE 1.1/4 - H. 1	10
KFDS2020I	INTER. SUPERCAT FLANGE 1.1/4 - H. 1.1/4	5
KFDS2024I	INTER. SUPERCAT FLANGE 1.1/2 - H. 1.1/4	5
KFDS2424I	INTER. SUPERCAT FLANGE 1.1/2 - H. 1.1/2	5
KF90S1212I	INTER. SUPERCAT FLANGE-90° 3/4 - H. 3/4	10
KF90S1216I	INTER. SUPERCAT FLANGE-90° 1 - H. 3/4	10
KF90S1616I	INTER. SUPERCAT FLANGE-90° 1 - H. 1	5
KF90S1620I	INTER. SUPERCAT FLANGE-90° 1.1/4 - H. 1	5
KF90S2020I	INTER. SUPERCAT FLANGE-90° 1.1/4 - H. 1.1/4	10
KF90S2024I	INTER. SUPERCAT FLANGE-90° 1.1/2 - H. 1.1/4	5
KF90S2424I	INTER. SUPERCAT FLANGE-90° 1.1/2 - H. 1.1/2	5
KF45S1212I	INTER. SUPERCAT FLANGE-45° 3/4 - H. 3/4	10
KF45S1216I	INTER. SUPERCAT FLANGE-45° 1 - H. 3/4	10
KF45S1616I	INTER. SUPERCAT FLANGE-45° 1 - H. 1	10
KF45S1620I	INTER. SUPERCAT FLANGE-45° 1.1/4 - H. 1	5
KF45S2020I	INTER. SUPERCAT FLANGE-45° 1.1/4 - H. 1.1/4	5
KF45S2024I	INTER. SUPERCAT FLANGE-45° 1.1/2 - H. 1.1/4	5
KF45S2424I	INTER. SUPERCAT FLANGE-45° 1.1/2 - H. 1.1/2	5
KMNPTF0606WB	NPTF MALE 3/8 - H. 3/8 INTERLOCK FOR WATERBLAST H.	10
KMNPTF0808WB	NPTF MALE 1/2 - H. 1/2 INTERLOCK FOR WATERBLAST H.	20
KMNPTF1212WB	NPTF MALE 3/4 - H. 3/4 INTERLOCK FOR WATERBLAST H.	10
KFE0622S14WB	INTER. METRIC FEM. 24° H.S. 22x1.5 - H. 3/8 S14 FOR WATERBLAST H. - O-RING	10
KFE0624S16WB	INTER. METRIC FEM. 24° H.S. 24x1.5 - H. 3/8 S16 FOR WATERBLAST H. - O-RING	10
KFE0824S16WB	INTER. METRIC FEM. 24° H.S. 24x1.5 - H. 1/2 S16 FOR WATERBLAST H. - O-RING	10
KFE1236S25WB	INTER. METRIC FEM. 24° H.S. 36x2 - H. 3/4 S25 FOR WATERBLAST H. - O-RING	10
SFL08	SLIP FLANGE CLAMPS C.61 3000 PSI 1/2 - H. 1/2	10
SFL12	SLIP FLANGE CLAMPS C.61 3000 PSI 3/4 - H. 3/4	5
SFL16	SLIP FLANGE CLAMPS C.61 3000 PSI 1 - H. 1	5
SFL20	SLIP FLANGE CLAMPS C.61 3000 PSI 1.1/4 - H. 1.1/4	5
SFL24	SLIP FLANGE CLAMPS C.61 3000 PSI 1.1/2 - H. 1.1/2	5
SFL32	SLIP FLANGE CLAMPS C.61 3000 PSI 2 - H. 2	5
SFP08	SLIP FLANGE CLAMPS C.62 6000 PSI 1/2 - H. 1/2	10
SFP12	SLIP FLANGE CLAMPS C.62 6000 PSI 3/4 - H. 3/4	5

Press Fitting - Box Quantities

CODE	DESCRIPTION	PCs
SFP16	SLIP FLANGE CLAMPS C.62 6000 PSI 1 - H. 1	5
SFP20	SLIP FLANGE CLAMPS C.62 6000 PSI 1.1/4 - H. 1.1/4	5
SFP24	SLIP FLANGE CLAMPS C.62 6000 PSI 1.1/2 - H. 1.1/2	5
SFP32	SLIP FLANGE CLAMPS C.62 6000 PSI 2 - H. 2	5