

Adapters

C A T A L O G U E



Hydraulic Components

VISIONARY
PROFESSIONAL
CREATIVE
DYNAMIC
LEADER
RELIABLE
INNOVATIVE

ADAPTERS



CATALOGUE



The Vitillo Group, founded in 1991 by the Vitillo family, is now a leading reality in the **hydraulic field**, able to provide customers a **complete service** for **engineering, design, production** and **distribution** of **fittings** and **adapters** (in stainless steel and carbon steel with CRIII or Zn-Ni treatment), **rigid pipes** and **flexible hoses** for high and medium pressure and integrated hydraulic systems (flexible, rigid assemblies, manifold blocks).

RANGE

One of the strong points of the Group is the **width** and **completeness** of the offered product range.

An highly qualified engineering staff is able to respond to specific requirements with **customized** and **optimized** products too.

+35.000 different products processed

MARKET

The products offered are used in **various industrial fields**: agriculture, earthmoving, nautical, construction, cargo handling, aerospace applications, energy industry and many others. The Group's products are distributed directly through logistics and distribution centers, but also through business partners. The presence in major and strategic importance areas ensures an **optimal market coverage**.

+50 Countries around the World supplied

PRODUCTION

Vitillo Group has always stood out for the high quality of its products. For this reason, **every phase of the production and distribution chain** is managed internally and strictly controlled. Total control of the hose-fitting system from the creation of the compound to the production of the hoses, from molding (hot and cold) to turning, up to the galvanic treatment of the fittings, is the **key to excellence**.

12 Production plants

5 Distribution Centers

3 Bending and Assembly Centers

1 R&D Innovation Center

1991

Vitillo S.p.A. was founded

2001

-

2005

The production of **adapters** for rigid pipes and of braided and spiral hoses complements the production of **fittings for flexible hoses**

2006

Centro Mescole Sud S.p.A. is acquired. Production of **rubber hose compounds** is internalized in order to improve quality and protect the know-how generated

2008

-

2015

The **internationalization of the Group** is started with the establishment of:

- **Vitek Doo**, a Macedonian company specializing in hose production, and distribution centers:
- **Vitillo U.S.A.**
- **Vitillo Germany**
- **Vitillo Poland**

2018

Vitillo R&D Innovation Center, an advanced laboratory for research, continuous improvement and product testing, is born

2019

Bijuk, a Croatian company specialized in the production of fittings and adapters in stainless steel is acquired

2021

Osca Sistemas, a Spanish company specialized in the production of shaped rigid pipes, assembled hydraulic hoses and manifold blocks is acquired

PRODUCT RANGE

*Available in:
Cr III
Zn-Ni
Stainless Steel

*HYDRAULIC FITTINGS
ISO 12151 - SAE J516

*DIN 24° ADAPTERS
DIN 2353

*JIC ADAPTERS
SAE J 514

*BSP ADAPTERS
BSP 5200

*ORFS ADAPTERS
ORFS J1453

HYDRAULIC HOSES
Braided - spiral - special hoses

SHAPED RIGID PIPES


Vitillo is the ideal solution for any hydraulic application. Spiral and braided hoses with metal and textile reinforcement, rigid pipes, standard, interlock and hyperspiral press fittings, all types of adapters, and custom specialty fittings. All our fittings and adapters are available with Zinc Chromium III or Zinc-Nickel surface treatments or in stainless steel.

WHATEVER YOUR NEEDS, VITILLO HAS THE SOLUTION.

APPLICATIONS



CERTIFICATIONS



Marine Equipment Directive (MED)



9001 : 2015
45001 : 2018
14001 : 2015
10012 : 2003



AC 149

ALTERNATIVE VERSIONS

Vitillo manufactures all its fittings and adapters in three different versions, offering increasing levels of corrosion resistance: **carbon steel with Cr(III) zinc treatment**, **carbon steel with zinc-nickel treatment**, and **stainless steel**.



Passivation Sealing layer
Carbon steel Zn-Cr(III)

Zn-Cr(III)

Specifications

The total layer thickness is 8-20µm.
Very bright metallic gray color.

Corrosion resistance

- Resistance to white rust: ≥ 200 hours*
- Resistance to red rust: ≥ 400 hours*

*Salt spray test according to DIN EN ISO 9227



Passivation Sealing layer
Carbon steel Zn-Ni

Zn-Ni

Specifications

The total layer thickness is 8-20µm at a nickel content in a basic layer of 12-16%.
Controlled coefficient of friction.
Very bright metallic gray color.

Corrosion resistance

- Resistance to red rust: > 2000 hours* in not crimping state
- Resistance to red rust: > 1000 hours* in crimping state



Stainless Steel

Stainless Steel



















Specifications

AISI 316 offers excellent weldability, intergranular corrosion resistance (even when welded), ductility, and workability.

Corrosion resistance:

Maximum corrosion resistance even after welding at temperatures up to 800°C




COMPONENTS DIN				
BULKHEAD NUT	DOUBLE CUTTING RING	NUT DIN 3870		
PAG. 19	PAG. 20	PAG. 21		
				
TUBE TO TUBE				
METRIC - METRIC MALE STUD COUPLING	DIN MALE REDUCED COUPLING - DIN MALE	DIN MALE BULKHEAD CONNECTION - DIN MALE	DIN MALE EQUAL ELBOW- DIN MALE	DIN MALE BULKHEAD ELBOW-DIN MALE
PAG. 22	PAG. 23	PAG. 25	PAG. 26	PAG. 27
				
T ADAPTER DIN MALE/DIN MALE/DIN MALE	T ADAPTER DIN MALE REDUCED/DIN MALE/DIN MALE	T ADPT DIN MALE/DIN MALE/DIN MALE REDUCED	EQUAL CROSS DIN MALE	
PAG. 28	PAG. 29	PAG. 30	PAG. 32	
				
TUBE TO SWIVEL				
DIN SWIVEL DISTANCE ADAPTER FEMALE DIN WITH O-RING-MALE DIN	DIN FEMALE STANDPIPE REDUCER WITH O-RING-DIN MALE	DIN MALE STUD ELBOW - DIN FEMALE WITH O-RING	DIN MALE 45° ELBOW - DIN FEMALE WITH O-RING	T ADPT DIN MALE/DIN MALE/DIN FEMALE WITH O-RING
PAG. 33	PAG. 34	PAG. 39	PAG. 40	PAG. 41
				
T ADAPTER DIN MALE/DIN FEMALE WITH O-RING/DIN MALE	DIN MALE-DIN STANDPIPE TUBE REDUCER	DIN MALE STUD ELBOW - DIN STANDPIPE	T ADAPTER DIN MALE/DIN MALE/DIN STANDPIPE	T ADAPTER DIN STANDPIPE/DIN MALE/DIN MALE
PAG. 42	PAG. 43	PAG. 47	PAG. 48	PAG. 49
				
SWIVEL TO SWIVEL				
DIN FEMALE SWIVEL WITH O-RING-DIN FEMALE SWIVEL WITH O-RING	RED. DIN FEMALE SWIVEL WITH O-RING-DIN FEMALE SWIVEL WITH O-RING			
PAG. 50	PAG. 51			
				

PRESSURE GAUGE CONNECTOR


**MALE DIN - FEMALE BSPP
PORT ACC. TO ISO 1179-1**

PAG. 54



**FEMALE DIN - FEMALE
BSPP PORT ACC. TO ISO
1179-1**


PAG. 55



TUBE TO FEMALE


**DIN MALE STUD COUPLING
- BSPP FEMALE**

PAG. 56



**DIN MALE STUD COUPLING
- METRIC FEMALE**


PAG. 58



MALE STUD CONNECTOR


**DIN MALE STUD COUPLING
- BSPP MALE FORM B**

PAG. 59




**DIN MALE STUD COUPLING
- BSPP MALE FORM E**

PAG. 62




**DIN MALE STUD COUPLING
SV 60° - BSPP MALE**

PAG. 65




**DIN MALE BULKHEAD
CONNECTION - BSPP MALE
FORM E**

PAG. 68




**DIN MALE STUD COUPLING
- METRIC MALE FORM B**

PAG. 69




**DIN MALE STUD COUPLING
- METRIC MALE - ISO
6149-3**

PAG. 71




**DIN MALE STUD COUPLING
- METRIC MALE - ISO
6149-2**

PAG. 72




**DIN MALE STUD COUPLING
- METRIC MALE FORM E**

PAG. 73




**DIN MALE STUD COUPLING
- UNF/UN MALE**

PAG. 75




**DIN MALE STUD COUPLING
- BSPT MALE**

PAG. 77




**DIN MALE STUD COUPLING
- NPT MALE**

PAG. 79




**DIN MALE STUD COUPLING
- METRIC TAPER MALE**

PAG. 82




**DIN FEMALE STUD
ADAPTER-BSPP MALE
FORM E**

PAG. 83




**DIN FEMALE STUD
ADAPTER-METRIC FORM E**

PAG. 85




**DIN FEMALE STUD
ADAPTER-NPT MALE**

PAG. 86




**DIN FEMALE STUD
ADAPTER-UNF MALE**

PAG. 87




**BSPP MALE - DIN STUD
STANDPIPE FORM B**

PAG. 88




**BSPP MALE - DIN STUD
STANDPIPE FORM E**

PAG. 89




**METRIC MALE FORM B -
DIN STUD STANDPIPE**

PAG. 90




**METRIC MALE FORM E -
DIN STUD STANDPIPE**

PAG. 91



**NPT MALE - DIN STUD
STANDPIPE**


PAG. 92



NOT ADJUSTABLE


**DIN MALE STUD ELBOW -
BSPP MALE**

PAG. 93




**DIN MALE STUD ELBOW -
BSPT MALE**

PAG. 94




**DIN MALE STUD ELBOW -
METRIC MALE**

PAG. 96




**DIN MALE STUD ELBOW -
METRIC TAPER**

PAG. 97




**DIN MALE STUD ELBOW -
NPT MALE**

PAG. 98




**T ADAPTER DIN MALE/DIN
MALE/BSPP MALE**

PAG. 100




**T ADAPTER DIN MALE/DIN
MALE/METRIC MALE**

PAG. 101




**T ADAPTER DIN MALE/DIN
MALE/BSPT MALE**

PAG. 102




**T ADAPTER DIN MALE/DIN
MALE/METRIC TAPER
MALE**

PAG. 103




**T ADAPTER DIN MALE/DIN
MALE/NPT MALE**

PAG. 104




**T ADAPTER BSPP
MALE/DIN MALE/DIN
MALE**

PAG. 105




**T ADAPTER BSPT
MALE/DIN MALE/DIN
MALE**

PAG. 106




**T ADAPTER METRIC
MALE/DIN MALE/DIN
MALE**

PAG. 107




**T ADAPTER METRIC TAPER
MALE/DIN MALE/DIN
MALE**

PAG. 108



**T ADAPTER NPT MALE/DIN
MALE/DIN MALE**


PAG. 109



LOCKNUT ADJUSTABLE


**DIN MALE STUD ELBOW -
BSPP MALE ADJUSTABLE**

PAG. 110




**DIN MALE STUD ELBOW -
METRIC MALE ADJUSTABLE**

PAG. 111




**DIN METRIC STUD ELBOW -
METRIC MALE ADJUSTABLE**

PAG. 112




**DIN MALE STUD ELBOW -
UNF MALE ADJUSTABLE**

PAG. 113




**T ADAPTER DIN MALE/DIN
MALE/BSPP MALE
ADJUSTABLE**

PAG. 114




**T ADAPTER DIN MALE/DIN
MALE/METRIC MALE
ADJUSTABLE**

PAG. 115




**T ADAPTER DIN MALE/DIN
MALE/METRIC MALE
ADJUSTABLE AND
RETAINING...**

PAG. 116




**T ADAPTER DIN MALE/DIN
MALE/UNF MALE
ADJUSTABLE**

PAG. 117




**T ADAPTER BSPP MALE
ADJUSTABLE/DIN
MALE/DIN MALE**

PAG. 118




**T ADAPTER METRIC MALE
ADJUSTABLE/DIN
MALE/DIN MALE**


PAG. 119



**T ADAPTER METRIC MALE
ADJUSTABLE/DIN
MALE/DIN MALE AND
RETAINING...**
PAG. 120



**T ADAPTER UNF MALE
ADJUSTABLE/DIN
MALE/DIN MALE**
PAG. 121




**DIN MALE 45° ELBOW -
BSPP MALE ADJUSTABLE**
PAG. 122



**DIN MALE 45° ELBOW -
METRIC MALE ADJUSTABLE**
PAG. 123



**DIN MALE 45° ELBOW -
METRIC MALE ADJUSTABLE
AND RETAINING SEAL**
PAG. 124




**DIN MALE 45° ELBOW -
UNF MALE ADJUSTABLE**
PAG. 125




BANJO FITTINGS


**DIN MALE BANJO ELBOW -
BSPP**
PAG. 126




**DIN MALE BANJO ELBOW -
METRIC**
PAG. 127



**DIN MALE BANJO TEE -
BSPP**
PAG. 128



**DIN MALE BANJO TEE -
METRIC**
PAG. 129




WELD FITTINGS


WELDING BOSS
PAG. 130




DIN WELDING NIPPLE
PAG. 131



**DIN MALE - WELDING
BULKHEAD CONNECTION**
PAG. 133



**DIN MALE WELDING
ELBOW**
PAG. 134




PORT REDUCERS

**DIN CONNECTOR BSPP
MALE - BSPP FEMALE -
FORM E**
PAG. 135




**DIN CONNECTOR BSPP
MALE - BSPP FEMALE**
PAG. 136



PLUGS

DIN 24° BLACKING PLUG
PAG. 137



DIN 24° PIPE PLUG
PAG. 138



**DIN INNER HEXAGON PLUG
BSPP FORM E DIN 3852**
PAG. 139



**DIN INNER HEXAGON PLUG
METRIC FORM E DIN 3852**
PAG. 140



COMPONENTS JIC


BUSH FOR JIC

PAG. 141



JIC NUT


PAG. 142



MALE JIC - MALE JIC


ADAPTOR MALE JIC - MALE JIC

PAG. 143




90° ADAPTOR MALE JIC - MALE JIC

PAG. 144




TEE MALE ADAPTOR JIC

PAG. 145




STRAIGHT BULKHEAD ADAPTOR MALE JIC - MALE JIC

PAG. 146



90° BULKHEAD ADAPTOR MALE JIC - MALE JIC

PAG. 147



45° BULKHEAD ADAPTOR MALE JIC - MALE JIC


PAG. 148



MALE JIC - FEMALE JIC


ADAPTOR FEMALE JIC - MALE JIC

PAG. 149




90° ADAPTOR MALE JIC - SWIVEL FEMALE JIC

PAG. 150




45° ADAPTOR MALE JIC - SWIVEL FEMALE JIC

PAG. 151




RUN TEE MALE JIC - SWIVEL FEMALE JIC

PAG. 152



BRANCH TEE MALE JIC - SWIVEL FEMALE JIC


PAG. 153



MALE JIC - MALE BSPP


ADAPTOR MALE JIC - MALE BSPP FORM G

PAG. 154




ADAPTOR MALE JIC - MALE BSPP FORM E

PAG. 155




ADAPTOR MALE JIC - MALE BSPP 60° CONE

PAG. 157



LONG CONNECTOR MALE JIC-MALE BSPP FORM E


PAG. 159



MALE JIC - FEMALE BSPP


ADAPTOR MALE JIC - FEMALE BSPP

PAG. 160



90° ADAPTOR MALE JIC - FEMALE BSPP

PAG. 161




RUN TEE MALE JIC - FEMALE BSPP

PAG. 162



BRANCH TEE MALE JIC - FEMALE BSPP


PAG. 163



FEMALE JIC - MALE BSPP


ADAPTOR SWIVEL FEMALE
JIC - MALE BSPP FORM G

PAG. 164



ADAPTOR SWIVEL FEMALE
JIC - MALE BSPP FORM E


PAG. 165



FEMALE JIC - FEMALE BSPP

ADAPTER JIC FOR
PRESSURE CONNECTION


PAG. 166



MALE JIC - MALE METRIC


ADAPTOR MALE JIC -
METRIC MALE FORM E

PAG. 167




ADAPTOR MALE JIC -
METRIC MALE 60° CONE

PAG. 168




LONG CONNECTOR MALE
JIC - METRIC MALE 60°
CONE

PAG. 169



LONG CONNECTOR MALE
JIC - METRIC MALE FORM E


PAG. 170



FEMALE JIC - MALE METRIC


ADAPTOR SWIVEL FEMALE
JIC - METRIC MALE FORM E

PAG. 171



ADAPTOR SWIVEL FEMALE
JIC - METRIC MALE 60°
CONE


PAG. 172



MALE JIC - MALE UNF


ADAPTOR MALE JIC - MALE
UNF

PAG. 173



LONG CONNECTOR MALE
JIC - MALE UNF


PAG. 175



FEMALE JIC - MALE UNF

ADAPTOR SWIVEL FEMALE
JIC - MALE UNF


PAG. 176



MALE JIC - MALE BSPT


ADAPTOR MALE JIC - MALE BSPT

PAG. 177




90° ADAPTOR MALE JIC - MALE BSPT

PAG. 178




90° LONG CONNECTOR MALE JIC - MALE BSPT

PAG. 179




45° ADAPTOR MALE JIC - MALE BSPT

PAG. 180




RUN TEE MALE JIC - MALE BSPT

PAG. 181



BRANCH TEE MALE JIC - MALE BSPT


PAG. 182



FEMALE JIC - MALE BSPT

ADAPTOR SWIVEL FEMALE JIC - MALE BSPT


PAG. 183



MALE JIC - MALE NPT


ADAPTOR MALE JIC - MALE NPT

PAG. 184




90° ADAPTOR MALE JIC - MALE NPT

PAG. 185




90° LONG CONNECTOR MALE JIC - MALE NPT

PAG. 186




45° ADJUSTABLE ADAPTOR MALE JIC - MALE NPT

PAG. 187




BRANCH TEE MALE JIC - MALE NPT

PAG. 188



RUN TEE MALE JIC - MALE NPT


PAG. 189



FEMALE JIC - MALE NPT

ADAPTOR SWIVEL FEMALE JIC - MALE NPT


PAG. 190



MALE JIC - FEMALE NPT


LONG ADAPTOR MALE JIC -
FEMALE NPT

PAG. 191




STRAIGHT BULKHEAD
ADAPTOR MALE JIC -
FEMALE NPT

PAG. 192




90° ADAPTOR MALE JIC -
FEMALE NPT

PAG. 193



BRANCH TEE MALE JIC -
FEMALE NPT

PAG. 194



RUN TEE MALE JIC -
FEMALE NPT


PAG. 195



WELD FITTINGS


ADAPTOR MALE JIC TO
WELD

PAG. 196




90° WELDING ADAPTOR
MALE JIC

PAG. 197



90° ADAPTOR MALE JIC -
BUTTWELD


PAG. 198



PLUGS


MALE PLUG JIC

PAG. 199



SWIVEL FEMALE PLUG JIC


PAG. 200



LOCKNUT ADJUSTABLE


90° ADJUSTABLE ADAPTOR
MALE JIC - MALE BSPP / O-
RING AND RETAININ...

PAG. 201




90° ADJUSTABLE ADAPTOR
MALE JIC - METRIC MALE /
O-RING AND RETAININ...

PAG. 202




90° ADJUSTABLE ADAPTOR
MALE JIC - METRIC MALE
WITH O-RING

PAG. 203




90° ADJUSTABLE ADAPTOR
MALE JIC - MALE UNF

PAG. 204




45° ADJUSTABLE ADAPTOR
MALE JIC - MALE BSPP / O-
RING AND RETAININ...

PAG. 205




45° ADJUSTABLE ADAPTOR
MALE JIC - METRIC MALE /
O-RING AND RETAININ...

PAG. 206




45° ADJUSTABLE ADAPTOR
MALE JIC - METRIC MALE
WITH O-RING

PAG. 207




45° ADJUSTABLE ADAPTOR
MALE JIC - MALE UNF

PAG. 208




ADJUSTABLE RUN TEE
MALE JIC - MALE BSPP / O-
RING AND RETAINING SE...

PAG. 209




ADJUSTABLE RUN TEE
MALE JIC - METRIC MALE /
O-RING AND RETAINING...

PAG. 210




ADJUSTABLE RUN TEE
MALE JIC - METRIC MALE
WITH O-RING

PAG. 211




ADJUSTABLE RUN TEE
MALE JIC - MALE UNF

PAG. 212




BRANCH TEE MALE JIC -
MALE BSPP / O-RING AND
RETAINING SEAL

PAG. 213




ADJUSTABLE BRANCH TEE
MALE JIC - METRIC MALE /
O-RING AND RETAININ...

PAG. 214




ADJUSTABLE BRANCH TEE
MALE JIC - METRIC MALE
WITH O-RING

PAG. 215



**ADJUSTABLE BRANCH TEE
MALE JIC - MALE UNF**


PAG. 216



COMPONENTS ORFS

BUSH FOR ORFS

PAG. 217



ORFS NUT


PAG. 218



MALE ORFS - MALE ORFS


**ADAPTOR MALE ORFS -
MALE ORFS**

PAG. 219




**90° ADAPTOR MALE ORFS
- MALE ORFS**

PAG. 220




**45° ADAPTOR MALE ORFS
- MALE ORFS**

PAG. 221




TEE ADAPTOR MALE ORFS

PAG. 222




**STRAIGHT BULKHEAD
ADAPTOR MALE ORFS**

PAG. 223




**90° BULKHEAD ADAPTOR
MALE ORFS - MALE ORFS**

PAG. 224




**45° BULKHEAD ADAPTOR
MALE ORFS - MALE ORFS**

PAG. 225




**RUN TEE BULKHEAD
ADAPTOR MALE ORFS -
MALE ORFS**

PAG. 226



**BRANCH TEE BULKHEAD
ADAPTOR MALE ORFS -
MALE ORFS**


PAG. 227



MALE ORFS - FEMALE ORFS


**ADAPTOR SWIVEL FEMALE
ORFS - MALE ORFS**

PAG. 228




**90° ADAPTOR FEMALE
ORFS - MALE ORFS**

PAG. 230




**45° ADAPTOR FEMALE
ORFS - MALE ORFS**

PAG. 231




**RUN FEMALE ORFS-TEE
MALE ORFS - TEE MALE
ORFS**

PAG. 232



**BRANCH TEE MALE ORFS -
TEE MALE ORFS - FEMALE
ORFS**


PAG. 233



FEMALE ORFS - FEMALE ORFS

**ADAPTOR FEMALE ORFS -
FEMALE ORFS**


PAG. 234



MALE ORFS - MALE BSPP


**ADAPTOR MALE ORFS -
MALE BSPP FORM E**

PAG. 235



**ADAPTOR MALE ORFS -
MALE BSPP WITH 60°
CONE**


PAG. 237



MALE ORFS - FEMALE BSPP


**ADAPTOR MALE ORFS -
Female BSPP**

PAG. 238



**STRAIGHT BULKHEAD
ADAPTOR MALE ORFS -
FEMALE BSPP**


PAG. 239



FEMALE ORFS - FEMALE BSPP

**ORFS SWIVEL NUT - BSPP
FEMALE**


PAG. 240



FEMALE ORFS - MALE BSPP


**ADAPTOR FEMALE ORFS -
MALE BSPP WITH 60°
CONE**

PAG. 241



**ADAPTOR FEMALE ORFS -
MALE BSPP FORM E**


PAG. 242



MALE ORFS - MALE METRIC


**ADAPTOR MALE ORFS -
METRIC MALE FORM E**

PAG. 243



**ADAPTOR MALE ORFS -
METRIC MALE**


PAG. 244



FEMALE ORFS - FEMALE METRIC

**ORFS SWIVEL NUT -
METRIC FEMALE**


PAG. 245



FEMALE ORFS - MALE METRIC

ADAPTOR FEMALE ORFS -
MALE METRIC FORM E


PAG. 246



MALE ORFS - MALE UNF

ADAPTOR MALE ORFS -
MALE UNF


PAG. 247



FEMALE ORFS - MALE UNF

ADAPTOR FEMALE ORFS -
MALE UNF


PAG. 249



MALE ORFS - MALE NPT

ADAPTOR MALE ORFS -
MALE NPT

PAG. 250




90° ADAPTOR MALE ORFS
- MALE NPT

PAG. 251



45° ADAPTOR MALE ORFS
- MALE NPT


PAG. 252



MALE ORFS - FEMALE NPT


ADAPTOR MALE ORFS -
Female NPT

PAG. 253



STRAIGHT BULKHEAD
ADAPTOR MALE ORFS -
FEMALE NPT


PAG. 254



MALE ORFS - MALE DIN


ADAPTOR MALE ORFS -
MALE DIN

PAG. 255




MALE ORFS - FEMALE DIN

ADAPTOR MALE ORFS -
FEMALE DIN (THRUST-
WIRE NUT)
PAG. 256




MALE ORFS - MALE JIC

ADAPTOR MALE ORFS -
MALE JIC
PAG. 257




MALE ORFS - FEMALE JIC

ADAPTOR MALE ORFS -
FEMALE JIC
PAG. 258




FEMALE ORFS - MALE JIC

ADAPTOR FEMALE ORFS -
MALE JIC
PAG. 259




WELD FITTINGS


WELDING ADAPTOR MALE
ORFS
PAG. 260




WELDING ADAPTOR ORFS
PAG. 263



90° ADAPTOR MALE ORFS
- BUTT TO WELD
PAG. 264




90° ADAPTOR MALE ORFS
- SIDE WITH SOKET
PAG. 265




LOCKNUT ADJUSTABLE


90° ADJUSTABLE ADAPTOR
MALE ORFS - MALE BSPP
WITH O-RING
PAG. 266




90° ADJUSTABLE ADAPTOR
MALE ORFS - METRIC MALE
WITH O-RING
PAG. 268




90° ADJUSTABLE ADAPTOR
MALE ORFS - MALE UNF
WITH O-RING
PAG. 269




45° ADJUSTABLE ADAPTOR
MALE ORFS - MALE BSPP
WITH O-RING
PAG. 271




45° ADJUSTABLE ADAPTOR
MALE ORFS - METRIC MALE
WITH O-RING
PAG. 273




**45° ADJUSTABLE ADAPTOR
MALE ORFS - MALE UNF
WITH O-RING**
PAG. 274




**RUN TEE MALE ORFS -
ADJUSTABLE MALE BSPP
WITH O-RING**
PAG. 275




**RUN TEE MALE ORFS -
ADJUSTABLE METRIC MALE
WITH O-RING**
PAG. 277




**RUN TEE MALE ORFS -
MALE UNF WITH O-RING**
PAG. 278




**BRANCH TEE MALE ORFS -
ADJUSTABLE MALE BSPP
WITH O-RING**
PAG. 280




**BRANCH TEE MALE ORFS -
ADJUSTABLE METRIC MALE
WITH O-RING**
PAG. 282




**ADJUSTABLE BRANCH TEE
MALE ORFS - MALE UNF
WITH O-RING**
PAG. 283




**90° ADAPTOR FEMALE
ORFS - ADJUSTABLE MALE
BSPP WITH O-RING**
PAG. 285



**90° ADAPTOR FEMALE
ORFS - ADJUSTABLE
METRIC MALE WITH O-
RING**
PAG. 286




**90° ADAPTOR FEMALE
ORFS - MALE UNF WITH O-
RING**
PAG. 287



PLUGS


MALE PLUG UNF/UN-2A

PAG. 288



**SWIVEL FEMALE PLUG
UNF/UN-2B**


PAG. 289



MALE BSPP - MALE BSPP


**ADAPTER MALE BSPP -
MALE BSPP**

PAG. 290




**REDUCING ADAPTER MALE
BSPP - MALE BSPP**

PAG. 291




**STRAIGHT BULKHEAD
ADAPTER BSPP**

PAG. 292




**T ADAPTER MALE BSPP -
MALE BSPP - ADJUSTABLE
MALE BSPP**
PAG. 293




**90° ADAPTER BSPP MALE -
BSPP MALE**

PAG. 294




**90° ADJUSTABLE ADAPTER
MALE BSPP - MALE BSPP**

PAG. 295




**BSP MALE BULKHEAD
ELBOW-BSP MALE**

PAG. 296




TEE MALE ADAPTER BSPP

PAG. 297




**ADJUSTABLE TEE ADAPTER
MALE BSPP - MALE BSPP**

PAG. 298



**ADJUSTABLE TEE ADAPTER
MALE BSPP - MALE BSPP**


PAG. 299



MALE BSPP - FEMALE BSPP


**ADAPTER MALE BSPP -
Female BSPP**

PAG. 300




**ADAPTER MALE BSPP -
SWIVEL FEMALE BSPP**

PAG. 302



**REDUCING MALE BSPP -
SWIVEL FEMALE BSPP**

PAG. 303




**REDUCING PLUG MALE
BSPP - Female BSPP**

PAG. 304




**REDUCING ADAPTER MALE
BSPP - Female BSPP**

PAG. 305




90° ADAPTER MALE BSPP - SWIVEL FEMALE BSPP

PAG. 307




45° ADAPTER MALE BSPP - SWIVEL FEMALE BSPP

PAG. 308




ELBOW ADAPTER MALE BSPP - SWIVEL FEMALE BSPP

PAG. 309




RUN TEE MALE BSPP - SWIVEL FEMALE BSPP

PAG. 310



BRANCH TEE MALE BSPP - SWIVEL FEMALE BSPP


PAG. 311



FEMALE BSPP - FEMALE BSPP


ADAPTER SWIVEL FEMALE BSPP - SWIVEL FEMALE BSPP

PAG. 312




90° ADAPTER SWIVEL FEMALE BSPP - SWIVEL FEMALE BSPP

PAG. 313




45° ADAPTER SWIVEL FEMALE BSPP - SWIVEL FEMALE BSPP

PAG. 314




ADAPTER FEMALE BSPP - FEMALE BSPP

PAG. 315




90° ADAPTER FEMALE BSPP - FEMALE BSPP

PAG. 316




90° SWIVEL FEMALE ADAPTER BSPP

PAG. 317




TEE FEMALE ADAPTER BSPP

PAG. 318



TEE FEMALE BSPP


PAG. 319



MALE BSPP - MALE BSPT


ADAPTER MALE BSPP - MALE BSPT

PAG. 320




REDUCING ADAPTER MALE BSPP - MALE BSPT

PAG. 321




90° ADAPTER MALE BSPP - MALE BSPT

PAG. 322




RUN TEE MALE BSPP - MALE BSPT

PAG. 323



BRANCH TEE MALE BSPP - MALE BSPT


PAG. 324



MALE BSPT - FEMALE BSPP


90° ADAPTER MALE BSPT - FEMALE BSPP

PAG. 325




90° ADAPTER MALE BSPT - SWIVEL FEMALE BSPP

PAG. 326




TEE ADAPTER FEMALE BSPP - FEMALE BSPP - MALE BSPT

PAG. 327



TEE ADAPTER FEMALE BSPP - MALE BSPT - FEMALE BSPP


PAG. 328



MALE BSPP - MALE NPT


ADAPTER MALE BSPP - MALE NPT

PAG. 329




90° ADAPTER MALE BSPP - MALE NPT

PAG. 330




RUN TEE MALE BSPP - MALE NPT

PAG. 331



BRANCH TEE MALE BSPP - MALE NPT


PAG. 332



MALE NPT - FEMALE BSPP

90° ADAPTER MALE NPT -
SWIVEL FEMALE BSPP


PAG. 333



MALE BSPP - MALE METRIC

REDUCING ADAPTER MALE
BSPP - METRIC MALE


PAG. 334



MALE BSPP - FEMALE METRIC


ADAPTER MALE BSPP -
METRIC SWIVEL FEMALE

PAG. 336




REDUCING PLUG MALE
BSPP - METRIC Female

PAG. 337



REDUCING ADAPTER
METRIC MALE - METRIC
Female


PAG. 338



MALE METRIC - FEMALE BSPP


REDUCING PLUG METRIC
MALE - Female BSPP

PAG. 339



REDUCING ADAPTER
METRIC MALE - Female
BSPP


PAG. 340



MALE BSPT - MALE BSPT


ADAPTER MALE BSPT -
MALE BSPT

PAG. 341




REDUCING ADAPTER MALE
BSPT - MALE BSPT

PAG. 342



90° ADAPTER MALE BSPT -
MALE BSPT


PAG. 343



MALE NPT - MALE NPT

90° ADAPTER MALE NPT -
MALE NPT


PAG. 344



MALE NPT - FEMALE NPT


90° ADAPTER MALE NPT - Female NPT

PAG. 345




TEE FIXED ADAPTER FEMALE NPT - MALE NPT - FEMALE NPT

PAG. 346



TEE ADAPTER Female NPT - Female NPT - MALE NPT


PAG. 347



FEMALE NPT - FEMALE NPT


90° ADAPTER Female NPT - Female NPT

PAG. 348



TEE Female ADAPTER NPT


PAG. 349



MALE METRIC - MALE METRIC


METRIC MALE ADAPTER

PAG. 350




REDUCING METRIC MALE ADAPTER

PAG. 351




METRIC STRAIGHT BULKHEAD ADAPTER

PAG. 352




90° ADAPTER METRIC MALE - METRIC MALE

PAG. 353




90° ADJUSTABLE ADAPTER METRIC MALE - METRIC MALE

PAG. 354




ADAPTEUR TEE MALE METRIQUE

PAG. 355




ADJUSTABLE TEE ADAPTER METRIC MALE - ADJUSTABLE METRIC MALE

PAG. 356



ADJUSTABLE TEE ADAPTER METRIC MALE - METRIC MALE


PAG. 357



MALE METRIC - FEMALE METRIC


ADAPTER MALE METRIC - METRIC SWIVEL FEMALE

PAG. 358




90° ADAPTER METRIC MALE - METRIC SWIVEL FEMALE

PAG. 359




45° ADAPTER METRIC MALE - METRIC SWIVEL FEMALE

PAG. 360




METRIC MALE ADAPTER - METRIC Female

PAG. 361




REDUCING ADAPTER METRIC MALE - FIXED METRIC FEMALE

PAG. 362




ELBOW ADAPTER METRIC MALE - METRIC SWIVEL FEMALE

PAG. 363




RUN TEE METRIC MALE - METRIC SWIVEL FEMALE

PAG. 364




BRANCH TEE METRIC MALE - METRIC SWIVEL FEMALE

PAG. 365




FEMALE METRIC - FEMALE METRIC


ADAPTER METRIC SWIVEL FEMALE - METRIC SWIVEL FEMALE
PAG. 366




90° ADAPTER METRIC SWIVEL FEMALE - METRIC SWIVEL FEMALE
PAG. 367




45° ADAPTER METRIC SWIVEL FEMALE - METRIC SWIVEL FEMALE
PAG. 368



ADAPTER METRIC Female - METRIC Female
PAG. 369




90° METRIC SWIVEL FEMALE ADAPTER
PAG. 370



TEE METRIC FEMALE


PAG. 371



PLUGS


MALE PLUG BSPP

PAG. 372




SWIVEL FEMALE PLUG BSPP

PAG. 373




METRIC MALE PLUG

PAG. 374




SWIVEL METRIC FEMALE PLUG

PAG. 375




METRIC WELDING ADAPTER BSPP - SOCKET

PAG. 376




WELDING ADAPTER BSPP

PAG. 377




METRIC WELDING ADAPTER BSPP

PAG. 378



METRIC WELDING ADAPTER BSPP - SOCKET


PAG. 379



WELD FITTINGS


WELDING UNION MALE BSPP

PAG. 380



WELDING METRIC UNION MALE

PAG. 381



WELDING STUD BSPP

PAG. 382



METRIC WELDING STUD


PAG. 383



BANJO


WELDING BANJO BSPP

PAG. 384




METRIC WELDING BANJO

PAG. 385




BANJO BSPP - MALE BSPP

PAG. 387




BANJO BSPP - METRIC MALE

PAG. 388




METRIC BANJO - MALE BSPP

PAG. 389




**BANJO BSPP - MALE BSPP
WITH SHOULDER**

PAG. 390




**METRIC BANJO - METRIC
MALE**

PAG. 391




**METRIC BANJO - MALE DIN
24°**

PAG. 392




**BANJO BSPP - MALE DIN
24°**

PAG. 393



**BANJO BSPP WITH
STANDPIPE**


PAG. 394



BOLT


BSPP BOLT

PAG. 395




METRIC BOLT

PAG. 396




BSPP BOLT

PAG. 397



METRIC BOLT


PAG. 398



BULKHEAD NUT

CONTRODADO PASSAPARETE DIN 80705

F1 - DIN
F2 - None




Code	F1 mm	H1 mm	L1 mm
CPDL6	12x1,5	17	6
CPDL8S6	14x1,5	19	6
CPDL10S8	16x1,5	22	6
CPDL12S10	18x1,5	24	6
CPDS12	20x1,5	27	6
CPDL15S14	22x1,5	30	7
CPDS16	24x1,5	32	7
CPDL18	26x1,5	36	8
CPDL22S20	30x2	41	8
CPDL28S25	36x2	46	9
CPDS30	42x2	50	9
CPDL35	45x2	55	9
CPDL42S38	52x2	65	10

DOUBLE CUTTING RING

ANELLO DI SERRAGGIO A DOPPIO TAGLIENTE

F1 - DIN
F2 - None




Code	L1 mm	D mm	PN bar	PN psi
ADTLL06	7	6	100	1450
ADTLL08	7	8	100	1450
ADTLS06	9,5	6	800	11603
ADTLS08	9,5	8	800	11603
ADTLS10	10	10	800	11603
ADTLS12	10	12	630	9137
ADTL15	10	15	400	5801
ADTL18	10	18	400	5801
ADTL22	11,5	22	250	3626
ADTL28	11,5	28	250	3626
ADTL35	13,5	35	250	3626
ADTL42	13,5	42	250	3626
ADTS14	10	14	630	9137
ADTS16	10,5	16	630	9137
ADTS20	12,5	20	420	6091
ADTS25	12,5	25	420	6091
ADTS30	13,5	30	420	6091
ADTS38	13,5	38	420	6091

NUT DIN 3870

DADO DI SERRAGGIO DIN 3870

F1 - DIN
F2 - None




Code	F1 mm	H1 mm	L1 mm	T mm	PN bar	PN psi
DLL06	10x1	12	12,50	6	100	1450
DLL08	12x1	14	13	8	100	1450
DL06	12x1,5	14	14,5	6	500	7251
DL08	14x1,5	17	14,5	8	500	7251
DL10	16x1,5	19	15,5	10	500	7251
DL12	18x1,5	22	15,5	12	400	5801
DL15	22x1,5	27	17	15	400	5801
DL18	26x1,5	32	18	18	400	5801
DL22	30x2	36	20	22	250	3626
DL28	36x2	41	21	28	250	3626
DL35	45x2	50	24	35	250	3626
DL42	52x2	60	24	42	250	3626
DS06	14x1,5	17	16,5	6	800	11603
DS08	16x1,5	19	16,5	8	800	11603
DS10	18x1,5	22	17,5	10	800	11603
DS12	20x1,5	24	17,5	12	630	9137
DS14	22x1,5	27	20,5	14	630	9137
DS16	24x1,5	30	20,5	16	630	9137
DS20	30x2	36	24	20	420	6091
DS25	36x2	46	27	25	420	6091
DS30	42x2	50	29	30	420	6091
DS38	52x2	60	32,5	38	420	6091

METRIC - METRIC MALE STUD COUPLING

ADATTATORE DIRITTO RIDOTTO MASCHIO DIN - MASCHIO DIN

F1 - DIN

F2 - DIN




Code	F1 mm	H1 mm	L1 mm	L2 mm	T mm	PN bar	PN psi
AME06LL.1	10X1	12	8	20	6	100	1450
AME08LL.1	12X1	12	12	23	8	100	1450
AME06L.1	12x1,5	12	10	24	6	500	7251
AME08L.1	14x1,5	14	11	25	8	500	7251
AME10L.1	16x1,5	17	13	27	10	500	7251
AME12L.1	18x1,5	19	14	28	12	400	5801
AME15L.1	22x1,5	24	16	30	15	400	5801
AME18L.1	26x1,5	27	16	31	18	400	5801
AME22L.1	30x2	32	20	35	22	250	3626
AME28L.1	36x2	41	21	36	28	250	3626
AME35L.1	45x2	46	20	41	35	250	3626
AME42L.1	52x2	55	21	43	42	250	3626
AME06S.1	14x1,5	14	16	30	6	800	11603
AME08S.1	16x1,5	17	18	32	8	800	11603
AME10S.1	18x1,5	19	17	32	10	800	11603
AME12S.1	20x1,5	22	19	34	12	630	9137
AME14S.1	22x1,5	24	22	38	14	630	9137
AME16S.1	24x1,5	27	21	38	16	630	9137
AME20S.1	30x2	32	23	44	20	420	6091
AME25S.1	36x2	41	26	50	25	420	6091
AME30S.1	42x2	46	27	54	30	420	6091
AME38S.1	52x2	55	29	61	38	420	6091

DIN MALE REDUCED COUPLING - DIN MALE (1)

ADATTATORE DIRITTO RIDOTTO MASCHIO DIN - MASCHIO DIN

F1 - DIN

F2 - DIN




Code	F1 mm	F2 mm	H1 mm	L1 mm	L2 mm	T1 mm	T2 mm	PN bar	PN psi
AME0806L.1	14x1,5	12x1,5	14	11	25	8	6	500	7251
AME1006L.1	16x1,5	12x1,5	17	12	26	10	6	500	7251
AME1008L.1	16x1,5	14x1,5	17	12	26	10	8	500	7251
AME1206L.1	18x1,5	12x1,5	19	13	27	12	6	400	5801
AME1208L.1	18x1,5	14x1,5	19	13	27	12	8	400	5801
AME1210L.1	18x1,5	16x1,5	19	14	28	12	10	400	5801
AME1510L.1	22x1,5	16x1,5	24	15	29	15	10	400	5801
AME1512L.1	22x1,5	18x1,5	24	15	29	15	12	400	5801
AME1810L.1	26x1,5	16x1,5	27	16	30	18	10	400	5801
AME1812L.1	26x1,5	18x1,5	27	15,5	30	18	12	400	5801
AME1815L.1	26x1,5	22x1,5	27	16,5	31	18	15	400	5801
AME2212L.1	30x2	18x1,5	32	17,5	32	22	12	250	3626
AME2215L.1	30x2	22x1,5	32	18,5	33	22	15	250	3626
AME2218L.1	30x2	26x1,5	32	18	33	22	18	250	3626
AME2818L.1	36x2	26x1,5	41	19	34	28	18	250	3626
AME2822L.1	36x2	30x2	41	21	36	28	22	250	3626
AME3522L.1	45x2	30x2	46	21	39	35	22	250	3626
AME3528L.1	45x2	36x2	46	21	39	35	28	250	3626
AME4235L.1	45x2	42x2	55	21,5	43	42	35	250	3626
AME0806S.1	16x1,5	14x1,5	17	18	32	8	6	800	11603
AME1006S.1	18x1,5	14x1,5	19	17,5	32	10	6	800	11603
AME1008S.1	18x1,5	16x1,5	19	17,5	32	10	8	800	11603
AME1206S.1	20x1,5	14x1,5	22	19,5	34	12	6	630	9137
AME1208S.1	20x1,5	16x1,5	22	19,5	34	12	8	630	9137
AME1210S.1	20x1,5	18x1,5	22	19	34	12	10	630	9137
AME1410S.1	22x1,5	18x1,5	24	20,5	36	14	10	630	9137

DIN MALE REDUCED COUPLING - DIN MALE (2)

ADATTATORE DIRITTO RIDOTTO MASCHIO DIN - MASCHIO DIN

F1 - DIN

F2 - DIN




Code	F1 mm	F2 mm	H1 mm	L1 mm	L2 mm	T1 mm	T2 mm	PN bar	PN psi
AME1412S.1	22x1,5	20x1,5	24	20,5	36	14	12	630	9137
AME1610S.1	24x1,5	18x1,5	27	20	36	16	10	630	9137
AME1612S.1	24x1,5	20x1,5	27	20	36	16	12	630	9137
AME1614S.1	24x1,5	22x1,5	27	21,5	38	16	14	630	9137
AME2010S.1	30x2	18x1,5	32	22	40	20	10	420	6091
AME2012S.1	30x2	20x1,5	32	22	40	20	12	420	6091
AME2014S.1	30x2	22x1,5	32	24	42,5	20	14	420	6091
AME2016S.1	30x2	24x1,5	32	23	42	20	16	420	6091
AME2516S.1	36x2	24x1,5	41	25,5	46	25	16	420	6091
AME2520S.1	36x2	30x2	41	25,5	48	25	20	420	6091
AME3020S.1	42x2	30x2	46	26	50	30	20	420	6091
AME3025S.1	42x2	36x2	46	26,5	52	30	25	420	6091
AME3825S.1	52x2	36x2	55	29	57	38	25	420	6091
AME3830S.1	52x2	42x2	55	29,5	59	38	30	420	6091

DIN MALE BULKHEAD CONNECTION - DIN MALE

PASSAPARETE DIRITTO MASCHIO DIN - MASCHIO DIN

F1 - DIN

F2 - DIN




Code	F1 mm	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	L4 mm	A mm	T1 mm	PN bar	PN psi
APPME06L.1	12x1,5	17	17	7	27	14	34	16	6	500	7251
APPME08L.1	14x1,5	19	19	8	27	15	34	16	8	500	7251
APPME10L.1	16x1,5	22	22	10	28	17	35	16	10	500	7251
APPME12L.1	18x1,5	24	24	10	29	17	36	16	12	400	5801
APPME15L.1	22x1,5	27	30	12	31	19	38	16	15	400	5801
APPME18L.1	26x1,5	32	36	13,5	32,5	21	40	16	18	400	5801
APPME22L.1	30x2	36	41	16,5	34,5	24	42	16	22	250	3626
APPME28L.1	36x2	41	46	18,5	35,5	26	43	16	28	250	3626
APPME35L.1	45x2	50	55	18,5	36,5	29	47	16	35	250	3626
APPME42L.1	52x2	60	65	19	36	30	47	16	42	250	3626
APPME06S.1	14x1,5	19	19	12	29	19	36	16	6	800	11603
APPME08S.1	16x1,5	22	22	13	29	20	36	16	8	800	11603
APPME10S.1	18x1,5	24	24	14,5	29,5	22	37	16	10	800	11603
APPME12S.1	20x1,5	27	27	14,5	30,5	22	38	16	12	630	9137
APPME14S.1	22x1,5	30	30	17	32	25	40	16	14	630	9137
APPME16S.1	24x1,5	32	32	16,5	31,5	25	40	16	16	630	9137
APPME20S.1	30x2	41	41	17,5	33,5	28	44	16	20	420	6091
APPME25S.1	36x2	46	46	20	35	32	47	16	25	420	6091
APPME30S.1	42x2	50	50	21,5	37,5	35	51	16	30	420	6091
APPME38S.1	52x2	65	65	22	37	38	53	16	38	420	6091

DIN MALE EQUAL ELBOW-DIN MALE

GOMITO MASCHIO DIN - MASCHIO DIN

F1 - DIN

F2 - DIN




Code	F1 mm	H1 mm	L1 mm	L2 mm	T mm	PN bar	PN psi
LME06LL.1	10x1	12	10,5	16	6	100	1450
LME08LL.1	12X1	12	11,5	17	8	100	1450
LME06L.1	12x1,5	12	12	19	6	500	7251
LME08L.1	14x1,5	12	14	21	8	500	7251
LME10L.1	16x1,5	14	15	22	10	500	7251
LME12L.1	18x1,5	17	17	24	12	400	5801
LME15L.1	22x1,5	19	21	28	15	400	5801
LME18L.1	26x1,5	24	23,5	31	18	400	5801
LME22L.1	30x2	27	27,5	35	22	250	3626
LME28L.1	36x2	36	30,5	38	28	250	3626
LME35L.1	45x2	41	34,5	45	35	250	3626
LME42L.1	52x2	50	40	51	42	250	3626
LME06S.1	14x1,5	12	16	23	6	800	11603
LME08S.1	16x1,5	14	17	24	8	800	11603
LME10S.1	18x1,5	17	17,5	25	10	800	11603
LME12S.1	20x1,5	17	21,5	29	12	630	9137
LME14S.1	22x1,5	19	22	30	14	630	9137
LME16S.1	24x1,5	24	24,5	33	16	630	9137
LME20S.1	30x2	27	26,5	37	20	420	6091
LME25S.1	36x2	36	30	42	25	420	6091
LME30S.1	42x2	41	35,5	49	30	420	6091
LME38S.1	52x2	50	41	57	38	420	6091

DIN MALE BULKHEAD ELBOW-DIN MALE

GOMITO PASSAPARETE MASCHIO DIN - MASCHIO DIN

F1 - DIN

F2 - DIN




Code	F1 mm	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	L4 mm	L5 mm	A mm	T mm	PN bar	PN psi
LPPME06L.1	12x1,5	12	17	12	14	41	19	48	16	6	500	7251
LPPME08L.1	14x1,5	12	19	14	17	44	21	51	16	8	500	7251
LPPME10L.1	16x1,5	14	22	15	18	46	22	53	16	10	500	7251
LPPME12L.1	18x1,5	17	24	17	20	49	24	56	16	12	400	5801
LPPME15L.1	22x1,5	19	30	21	23	54	28	61	16	15	400	5801
LPPME18L.1	26x1,5	24	36	23,5	24	56,5	31	64	16	18	400	5801
LPPME22L.1	30x2	27	41	27,5	30	64,5	35	72	16	22	250	3626
LPPME28L.1	36x2	36	46	30,5	36,5	70,5	38	78	16	28	250	3626
LPPME35L.1	45x2	41	55	34,5	39	75,5	45	86	16	35	250	3626
LPPME42L.1	52x2	50	65	40	43	79	51	90	16	42	250	3626
LPPME06S.1	14x1,5	12	19	16	17	46	23	53	16	6	800	11603
LPPME08S.1	16x1,5	14	22	17	18	47	24	54	16	8	800	11603
LPPME10S.1	18x1,5	17	24	17,5	20	49,5	25	57	16	10	800	11603
LPPME12S.1	20x1,5	17	27	21,5	21	51,5	29	59	16	12	630	9137
LPPME14S.1	22x1,5	19	30	22	23	55	30	63	16	14	630	9137
LPPME16S.1	24x1,5	24	32	24,5	24	55,5	33	64	16	16	630	9137
LPPME20S.1	30x2	27	41	26,5	30	63,5	37	74	16	20	420	6091
LPPME25S.1	36x2	36	46	30	36,5	70	42	82	16	25	420	6091
LPPME30S.1	42x2	41	50	35,5	39	76,5	49	90	16	30	420	6091
LPPME38S.1	52x2	50	65	41	43	80	57	96	16	38	420	6091

T ADAPTER DIN MALE/DIN MALE/DIN MALE

ADATTATORE T MASCHIO DIN

F1 - DIN

F2 - DIN




Code	F1 mm	H1 mm	L1 mm	L2 mm	T1 mm	PN bar	PN psi
TME06LL.1	10x1	12	9,5	15	6	100	1450
TME08LL.1	12x1	12	11,5	17	8	100	1450
TME06L.1	12x1,5	12	12	19	6	500	7251
TME08L.1	14x1,5	12	14	21	8	500	7251
TME10L.1	16x1,5	14	15	22	10	500	7251
TME12L.1	18x1,5	17	17	24	12	400	5801
TME15L.1	22x1,5	19	21	28	15	400	5801
TME18L.1	26x1,5	24	23,5	31	18	400	5801
TME22L.1	30x2	27	27,5	35	22	250	3626
TME28L.1	36x2	36	30,5	38	28	250	3626
TME35L.1	45x2	41	34,5	45	35	250	3626
TME42L.1	52x2	50	40	51	42	250	3626
TME06S.1	14x1,5	12	16	23	6	800	11603
TME08S.1	16x1,5	14	17	24	8	800	11603
TME10S.1	18x1,5	17	17,5	25	10	800	11603
TME12S.1	20x1,5	17	21,5	29	12	630	9137
TME14S.1	22x1,5	19	22	30	14	630	9137
TME16S.1	24x1,5	24	24,5	33	16	630	9137
TME20S.1	30x2	27	26,5	37	20	420	6091
TME25S.1	36x2	36	30	42	25	420	6091
TME30S.1	42x2	41	35,5	49	30	420	6091
TME38S.1	52x2	50	41	57	38	420	6091

T ADAPTER DIN MALE REDUCED/DIN MALE/DIN MALE

ADATTATORE T MASCHIO DIN RIDOTTO AL BRACCIO

F1 - DIN

F2 - DIN




Code	F1 mm	F2 mm	H1 mm	L1 mm	L2 mm	L3 mm	L4 mm	T1 mm	T2 mm	PN bar	PN psi
TME0812LB.1	14x1,5	18x1,5	17	20	17	24	27	8	12	400	5801
TME1006LB.1	16x1,5	12x1,5	14	15	15	22	22	10	6	500	7251
TME1018LB.1	16x1,5	26x1,5	24	23,5	24	31	30,5	10	18	400	5801
TME1210LB.1	18x1,5	16x1,5	17	17	17	24	24	12	10	400	5801
TME1215LB.1	18x1,5	22x1,5	19	21	21	28	28	12	15	400	5801
TME1512LB.1	22x1,5	18x1,5	19	22,5	22,5	29,5	29,5	15	12	400	5801
TME1522LB.1	22x1,5	30x2	27	27,5	27,5	35	34,5	15	22	250	3626
TME1810LB.1	26x1,5	16x1,5	24	23,5	24	31	31	18	10	400	5801
TME1822LB.1	26x1,5	30x2	27	27,5	27,5	35	35	18	22	250	3626
TME2218LB.1	30x2	26x1,5	27	30,5	30,5	38	38	22	18	250	3626
TME2228LB.1	30x2	36x2	36	30,5	30,5	38	38	22	28	250	3626
TME0812SB.1	16x1,5	20x1,5	17	21,5	21,5	29	28,5	8	12	630	9137

T ADPT DIN MALE/DIN MALE/DIN MALE REDUCED (1)

ADATTATORE T MASCHIO DIN RIDOTTO AL PIEDE

F1 - DIN

F2 - DIN




Code	F1 mm	F2 mm	H1 mm	L1 mm	L2 mm	L3 mm	L4 mm	T1 mm	T2 mm	PN bar	PN psi
TME0608LP.1	12x1,5	14x1,5	12	12	12	19	19	6	8	500	7251
TME0806LP.1	14x1,5	12x1,5	12	12	12	19	19	8	6	500	7251
TME0610LP.1	12x1,5	16x1,5	14	15	15	22	22	6	10	500	7251
TME0810LP.1	14x1,5	16x1,5	14	15	15	22	22	8	10	500	7251
TME1006LP.1	16x1,5	12x1,5	14	15	15	22	22	10	6	500	7251
TME1008LP.1	16x1,5	14x1,5	14	15	15	22	22	10	8	500	7251
TME0812LP.1	14x1,5	18x1,5	17	17	17	24	24	8	12	400	5801
TME1206LP.1	18x1,5	12x1,5	17	17	20	27	24	12	6	400	5801
TME1208LP.1	18x1,5	14x1,5	17	17	17	24	24	12	8	400	5801
TME1210LP.1	18x1,5	16x1,5	17	17	20	27	24	12	10	400	5801
TME1015LP.1	16x1,5	22x1,5	19	20	21	28	27	10	15	400	5801
TME1215LP.1	18x1,5	22x1,5	19	22,5	21	28	29,5	12	15	400	5801
TME1506LP.1	22x1,5	12x1,5	19	21	21	28	28	15	6	400	5801
TME1510LP.1	22x1,5	16x1,5	19	21	21	28	28	15	10	400	5801
TME1512LP.1	22x1,5	18x1,5	19	21	22,5	29,5	28	15	12	400	5801
TME1218LP.1	18x1,5	26x1,5	24	25	23,5	31	32	12	18	400	5801
TME1810LP.1	26x1,5	16x1,5	24	23,5	23,5	30,5	31	18	10	400	5801
TME1812LP.1	26x1,5	18x1,5	24	23,5	23,5	30,5	31	18	12	400	5801
TME1815LP.1	26x1,5	22x1,5	24	23,5	23,5	30,5	31	18	15	400	5801
TME2210LP.1	30x2	16x1,5	27	27,5	27,5	34,5	35	22	10	250	3626
TME2212LP.1	30x2	18x1,5	27	27,5	27,5	34,5	35	22	12	250	3626
TME2215LP.1	30x2	22x1,5	27	27,5	27,5	34,5	35	22	15	250	3626
TME2218LP.1	30x2	26x1,5	27	27,5	27,5	35	35	22	18	250	3626
TME2810LP.1	36x2	16x1,5	36	30,5	31	38	38	28	10	250	3626
TME2812LP.1	36x2	18x1,5	36	30,5	31	38	38	28	12	250	3626
TME2815LP.1	36x2	22x1,5	36	30,5	31	38	38	28	15	250	3626

T ADPT DIN MALE/DIN MALE/DIN MALE REDUCED (2)

ADATTATORE T MASCHIO DIN RIDOTTO AL PIEDE

F1 - DIN

F2 - DIN




Code	F1 mm	F2 mm	H1 mm	L1 mm	L2 mm	L3 mm	L4 mm	T1 mm	T2 mm	PN bar	PN psi
TME2818LP.1	36x2	26x1,5	36	30,5	30,5	38	38	28	18	250	3626
TME2822LP.1	36x2	30x2	36	30,5	30,5	38	38	28	22	250	3626
TME1006SP.1	18x1,5	14x1,5	17	17,5	20	27	25	10	6	800	11603
TME1208SP.1	20x1,5	16x1,5	17	21,5	21,5	28,5	29	12	8	630	9137
TME1210SP.1	20x1,5	18x1,5	17	21,5	21,5	29	29	12	10	630	9137
TME1216SP.1	20x1,5	24x1,5	24	24,5	24,5	33	32	12	16	630	9137
TME1606SP.1	24x1,5	14x1,5	24	24,5	24,5	31,5	33	16	6	630	9137
TME1608SP.1	24x1,5	16x1,5	24	24,5	24,5	31,5	33	16	8	630	9137
TME1610SP.1	24x1,5	18x1,5	24	24,5	24,5	32	33	16	10	630	9137
TME1612SP.1	24x1,5	20x1,5	24	24,5	24,5	32	33	16	12	630	9137
TME1620SP.1	24x1,5	30x2	27	26,5	26,5	37	35	16	20	420	6091
TME2010SP.1	30x2	18x1,5	27	26,5	26,5	34	37	20	10	420	6091
TME2012SP.1	30x2	20x1,5	27	26,5	26,5	34	37	20	12	420	6091
TME2016SP.1	30x2	24x1,5	27	26,5	26,5	35	37	20	16	420	6091
TME2025SP.1	30x2	36x2	36	29,5	30	42	40	20	25	420	6091
TME2516SP.1	36x2	24x1,5	36	30	30,5	39	42	25	16	420	6091
TME2520SP.1	36x2	30x2	36	30	29,5	40	42	25	20	420	6091
TME2530SP.1	36x2	42x2	41	35,5	35,5	49	47,5	25	30	420	6091

EQUAL CROSS DIN MALE

ADATTATORE A CROCE MASCHIO DIN

F1 - DIN

F2 - DIN




Code	F1 mm	H1 mm	L1 mm	L2 mm	T mm	PN bar	PN psi
CME06L.1	12x1,5	12	12	19	6	500	7251
CME08L.1	14x1,5	12	14	21	8	500	7251
CME10L.1	16x1,5	14	15	22	10	500	7251
CME12L.1	18x1,5	17	17	24	12	400	5801
CME15L.1	22x1,5	19	21	28	15	400	5801
CME18L.1	26x1,5	24	23,5	31	18	400	5801
CME22L.1	30x2	27	27,5	35	22	250	3626
CME28L.1	36x2	36	30,5	38	28	250	3626
CME35L.1	45x2	41	34,5	45	35	250	3626
CME42L.1	52x2	50	40	51	42	250	3626
CME06S.1	14x1,5	12	16	23	6	800	11603
CME08S.1	16x1,5	14	17	24	8	800	11603
CME10S.1	18x1,5	17	17,5	25	10	800	11603
CME12S.1	20x1,5	17	21,5	29	12	630	9137
CME14S.1	22x1,5	19	22	30	14	630	9137
CME16S.1	24x1,5	24	24,5	33	16	630	9137
CME20S.1	30x2	27	26,5	37	20	420	6091
CME25S.1	36x2	36	30	42	25	420	6091
CME30S.1	42x2	41	35,5	49	30	420	6091
CME38S.1	52x2	50	41	57	38	420	6091

DIN SWIVEL DISTANCE ADAPTER FEMALE DIN WITH O-RING-
MALE DIN

DISTANZIALE FEMMINA GIREVOLE DIN CON O-RING-MASCHIO DIN

F1 - DIN

F2 - DIN




Code	F1 mm	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	T1 mm	T2 mm	PN bar	PN psi
AFE06LME06L.1	12X1,5	12X1,5	12	14	35,0	42	6	6	500	7251
AFE08LME08L.1	14X1,5	14X1,5	14	17	35,0	42	8	8	500	7251
AFE10LME10L.1	16X1,5	16X1,5	17	19	35,0	42	10	10	500	7251
AFE12LME12L.1	18X1,5	18X1,5	19	22	35,0	42	12	12	400	5801
AFE15LME15L.1	22x1,5	22x1,5	24	27	34,4	41.4	15	15	400	5801
AFE18LME18L.1	26X1,5	26X1,5	27	32	34,5	42	18	18	400	5801
AFE22LME22L.1	30X2	30X2	32	36	38,5	46	22	22	250	3626
AFE28LME28L.1	36X2	36X2	41	41	39,0	46.5	28	28	250	3626
AFE35LME35L.1	45X2	45X2	46	50	48,1	58.6	35	35	250	3626
AFE42LME42L.1	52X2	52X2	55	60	57,7	68.7	42	42	250	3626
AFE06SME06S.1	14X1,5	14X1,5	14	17	35	42	6	6	800	11603
AFE08SME08S.1	16x1,5	16x1,5	17	19	35	42	8	8	800	11603
AFE10SME10S.1	18x1,5	18x1,5	19	22	34.5	42	10	10	800	11603
AFE12SME12S.1	20X1,5	20X1,5	22	24	34.5	42	12	12	630	9137
AFE14SME14S.1	22x1,5	22x1,5	24	27	33.5	41.5	14	14	630	9137
AFE16SME16S.1	24X1,5	24X1,5	27	30	37.7	46.2	16	16	630	9137
AFE20SME20S.1	30X2	30X2	32	36	43	53.5	20	20	420	6091
AFE25SME25S.1	36X2	36X2	41	46	45.2	57.2	25	25	420	6091
AFE30SME30S.1	42X2	42X2	46	50	51	64.5	30	30	420	6091
AFE38SME38S.1	52X2	52X2	55	60	52.5	68.5	38	38	420	6091

DIN FEMALE STANDPIPE REDUCER WITH O-RING-DIN MALE (1)

RIDUZIONE FEMMINA GIREVOLE DIN CON O-RING-MASCHIO DIN

F1 - DIN

F2 - DIN




Code	F1 mm	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	T1 mm	T2 mm	PN bar	PN psi
AFE08LME06L.1	14x1,5	12x1,5	12	17	25,5	32,5	8	6	500	7251
AFE10LME06L.1	16x1,5	12x1,5	14	19	25	32	10	6	500	7251
AFE10LME08L.1	16x1,5	14x1,5	14	19	25	32	10	8	500	7251
AFE12LME06L.1	18x1,5	12x1,5	17	22	25	32	12	6	400	5801
AFE12LME08L.1	18x1,5	14x1,5	17	22	25	32	12	8	400	5801
AFE12LME10L.1	18x1,5	16x1,5	17	22	26	33	12	10	400	5801
AFE15LME06L.1	22x1,5	12x1,5	19	27	29,4	36,4	15	6	400	5801
AFE15LME08L.1	22x1,5	14x1,5	19	27	29,4	36,4	15	8	400	5801
AFE15LME10L.1	22x1,5	16x1,5	19	27	30,4	37,4	15	10	400	5801
AFE15LME12L.1	22x1,5	18x1,5	19	19	30,4	37,4	15	12	400	5801
AFE18LME06L.1	26x1,5	12x1,5	24	32	29,2	36,2	18	6	400	5801
AFE18LME08L.1	26x1,5	14x1,5	24	32	29,2	36,2	18	8	400	5801
AFE18LME10L.1	26x1,5	16x1,5	24	32	30,2	37,2	18	10	400	5801
AFE18LME12L.1	26x1,5	18x1,5	24	32	30,2	37,2	18	12	400	5801
AFE18LME15L.1	26x1,5	22x1,5	24	32	31,2	38,2	18	15	400	5801
AFE18LME16S.1	26x1,5	22x1,5	27	32	31,5	40	18	16	400	5801
AFE22LME06L.1	30x2	12x1,5	27	36	32,1	39,1	22	6	250	3626
AFE22LME08L.1	30x2	14x1,5	27	36	32,1	39,1	22	8	250	3626
AFE22LME10L.1	30x2	16x1,5	27	36	33,1	40,1	22	10	250	3626
AFE22LME12L.1	30x2	18x1,5	27	36	33,1	40,1	22	12	250	3626
AFE22LME15L.1	30x2	22x1,5	27	36	34,1	41,1	22	15	250	3626
AFE22LME16S.1	30x2	22x1,5	27	36	34,1	43	22	16	250	3626
AFE22LME18L.1	30x2	26x1,5	27	36	33,6	41,1	22	18	250	3626
AFE22LME20S.1	30x2	30x2	32	36	34,5	45	22	20	250	3626
AFE28LME06L.1	36x2	12x1,5	32	41	34,5	41,5	28	6	250	3626
AFE28LME08L.1	36x2	14x1,5	32	41	34,5	41,5	28	8	250	3626

DIN FEMALE STANDPIPE REDUCER WITH O-RING-DIN MALE (2)

RIDUZIONE FEMMINA GIREVOLE DIN CON O-RING-MASCHIO DIN

F1 - DIN

F2 - DIN




Code	F1 mm	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	T1 mm	T2 mm	PN bar	PN psi
AFE28LME10L.1	36x2	16x1,5	32	41	36,5	43,5	28	10	250	3626
AFE28LME12L.1	36x2	18x1,5	32	41	35,5	42,5	28	12	250	3626
AFE28LME15L.1	36x2	22x1,5	32	41	40,5	47,5	28	15	250	3626
AFE28LME16S.1	36x2	22x1,5	32	41	36,5	45	28	16	250	3626
AFE28LME18L.1	36x2	26x1,5	32	41	40	47,5	28	18	250	3626
AFE28LME22L.1	36x2	30x2	32	41	40	47,5	28	22	250	3626
AFE28LME25S.1	36x2	36x2	41	41	38	50	28	25	250	3620
AFE35LME06L.1	45x2	12x1,5	41	50	37	44	35	6	250	3626
AFE35LME08L.1	45x2	14x1,5	41	50	37	44	35	8	250	3626
AFE35LME10L.1	45x2	16x1,5	41	50	38	45	35	10	250	3626
AFE35LME12L.1	45x2	18x1,5	41	50	38	45	35	12	250	3626
AFE35LME15L.1	45x2	22x1,5	41	50	39	46	35	15	250	3626
AFE35LME18L.1	45x2	26x1,5	41	50	38,5	46	35	18	250	3626
AFE35LME22L.1	45x2	30x2	41	50	40,5	48	35	22	250	3626
AFE35LME25S.1	45x2	36x2	41	50	40	52	35	35	250	3626
AFE35LME28L.1	45x2	36x2	41	50	40,5	48	35	28	250	3626
AFE35LME30S.1	45x2	42x2	46	50	41,5	55	35	30	250	3620
AFE42LME06L.1	52x2	12x1,5	50	60	38,7	45,7	42	6	250	3626
AFE42LME08L.1	52x2	14x1,5	50	60	38,7	45,7	42	8	250	3626
AFE42LME10L.1	52x2	16x1,5	50	60	39,7	46,7	42	10	250	3626
AFE42LME12L.1	52x2	18x1,5	50	60	39,7	46,7	42	12	250	3626
AFE42LME15L.1	52x2	22x1,5	50	60	40,7	47,7	42	15	250	3626
AFE42LME18L.1	52x2	26x1,5	50	60	40,2	47,7	42	18	250	3626
AFE42LME22L.1	52x2	30x2	50	60	42,2	49,7	42	22	250	3626
AFE42LME28L.1	52x2	36x2	50	60	41,2	48,7	42	28	250	3626
AFE42LME30S.1	52x2	42x2	50	60	44	57,5	42	30	250	3626

DIN FEMALE STANDPIPE REDUCER WITH O-RING-DIN MALE (3)

RIDUZIONE FEMMINA GIREVOLE DIN CON O-RING-MASCHIO DIN

F1 - DIN

F2 - DIN




Code	F1 mm	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	T1 mm	T2 mm	PN bar	PN psi
AFE42LME35L.1	52x2	45x2	50	60	41,2	51,7	42	35	250	3626
AFE42LME38S.1	52x2	52x2	55	60	45,5	61,5	42	38	250	3626
AFE08SME06S.1	16x1,5	14x1,5	14	19	29,6	36,6	8	6	800	11603
AFE10SME06S.1	18x1,5	14x1,5	17	22	29	36	10	6	800	11603
AFE10SME08S.1	18x1,5	16x1,5	17	22	28,5	35,5	10	8	800	11603
AFE12SME06S.1	20x1,5	14x1,5	17	24	32	39	12	6	630	9137
AFE12SME08S.1	20x1,5	16x1,5	17	24	32	39	12	8	630	9137
AFE12SME10S.1	20x1,5	18x1,5	19	24	31,5	39	12	10	630	9137
AFE14SME06S.1	22x1,5	14x1,5	19	27	33,7	40,7	14	6	630	9137
AFE14SME08S.1	22x1,5	16x1,5	19	27	33,7	40,7	14	8	630	9137
AFE14SME10S.1	22x1,5	18x1,5	19	27	33,2	40,7	14	10	630	9137
AFE14SME12S.1	22x1,5	20x1,5	22	27	31,2	38,7	14	12	630	9137
AFE16SME06S.1	24x1,5	14x1,5	22	30	32,5	39,5	16	6	630	9137
AFE16SME08S.1	24x1,5	16x1,5	22	30	32	39	16	8	630	9137
AFE16SME10S.1	24x1,5	18x1,5	22	30	31,5	39	16	10	630	9137
AFE16SME12S.1	24x1,5	20x1,5	22	30	31,5	39	16	12	630	9137
AFE16SME14S.1	24x1,5	22x1,5	24	30	36	44	16	14	630	9137
AFE16SME15L.1	24x1,5	22x1,5	24	30	32	39	16	15	400	5801
AFE20SME06S.1	30x2	14x1,5	27	36	36	43	20	6	400	5801
AFE20SME08S.1	30x2	16x1,5	27	36	35,5	42,5	20	8	400	5801
AFE20SME10S.1	30x2	18x1,5	27	36	35,5	43	20	10	400	5801
AFE20SME12S.1	30x2	20x1,5	27	36	37	44,5	20	12	400	5801
AFE20SME14S.1	30x2	22x1,5	27	36	36,5	44,5	20	14	400	5801
AFE20SME15L.1	30x2	22x1,5	27	36	36	43	20	15	400	5801
AFE20SME16S.1	30x2	24x1,5	27	36	37	45,5	20	16	420	6091
AFE20SME18L.1	30x2	26x1,5	27	36	35,5	43	20	18	400	5801

DIN FEMALE STANDPIPE REDUCER WITH O-RING-DIN MALE (4)

RIDUZIONE FEMMINA GIREVOLE DIN CON O-RING-MASCHIO DIN

F1 - DIN

F2 - DIN




Code	F1 mm	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	T1 mm	T2 mm	PN bar	PN psi
AFE25SME06S.1	36x2	14x1,5	32	46	39,7	46,7	25	6	420	6091
AFE25SME08S.1	36x2	16x1,5	32	46	39,7	46,7	25	8	420	6091
AFE25SME10S.1	36x2	18x1,5	32	46	39,2	46,7	25	10	420	6091
AFE25SME12S.1	36x2	20x1,5	32	46	39,2	46,7	25	12	420	6091
AFE25SME14S.1	36x2	22x1,5	32	46	41,2	49,2	25	14	420	6091
AFE25SME16S.1	36x2	24x1,5	32	46	40,2	48,7	25	16	420	6091
AFE25SME18L.1	36x2	26x1,5	32	46	38	45,5	25	18	400	5801
AFE25SME20S.1	36x2	30x2	32	46	39,5	50	25	20	420	6091
AFE25SME22L.1	36x2	30x2	32	46	40	47,5	25	22	250	3620
AFE30SME06S.1	42x2	14x1,5	41	50	43,5	50,5	30	6	420	6091
AFE30SME08S.1	42x2	16x1,5	41	50	43,5	50,5	30	8	420	6091
AFE30SME10S.1	42x2	18x1,5	41	50	43	50,5	30	10	420	6091
AFE30SME12S.1	42x2	20x1,5	41	50	43	50,5	30	12	420	6091
AFE30SME14S.1	42x2	22x1,5	41	50	45	53	30	14	420	6091
AFE30SME16S.1	42x2	24x1,5	41	50	44	52,5	30	16	420	6091
AFE30SME20S.1	42x2	30x2	41	50	44	54,5	30	20	420	6091
AFE30SME22L.1	42x2	30x2	41	50	45,5	53	30	22	250	3620
AFE30SME25S.1	42x2	36x2	41	50	44,5	56,5	30	25	420	6091
AFE30SME28L.1	42x2	36X2	41	50	45,5	53	30	28	250	3620
AFE38SME06S.1	52x2	14x1,5	50	60	47,5	54,5	38	6	420	6091
AFE38SME08S.1	52x2	16x1,5	50	60	47,5	54,5	38	8	420	6091
AFE38SME10S.1	52x2	18x1,5	50	60	47	54,5	38	10	420	6091
AFE38SME12S.1	52x2	20x1,5	50	60	47	54,5	38	12	420	6091
AFE38SME14S.1	52x2	22x1,5	50	60	49	57	38	14	420	6091
AFE38SME16S.1	52x2	24x1,5	50	60	48	56,5	38	16	420	6091
AFE38SME20S.1	52x2	30x2	50	60	48	58,5	38	20	420	6091

DIN FEMALE STANDPIPE REDUCER WITH O-RING-DIN MALE (5)

RIDUZIONE FEMMINA GIREVOLE DIN CON O-RING-MASCHIO DIN

F1 - DIN

F2 - DIN




Code	F1 mm	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	T1 mm	T2 mm	PN bar	PN psi
AFE38SME25S.1	52x2	36x2	50	60	48,5	60,5	38	25	420	6091
AFE38SME28L.1	52x2	36X2	50	60	49	56,5	38	28	250	3636
AFE38SME30S.1	52x2	42x2	50	60	47	62,5	38	30	420	6091
AFE38SME35L.1	52x2	45x2	50	60	48	58,5	38	35	250	3626

DIN MALE STUD ELBOW - DIN FEMALE WITH O-RING

GOMITO 90° MASCHIO DIN - FEMMINA GIREVOLE DIN CON ORING

F1 - DIN

F2 - DIN




Code	F1 mm	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	T mm	PN bar	PN psi
LME06LFE06L.1	12x1,5	12x1,5	12	14	12	25,5	19	6	500	7251
LME08LFE08L.1	14x1,5	14x1,5	12	17	14	27,5	21	8	500	7251
LME10LFE10L.1	16x1,5	16x1,5	14	19	15	29	22	10	500	7251
LME12LFE12L.1	18x1,5	18x1,5	17	22	17	29	24	12	400	5801
LME15LFE15L.1	22x1,5	22x1,5	19	27	21	33,5	28	15	400	5801
LME18LFE18L.1	26x1,5	26x1,5	24	32	23,5	35,5	31	18	400	5801
LME22LFE22L.1	30x2	30x2	27	36	27,5	38,5	35	22	250	3626
LME28LFE28L.1	36x2	36x2	36	41	30,5	41,5	38	28	250	3626
LME35LFE35L.1	45x2	45x2	41	50	34,5	53,5	45	35	250	3626
LME42LFE42L.1	52x2	52x2	50	60	40	56	51	42	250	3626
LME06SFE06S.1	14x1,5	14x1,5	12	17	16	27	23	6	800	11603
LME08SFE08S.1	16x1,5	16x1,5	14	19	17	27,5	24	8	800	11603
LME10SFE10S.1	18x1,5	18x1,5	17	22	17,5	29	25	10	800	11603
LME12SFE12S.1	20x1,5	20x1,5	17	24	21,5	31	29	12	630	9137
LME14SFE14S.1	22x1,5	22x1,5	19	27	22	35	30	14	630	9137
LME16SFE16S.1	24x1,5	24x1,5	24	30	24,5	36,5	33	16	630	9137
LME20SFE20S.1	30x2	30x2	27	36	26,5	44,5	37	20	420	6091
LME25SFE25S.1	36x2	36x2	36	46	30	50	42	25	420	6091
LME30SFE30S.1	42x2	42x2	41	50	35,5	53,5	49	30	420	6091
LME38SFE38S.1	52x2	52x2	50	60	41	63	57	38	420	6091

DIN MALE 45° ELBOW - DIN FEMALE WITH O-RING

GOMITO 45° MASCHIO DIN - FEMMINA GIREVOLE DIN CON ORING

F1 - DIN

F2 - DIN




Code	F1 mm	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	T mm	PN bar	PN psi
QME06LFE06L.1	12x1,5	12x1,5	12	14	12,5	27,1	19,5	6	500	7251
QME08LFE08L.1	14x1,5	14x1,5	12	17	14	27,5	21	8	500	7251
QME10LFE10L.1	16x1,5	16x1,5	14	19	15	29	22	10	500	7251
QME12LFE12L.1	18x1,5	18x1,5	17	22	14	29,5	21	12	400	5801
QME15LFE15L.1	22x1,5	22x1,5	19	27	21	33,5	28	15	400	5801
QME18LFE18L.1	26x1,5	26x1,5	24	32	23,5	35,5	31	18	400	5801
QME22LFE22L.1	30x2	30x2	27	36	27,5	38,5	35	22	250	3626
QME28LFE28L.1	36x2	36x2	36	41	23,5	42	31	28	250	3626
QME35LFE35L.1	45x2	45x2	41	50	26,5	51	37	35	250	3626
QME42LFE42L.1	52x2	52x2	50	60	40	56	51	42	250	3626
QME06SFE06S.1	14x1,5	14x1,5	12	17	16	27	23	6	800	11603
QME08SFE08S.1	16x1,5	16x1,5	14	19	17	27,5	24	8	800	11603
QME10SFE10S.1	18x1,5	18x1,5	17	22	17,5	29	25	10	800	11603
QME12SFE12S.1	20x1,5	20x1,5	17	24	16,5	31	24	12	630	9137
QME14SFE14S.1	22x1,5	22x1,5	19	27	22	35	30	14	630	9137
QME16SFE16S.1	24x1,5	24x1,5	24	30	15,5	36,5	24	16	630	9137
QME20SFE20S.1	30x2	30x2	27	36	25	44,5	37	20	420	6091
QME25SFE25S.1	36x2	36x2	36	46	30	50	42	25	420	6091
QME30SFE30S.1	42x2	42x2	41	50	35,5	53,5	49	30	420	6091
QME38SFE38S.1	52x2	52x2	50	60	41	63	57	38	420	6091

T ADPT DIN MALE/DIN MALE/DIN FEMALE WITH O-RING

ADATTATORE T MASCHIO DIN -FEMMINA DIN AL PIEDE CON O-RING

F1 - DIN

F2 - DIN




Code	F1 mm	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	T1 mm	PN bar	PN psi
TME06LFE06LP.1	12x1,5	12x1,5	12	14	12	25,5	19	6	500	7251
TME08LFE08LP.1	14x1,5	14x1,5	12	17	14	27,5	21	8	500	7251
TME10LFE10LP.1	16x1,5	16x1,5	14	19	15	29	22	10	500	7251
TME12LFE12LP.1	18x1,5	18x1,5	17	22	17	29	24	12	400	5801
TME15LFE15LP.1	22x1,5	22x1,5	19	27	21	33,5	28	15	400	5801
TME18LFE18LP.1	26x1,5	26x1,5	24	32	23,5	35,5	31	18	400	5801
TME22LFE22LP.1	30x2	30x2	27	36	27,5	38,5	35	22	250	3626
TME28LFE28LP.1	36x2	36x2	36	41	30,5	41,5	38	28	250	3626
TME35LFE35LP.1	45x2	45x2	41	50	34,5	51	45	35	250	3626
TME42LFE42LP.1	52x2	52x2	50	60	40	56	51	42	250	3626
TME06SFE06SP.1	14x1,5	14x1,5	12	17	16	27	23	6	800	11603
TME08SFE08SP.1	16x1,5	16x1,5	14	19	17	27,5	24	8	800	11603
TME10SFE10SP.1	18x1,5	18x1,5	17	22	17,5	29	25	10	800	11603
TME12SFE12SP.1	20x1,5	20x1,5	17	24	21,5	31	29	12	630	9137
TME14SFE14SP.1	22x1,5	22x1,5	19	27	22	35	30	14	630	9137
TME16SFE16SP.1	24x1,5	24x1,5	24	30	24,5	36,5	33	16	630	9137
TME20SFE20SP.1	30x2	30x2	27	36	26,5	44,5	37	20	420	6091
TME25SFE25SP.1	36x2	36x2	36	46	30	50	42	25	420	6091
TME30SFE30SP.1	42x2	42x2	41	50	35,5	53,5	49	30	420	6091
TME38SFE38SP.1	52x2	52x2	50	60	41	63	57	38	420	6091

T ADAPTER DIN MALE/DIN FEMALE WITH O-RING/DIN MALE

ADATTATORE T MASCHIO DIN -FEMMINA DIN AL BRACCIO CON O-RING

F1 - DIN

F2 - DIN




Code	F1 mm	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	T1 mm	PN bar	PN psi
TME06LFE06LB.1	12x1,5	12x1,5	12	14	12	19	25,5	6	500	7251
TME08LFE08LB.1	14x1,5	14x1,5	12	17	14	21	27,5	8	500	7251
TME10LFE10LB.1	16x1,5	16x1,5	14	19	15	22	29	10	500	7251
TME12LFE12LB.1	18x1,5	18x1,5	17	22	17	24	29	12	400	5801
TME15LFE15LB.1	22x1,5	22x1,5	19	27	21	28	33,5	15	400	5801
TME18LFE18LB.1	26x1,5	26x1,5	24	32	23,5	31	35,5	18	400	5801
TME22LFE22LB.1	30x2	30x2	27	36	27,5	35	38,5	22	250	3626
TME28LFE28LB.1	36x2	36x2	36	41	30,5	38	42	28	250	3626
TME35LFE35LB.1	45x2	45x2	41	50	34,5	45	51	35	250	3626
TME42LFE42LB.1	52x2	52x2	50	60	40	51	56	42	250	3626
TME06SFE06SB.1	14x1,5	14x1,5	12	17	16	23	27	6	800	11603
TME08SFE08SB.1	16x1,5	16x1,5	14	19	17	24	27,5	8	800	11603
TME10SFE10SB.1	18x1,5	18x1,5	17	22	17,5	25	29	10	800	11603
TME12SFE12SB.1	20x1,5	20x1,5	17	24	21,5	29	31	12	630	9137
TME14SFE14SB.1	22x1,5	22x1,5	19	27	22	30	35	14	630	9137
TME16SFE16SB.1	24x1,5	24x1,5	24	30	24,5	33	36,5	16	630	9137
TME20SFE20SB.1	30x2	30x2	27	36	26,5	37	44,5	20	420	6091
TME25SFE25SB.1	36x2	36x2	36	46	30	42	50	25	420	6091
TME30SFE30SB.1	42x2	42x2	41	50	35,5	49	53,5	30	420	6091
TME38SFE38SB.1	52x2	52x2	50	60	41	57	63	38	420	6091

DIN MALE-DIN STANDPIPE TUBE REDUCER (1)

ADATTATORE MASCHIO DIN - TUBO DIN

F1 - DIN

F2 - DIN



Code	F1 mm	H1 mm	L mm	L1 mm	T1 mm	T2 mm	PN bar	PN psi
AME06LTL08.1	12x1,5	12	32,5	25,5	6	8	500	7251
AME06LTL10.1	12x1,5	12	33	26	6	10	500	7251
AME06LTL12.1	12x1,5	14	34	27	6	12	400	5801
AME06LTL15.1	12x1,5	17	35	28	6	15	400	5801
AME06LTL18.1	12x1,5	19	36,5	29,5	6	18	400	5801
AME06LTL22.1	12x1,5	24	37,5	30,5	6	22	250	3626
AME06LTL28.1	12x1,5	30	39	32	6	28	250	3626
AME06LTL35.1	12x1,5	36	45,5	38,5	6	35	250	3626
AME06LTL42.1	12x1,5	46	46,5	39,5	6	42	250	3626
AME08LTL10.1	14x1,5	14	34	27	8	10	500	7251
AME08LTL12.1	14x1,5	14	34	27	8	12	400	5801
AME08LTL15.1	14x1,5	17	35	28	8	15	400	5801
AME08LTL18.1	14x1,5	19	36,5	29,5	8	18	400	5801
AME08LTL22.1	14x1,5	24	37,5	30,5	8	22	250	3626
AME08LTL28.1	14x1,5	30	39	32	8	28	250	3626
AME08LTL35.1	14x1,5	36	45,5	38,5	8	35	250	3626
AME08LTL42.1	14x1,5	46	46,5	39,5	8	42	250	3626
AME10LTL12.1	16x1,5	17	35	28	10	12	400	5801
AME10LTL15.1	16x1,5	17	36	29	10	15	400	5801
AME10LTL18.1	16x1,5	19	37,5	30,5	10	18	400	5801
AME10LTL22.1	16x1,5	24	38,5	31,5	10	22	250	3626
AME10LTL28.1	16x1,5	30	40	33	10	28	250	3626
AME10LTL35.1	16x1,5	36	46,5	39,5	10	35	250	3626
AME10LTL42.1	16x1,5	46	47,5	40,5	10	42	250	3626
AME12LTL15.1	18x1,5	19	36	29	12	15	400	5801
AME12LTL18.1	18x1,5	19	37,5	30,5	12	18	400	5801

Note: AME06LTL08.1 for body only


AME06LTL08.3 for nut and cutting ring included

DIN MALE-DIN STANDPIPE TUBE REDUCER (2)

ADATTATORE MASCHIO DIN - TUBO DIN

F1 - DIN

F2 - DIN



Code	F1 mm	H1 mm	L mm	L1 mm	T1 mm	T2 mm	PN bar	PN psi
AME12LTL22.1	18x1,5	24	38,5	31,5	12	22	250	3626
AME12LTL28.1	18x1,5	30	40	33	12	28	250	3626
AME12LTL35.1	18x1,5	36	46,5	39,5	12	35	250	3626
AME12LTL42.1	18x1,5	46	47,5	40,5	12	42	250	3626
AME15LTL18.1	22x1,5	24	39,5	32,5	15	18	400	5801
AME15LTL22.1	22x1,5	24	40,5	33,5	15	22	250	3626
AME15LTL28.1	22x1,5	30	43	36	15	28	250	3626
AME15LTL35.1	22x1,5	36	47,5	40,5	15	35	250	3626
AME15LTL42.1	22x1,5	46	48,5	41,5	15	42	250	3626
AME18LTL22.1	26x1,5	27	40,5	33	18	22	250	3626
AME18LTL28.1	26x1,5	30	43	35,5	18	28	250	3626
AME18LTL35.1	26x1,5	36	47,5	40	18	35	250	3626
AME18LTL42.1	26x1,5	46	48,5	41	18	42	250	3626
AME22LTL28.1	30x2	32	43	35,5	22	28	250	3626
AME22LTL35.1	30x2	36	49,5	42	22	35	250	3626
AME22LTL42.1	30x2	46	50,5	43	22	42	250	3626
AME28LTL35.1	36x2	41	49,5	42	28	35	250	3626
AME28LTL42.1	36x2	46	50,5	43	28	42	250	3626
AME35LTL42.1	45x2	46	52,5	42	35	42	250	3626
AME06STS08.1	14x1,5	14	36	29	6	8	800	11603
AME06STS10.1	14x1,5	14	38,5	31,5	6	10	800	11603
AME06STS12.1	14x1,5	14	38	31	6	12	630	9137
AME06STS14.1	14x1,5	17	42	35	6	14	630	9137
AME06STS16.1	14x1,5	17	43	36	6	16	630	9137
AME06STS20.1	14x1,5	22	48,5	41,5	6	20	420	6091
AME06STS25.1	14x1,5	27	51	44	6	25	420	6091

Note: AME06LTL08.1 for body only


AME06LTL08.3 for nut and cutting ring included

DIN MALE-DIN STANDPIPE TUBE REDUCER (3)

ADATTATORE MASCHIO DIN - TUBO DIN

F1 - DIN

F2 - DIN



Code	F1 mm	H1 mm	L mm	L1 mm	T1 mm	T2 mm	PN bar	PN psi
AME06STS30.1	14x1,5	32	55,5	48,5	6	30	420	6091
AME06STS38.1	14x1,5	41	61,5	54,5	6	38	420	6091
AME08STS10.1	16x1,5	17	40,5	33,5	8	10	800	11603
AME08STS12.1	16x1,5	17	40	33	8	12	630	9137
AME08STS14.1	16x1,5	17	42	35	8	14	630	9137
AME08STS16.1	16x1,5	17	43	36	8	16	630	9137
AME08STS20.1	16x1,5	22	48,5	41,5	8	20	420	6091
AME08STS25.1	16x1,5	27	51	44	8	25	420	6091
AME08STS30.1	16x1,5	32	55,5	48,5	8	30	420	6091
AME08STS38.1	16x1,5	41	61,5	54,5	8	38	420	6091
AME10STS12.1	18x1,5	19	40	32,5	10	12	630	9137
AME10STS14.1	18x1,5	19	42	34,5	10	14	630	9137
AME10STS16.1	18x1,5	19	43	35,5	10	16	630	9137
AME10STS20.1	18x1,5	22	48,5	41	10	20	420	6091
AME10STS25.1	18x1,5	27	51	43,5	10	25	420	6091
AME10STS30.1	18x1,5	32	55,5	48	10	30	420	6091
AME10STS38.1	18x1,5	41	61,5	54	10	38	420	6091
AME12STS14.1	20x1,5	22	44	36,5	12	14	630	9137
AME12STS16.1	20x1,5	22	45	37,5	12	16	630	9137
AME12STS20.1	20x1,5	22	48,5	41	12	20	420	6091
AME12STS25.1	20x1,5	27	51	43,5	12	25	420	6091
AME12STS30.1	20x1,5	32	55,5	48	12	30	420	6091
AME12STS38.1	20x1,5	41	61,5	54	12	38	420	6091
AME14STS16.1	22x1,5	24	47	39	14	16	630	9137
AME14STS20.1	22x1,5	24	50,5	42,5	14	20	420	6091
AME14STS25.1	22x1,5	27	53	45	14	25	420	6091


Note: AME06LTL08.1 for body only
AME06LTL08.3 for nut and cutting ring included

DIN MALE-DIN STANDPIPE TUBE REDUCER (4)

ADATTATORE MASCHIO DIN - TUBO DIN

F1 - DIN

F2 - DIN



Code	F1 mm	H1 mm	L mm	L1 mm	T1 mm	T2 mm	PN bar	PN psi
AME14STS30.1	22x1,5	32	57,5	49,5	14	30	420	6091
AME14STS38.1	22x1,5	41	63,5	55,5	14	38	420	6091
AME16STS20.1	24x1,5	27	50,5	42	16	20	420	6091
AME16STS25.1	24x1,5	27	53	44,5	16	25	420	6091
AME16STS30.1	24x1,5	32	57,5	49	16	30	420	6091
AME16STS38.1	24x1,5	41	63,5	55	16	38	420	6091
AME20STS25.1	30x2	32	57	46,5	20	25	420	6091
AME20STS30.1	30x2	32	59,5	49	20	30	420	6091
AME20STS38.1	30x2	41	65,5	55	20	38	420	6091
AME25STS30.1	36x2	41	63,5	51,5	25	30	420	6091
AME25STS38.1	36x2	41	67,5	55	25	38	420	6091
AME30STS38.1	42x2	46	69,5	56	30	38	420	6091


Note: AME06LTL08.1 for body only
AME06LTL08.3 for nut and cutting ring included

DIN MALE STUD ELBOW - DIN STANDPIPE

GOMITO 90° MASCHIO DIN - TUBO DIN

F1 - DIN

F2 - DIN



Code	F1 mm	H1 mm	L1 mm	L2 mm	L3 mm	T mm	PN bar	PN psi
LME06LTL06.1	12x1,5	12	12	26,5	19	6	500	7251
LME08LTL08.1	14x1,5	12	14	27,5	21	8	500	7251
LME10LTL10.1	16x1,5	14	15	29	22	10	500	7251
LME12LTL12.1	18x1,5	17	17	29,5	24	12	400	5801
LME15LTL15.1	22x1,5	19	21	33	28	15	400	5801
LME18LTL18.1	26x1,5	24	23,5	37	31	18	400	5801
LME22LTL22.1	30x2	27	27,5	39	35	22	250	3626
LME28LTL28.1	36x2	36	30,5	45	38	28	250	3626
LME35LTL35.1	45x2	41	34,5	52,5	45	35	250	3626
LME42LTL42.1	52x2	50	40	56	51	42	250	3626
LME06STS06.1	14x1,5	12	16	27,5	23	6	800	11603
LME08STS08.1	16x1,5	14	17	27,5	24	8	800	11603
LME10STS10.1	18x1,5	17	17,5	30	25	10	800	11603
LME12STS12.1	20x1,5	17	21,5	30,5	29	12	630	9137
LME14STS14.1	22x1,5	19	22	35	30	14	630	9137
LME16STS16.1	24x1,5	24	24,5	38	33	16	630	9137
LME20STS20.1	30x2	27	26,5	46	37	20	420	6091
LME25STS25.1	36x2	36	30	50	42	25	420	6091
LME30STS30.1	42x2	41	35,5	57	49	30	420	6091
LME38STS38.1	52x2	50	41	63	57	38	420	6091


Note: LME06LTL08.1 for body only
LME06LTL08.3 for nut and cutting ring included

T ADAPTER DIN MALE/DIN MALE/DIN STANDPIPE

ADATTATORE T MASCHIO DIN - TUBO DIN AL PIEDE

F1 - DIN

F2 - DIN



Code	F1 mm	H1 mm	L1 mm	L2 mm	L3 mm	T mm	T1 mm	PN bar	PN psi
TME06LTL06P.1	12x1,5	12	12	26,5	19	6	6	500	7251
TME08LTL08P.1	14x1,5	12	14	27,5	21	8	8	500	7251
TME10LTL10P.1	16x1,5	14	15	29	22	10	10	500	7251
TME12LTL12P.1	18x1,5	17	17	29,5	24	12	12	400	5801
TME15LTL15P.1	22x1,5	19	21	32,5	28	15	15	400	5801
TME18LTL18P.1	26x1,5	24	23,5	37	31	18	18	400	5801
TME22LTL22P.1	30x2	27	27,5	39	35	22	22	250	3626
TME28LTL28P.1	36x2	36	30,5	45	38	28	28	250	3626
TME35LTL35P.1	45x2	41	34,5	51	45	35	35	250	3626
TME42LTL42P.1	52x2	50	40	56	51	42	42	250	3626
TME06STS06P.1	14x1,5	12	16	27,5	23	6	6	800	11603
TME08STS08P.1	16x1,5	14	17	27,5	24	8	8	800	11603
TME10STS10P.1	18x1,5	17	17,5	30	25	10	10	800	11603
TME12STS12P.1	20x1,5	17	21,5	31	29	12	12	630	9137
TME14STS14P.1	22x1,5	19	22	35	30	14	14	630	9137
TME16STS16P.1	24x1,5	24	24,5	38	33	16	16	630	9137
TME20STS20P.1	30x2	27	26,5	45	37	20	20	420	6091
TME25STS25P.1	36x2	36	30	50	42	25	25	420	6091
TME30STS30P.1	42x2	41	35,5	57	49	30	30	420	6091
TME38STS38P.1	52x2	50	41	63	57	38	38	420	6091


Note: TME06LTL06P.1 for body only
TME06LTL06P.3 for nut and cutting ring included

T ADAPTER DIN STANDPIPE/DIN MALE/DIN MALE

ADATTATORE T MASCHIO DIN - TUBO AL BRACCIO

F1 - DIN

F2 - DIN




Code	F1 mm	H1 mm	L1 mm	L2 mm	L3 mm	T mm	T1 mm	PN bar	PN psi
TME06LTL06B.1	12x1,5	12	12	26,5	19	6	6	500	7251
TME08LTL08B.1	14x1,5	12	14	27,5	21	8	8	500	7251
TME10LTL10B.1	16x1,5	14	15	29	22	10	10	500	7251
TME12LTL12B.1	18x1,5	17	17	29,5	24	12	12	400	5801
TME15LTL15B.1	22x1,5	19	21	32,5	28	15	15	400	5801
TME18LTL18B.1	26x1,5	24	23,5	37	31	18	18	400	5801
TME22LTL22B.1	30x2	27	27,5	39	35	22	22	250	3626
TME28LTL28B.1	36x2	36	30,5	45	38	28	28	250	3626
TME35LTL35B.1	45x2	41	34,5	51	45	35	35	250	3626
TME42LTL42B.1	52x2	50	40	56	51	42	42	250	3626
TME06STS06B.1	14x1,5	12	16	27,5	23	6	6	800	11603
TME08STS08B.1	16x1,5	14	17	27,5	24	8	8	800	11603
TME10STS10B.1	18x1,5	17	17,5	30	25	10	10	800	11603
TME12STS12B.1	20x1,5	17	21,5	31	29	12	12	630	9137
TME14STS14B.1	22x1,5	19	22	35	30	14	14	630	9137
TME16STS16B.1	24x1,5	24	24,5	38	33	16	16	630	9137
TME20STS20B.1	30x2	27	26,5	45	37	20	20	420	6091
TME25STS25B.1	36x2	36	30	53	42	25	25	420	6091
TME30STS30B.1	42x2	41	35,5	57	49	30	30	420	6091
TME38STS38B.1	52x2	50	41	63	57	38	38	420	6091

Note: TME06LTL06B.1 for body only
TME06LTL06B.3 for nut and cutting ring included

DIN FEMALE SWIVEL WITH O-RING-DIN FEMALE SWIVEL WITH O-RING

ADATTATORE DIRITTO FEMMINA GIREVOLE CON O-RING- FEMMINA GIREVOLE CON O-RING

F1 - DIN
F2 - DIN




Code	F1 mm	F2 mm	H1 mm	H2 mm	L1 mm	PN bar	PN psi
AFE06L	12x1,5	12x1,5	14	14	38	500	7251
AFE08L	14x1,5	14x1,5	17	17	40	500	7251
AFE10L	16x1,5	16x1,5	19	19	39,5	500	7251
AFE12L	18x1,5	18x1,5	22	22	39	400	5801
AFE15L	22x1,5	22x1,5	27	27	47	400	5801
AFE18L	26x1,5	26x1,5	32	32	43,5	400	5801
AFE22L	30x2	30x2	36	36	48	250	3626
AFE28L	36x2	36x2	41	41	52	250	3626
AFE35L	45x2	45x2	50	50	60	250	3626
AFE42L	52x2	52x2	60	60	60,5	250	3626
AFE06S	14x1,5	14x1,5	17	17	38	800	11603
AFE08S	16x1,5	16x1,5	19	19	38,5	800	11603
AFE10S	18x1,5	18x1,5	22	22	44	800	11603
AFE12S	20x1,5	20x1,5	24	24	42	630	9137
AFE14S	22x1,5	22x1,5	27	27	45,5	630	9137
AFE16S	24x1,5	24x1,5	30	30	51,5	630	9137
AFE20S	30x2	30x2	36	36	56	420	6091
AFE25S	36x2	36x2	46	46	60,5	420	6091
AFE30S	42x2	42x2	50	50	62	420	6091
AFE38S	52x2	52x2	60	60	70	420	6091

RED. DIN FEMALE SWIVEL WITH O-RING-DIN FEMALE SWIVEL
WITH O-RING (1)

ADATTATORE RIDOTTO FEMMINA GIREVOLE CON O-RING- FEMMINA GIREVOLE
CON O-RING

F1 - DIN
F2 - DIN




Code	F1 mm	F2 mm	H1 mm	H2 mm	L1 mm	PN bar	PN psi
AFE08L06S	14x1,5	14X1,5	17	17	32,5	500	7251
AFE0806L	14X1,5	12x1,5	17	14	33	500	7251
AFE08L08S	14x1,5	16X1,5	19	17	32,5	500	7251
AFE1006L	16X1,5	12x1,5	19	14	34	500	7251
AFE1008L	16X1,5	14X1,5	19	17	39,5	500	7251
AFE10L10S	16x1,5	18X1,5	19	22	34	500	7251
AFE1206L	18x1,5	12x1,5	22	14	35,5	400	5801
AFE1208L	18X1,5	14X1,5	22	17	34	400	5801
AFE1210L	18x1,5	16x1,5	22	19	39	400	5801
AFE12L12S	18x1,5	20X1,5	22	24	36,5	400	5801
AFE1508L	22x1,5	14X1,5	27	17	39	400	5801
AFE1510L	22x1,5	16X1,5	27	19	39	400	5801
AFE1512L	22x1,5	18x1,5	27	22	43,5	400	5801
AFE1810L	26X1,5	16X1,5	32	19	37	400	5801
AFE1812L	26X1,5	18x1,5	32	22	36,5	400	5801
AFE1815L	26X1,5	22x1,5	32	27	38,5	400	5801
AFE18L16S	26X1,5	24X1,5	32	30	39	400	5801
AFE2212L	30x2	18x1,5	36	22	43	250	3626
AFE2215L	30x2	22x1,5	36	27	42,5	250	3626
AFE2218L	30x2	26X1,5	36	32	42	250	3626
AFE2815L	36X2	18x1,5	41	27	46,5	250	3626
AFE2818L	36X2	26X1,5	41	32	46	250	3626
AFE2822L	36X2	30x2	41	36	46	250	3626
AFE28L25S	36x2	36X2	41	46	46	250	3626
AFE3518L	45X2	26X1,5	50	32	48	250	3626
AFE3522L	45X2	30x2	50	36	48	250	3626

RED. DIN FEMALE SWIVEL WITH O-RING-DIN FEMALE SWIVEL
WITH O-RING (2)

ADATTATORE RIDOTTO FEMMINA GIREVOLE CON O-RING- FEMMINA GIREVOLE
CON O-RING

F1 - DIN
F2 - DIN




Code	F1 mm	F2 mm	H1 mm	H2 mm	L1 mm	PN bar	PN psi
AFE3528L	45X2	36X2	50	41	48	250	3626
AFE35L30S	45x2	42X2	50	50	52	250	3626
AFE4222L	52X2	30x2	60	36	52	250	3626
AFE4228L	52X2	36X2	60	41	52	250	3626
AFE4235L	52X2	45X2	60	50	52	250	3626
AFE42L38S	52X2	52X2	60	60	52	250	3626
AFE0806S	16X1,5	14X1,5	19	17	33	800	11602
AFE1006S	18X1,5	14X1,5	22	17	33	800	11602
AFE1008S	18X1,5	16X1,5	22	19	33	800	11602
AFE1206S	20X1,5	14X1,5	24	17	36	630	9136
AFE1208S	20X1,5	16X1,5	24	19	36	630	9136
AFE1210S	20X1,5	18X1,5	24	22	36	630	9136
AFE1406S	22X1,5	14X1,5	27	17	39	630	9136
AFE1408S	22X1,5	16X1,5	27	19	39	630	9136
AFE1410S	22X1,5	18X1,5	27	22	39	630	9136
AFE1412S	22X1,5	20X1,5	27	24	39	630	9136
AFE1610S	24X1,5	18X1,5	30	22	39	630	9136
AFE1612S	24X1,5	20X1,5	30	24	39	630	9136
AFE16S15L	24X1,5	18X1,5	30	27	39,5	400	5801
AFE2012S	30X2	20X1,5	36	24	44	630	9136
AFE2016S	30X2	24X1,5	36	30	52,5	630	9136
AFE20S18L	30X2	26X1,5	36	32	44	400	5801
AFE2516S	36X2	24X1,5	46	30	46	630	9136
AFE2520S	36X2	30X2	46	36	46	420	6091
AFE25S22L	36X2	30x2	46	36	46	250	3626
AFE3016S	42X2	24X1,5	50	30	52	630	9136

**RED. DIN FEMALE SWIVEL WITH O-RING-DIN FEMALE SWIVEL
WITH O-RING (3)**

ADATTATORE RIDOTTO FEMMINA GIREVOLE CON O-RING- FEMMINA GIREVOLE
CON O-RING

F1 - DIN
F2 - DIN




Code	F1 mm	F2 mm	H1 mm	H2 mm	L1 mm	PN bar	PN psi
AFE3020S	42X2	30X2	50	36	52	420	6091
AFE3025S	42X2	36X2	50	46	52	420	6091
AFE30S28L	42X2	36X2	50	41	52	250	3626
AFE3820S	52X2	30X2	60	36	52	420	6091
AFE3825S	52X2	36X2	60	46	52	420	6091
AFE3830S	52X2	42X2	60	50	52	420	6091
AFE38S35L	52X2	45x2	60	50	52	250	3626

MALE DIN - FEMALE BSPP PORT ACC. TO ISO 1179-1

MASCHIO DIN - FEMMINA BSPP PER PORTA ACCESSORI ISO 1179-1

F1 - DIN
F2 - BSPP




Code	F1 mm	F2 inch	H1 mm	L1 mm	L2 mm	L3 mm	T1 mm	PN bar	PN psi
AME06LMAN04.1	12x1,5	1/4	19	29	18,5	3,5	6	500	7251
AME08LMAN04.1	14x1,5	1/4	19	29	14,5	7,5	8	500	7251
AME10LMAN04.1	16x1,5	1/4	19	30	14,5	8,5	10	500	7251
AME12LMAN04.1	18x1,5	1/4	19	30	14,5	8,5	12	400	5801
AME06SMAN08.1	12x1,5	1/2	27	38	25	6	6	800	11602
AME08SMAN08.1	14x1,5	1/2	27	38	25	6	8	800	11602
AME10SMAN08.1	16x1,5	1/2	27	38	20	10,5	10	800	11602
AME12SMAN08.1	18x1,5	1/2	27	38	20	10,5	12	630	9136

FEMALE DIN - FEMALE BSPP PORT ACC. TO ISO 1179-1

FEMMINA DIN - FEMMINA BSPP PER PORTA ACCESSORI ISO 1179-1

F1 - DIN
F2 - BSPP




Code	F1 mm	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	T1 mm	PN bar	PN psi
AFE06LMAN04.1	12x1,5	1/4	19	14	14,5	35,5	6	500	7251
AFE08LMAN04.1	14x1,5	1/4	19	17	14,5	35,5	8	500	7251
AFE10LMAN04.1	16x1,5	1/4	19	19	14,5	36	10	500	7251
AFE12LMAN04.1	18x1,5	1/4	19	22	14,5	36	12	400	5801
AFE06SMAN08.1	12x1,5	1/2	27	17	20	43	6	800	11602
AFE08SMAN08.1	14x1,5	1/2	27	19	20	43	8	800	11602
AFE10SMAN08.1	16x1,5	1/2	27	22	20	43	10	800	11602
AFE12SMAN08.1	18x1,5	1/2	27	24	20	45	12	630	9136

DIN MALE STUD COUPLING - BSPP FEMALE (1)

ADATTATORE DIRITTO MASCHIO DIN - FEMMINA FISSA GAS CILINDRICA

F1 - DIN
F2 - BSPP




Code	F1 mm	F2 inch	H1 mm	L1 mm	L2 mm	L3 mm	T1 mm	PN bar	PN psi
AME06LFFG02.1	12x1,5	1/8	14	10	19	26	6	500	7251
AME06LFFG04.1	12x1,5	1/4	19	14	24	31	6	500	7251
AME08LFFG04.1	14x1,5	1/4	19	14	24	31	8	500	7251
AME08LFFG06.1	14X1,5	3/8	24	12	25	32	8	500	7251
AME08LFFG08.1	14X1,5	1/2	27	14	29	36	8	500	7251
AME10LFFG04.1	16x1,5	1/4	19	14	25	32	10	500	7251
AME10LFFG06.1	16X1,5	3/8	24	12	26	33	10	500	7251
AME10LFFG08.1	16X1,5	1/2	27	14	30	37	10	500	7251
AME12LFFG04.1	18x1,5	1/4	19	14	25	32	12	400	5801
AME12LFFG06.1	18x1,5	3/8	24	14	26	33	12	400	5801
AME12LFFG08.1	18x1,5	1/2	27	17	30	37	12	400	5801
AME15LFFG04.1	22x1,5	1/4	24	14	26	33	15	400	5801
AME15LFFG06.1	22x1,5	3/8	24	14	27	34	15	400	5801
AME15LFFG08.1	22x1,5	1/2	27	17	31	41	15	400	5801
AME18LFFG06.1	26x1,5	3/8	27	12	26	34	18	400	5801
AME18LFFG08.1	26x1,5	1/2	27	17	30,5	38	18	400	5801
AME18LFFG12.1	26x1,5	3/4	36	19	33,5	41	18	400	5801
AME22LFFG12.1	30x2	3/4	36	19	35,5	43	22	250	3626
AME28LFFG16.1	36x2	1	41	21,5	37,5	45	28	250	3626
AME35LFFG20.1	45x2	1 1/4	55	23,5	41,5	52	35	250	3626
AME42LFFG24.1	52x2	1 1/2	60	25,5	43	54	42	250	3626
AME06SFFG04.1	14x1,5	1/4	19	14	20	33	6	800	11603
AME08SFFG04.1	16x1,5	1/4	19	14	26	33	8	800	11603
AME10SFFG06.1	18x1,5	3/8	24	14	26,5	34	10	800	11603
AME12SFFG06.1	20x1,5	3/8	24	14	26,5	34	12	630	9137
AME12SFFG08.1	20x1,5	1/2	30	14	30,5	38	12	630	9137

DIN MALE STUD COUPLING - BSPP FEMALE (2)

ADATTATORE DIRITTO MASCHIO DIN - FEMMINA FISSA GAS CILINDRICA

F1 - DIN
F2 - BSPP




Code	F1 mm	F2 inch	H1 mm	L1 mm	L2 mm	L3 mm	T1 mm	PN bar	PN psi
AME14SFFG08.1	22x1,5	1/2	30	17	22	40	14	630	9137
AME16SFFG08.1	24x1,5	1/2	30	17	31,5	40	16	630	9137
AME20SFFG12.1	30x2	3/4	36	19	34,5	45	20	420	6091
AME25SFFG16.1	36x2	1	41	21,5	37	49	25	420	6091
AME30SFFG20.1	42x2	1 1/4	55	23,5	42,5	56	30	420	6091
AME38SFFG24.1	52x2	1 1/2	60	25,5	44	60	38	420	6091

DIN MALE STUD COUPLING - METRIC FEMALE

ADATTATORE DIRITTO MASCHIO DIN - FEMMINA FISSA METRICA

F1 - DIN
F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	L1 mm	L2 mm	L3 mm	T mm	PN bar	PN psi
AME06LFFM10.1	12x1,5	10x1	14	10	9	16	6	500	7251
AME08LFFM12.1	14x1,5	12x1,5	17	14,5	9,5	16,5	8	500	7251
AME10LFFM14.1	16x1,5	14x1,5	19	14,5	10,5	17,5	10	500	7251
AME10LFFM16.1	16x1,5	16x1,5	22	14,5	11,5	18,5	10	500	7251
AME12LFFM16.1	18x1,5	16x1,5	22	14,5	11,5	18,5	12	400	5801
AME15LFFM18.1	22x1,5	18x1,5	24	14,5	16,5	23,5	15	400	5801
AME15LFFM22.1	22x1,5	22x1,5	30	16,5	14,5	21,5	15	400	5801
AME18LFFM22.1	26x1,5	22x1,5	30	16,5	14	21,5	18	400	5801
AME22LFFM26.1	30x2	26x1,5	32	19	15,5	23	22	250	3626
AME28LFFM33.1	36x2	33x2	41	26	11,5	19	28	250	3626
AME35LFFM42.1	45x2	42x2	55	23,5	17	27,5	35	250	3626
AME42LFFM48.1	52x2	48x2	60	25,5	17,5	28,5	42	250	3626
AME06SFFM12.1	14x1,5	12x1,5	17	14,5	11,5	18,5	6	800	11603
AME08SFFM14.1	16x1,5	14x1,5	19	14,5	11,5	18,5	8	800	11603
AME10SFFM16.1	18x1,5	16x1,5	22	14,5	12	19,5	10	800	11603
AME12SFFM18.1	20x1,5	18x1,5	24	14,5	12	19,5	12	630	9137
AME14SFFM20.1	22x1,5	20x1,5	27	16,5	15,5	23,5	14	630	9137
AME16SFFM22.1	24x1,5	22x1,5	30	16,5	15	23,5	16	630	9137
AME20SFFM27.1	30x2	27x2	36	19	15,5	26	20	420	6091
AME25SFFM33.1	36x2	33x2	41	26	11	23	25	420	6091
AME30SFFM42.1	42x2	42x2	55	23,5	19	32,5	30	420	6091
AME38SFFM48.1	52x2	48x2	60	25,5	18,5	34,5	38	420	6091

DIN MALE STUD COUPLING - BSPP MALE FORM B (1)

ADATTATORE DIRITTO M. DIN - M.GAS CILINDRICO FORMA B DIN 3852

F1 - DIN
F2 - BSPP




Code	F1 mm	F2 inch	H1 mm	L1 mm	L2 mm	L3 mm	T mm	PN bar	PN psi
AME06LMG02.1	12x1,5	1/8	14	8	8,5	15,5	6	500	7251
AME06LMG04.1	12x1,5	1/4	19	12	10	17	6	500	7251
AME06LMG06.1	12x1,5	3/8	22	12	11,5	18,5	6	500	7251
AME06LMG08.1	12x1,5	1/2	27	14	12	19	6	500	7251
AME08LMG02.1	14x1,5	1/8	14	8	9,5	16,5	8	500	7251
AME08LMG04.1	14x1,5	1/4	19	12	10	17	8	500	7251
AME08LMG06.1	14x1,5	3/8	22	12	11,5	18,5	8	500	7251
AME08LMG08.1	14x1,5	1/2	27	14	12	19	8	500	7251
AME10LMG02.1	16x1,5	1/8	17	8	10,5	17,5	10	500	7251
AME10LMG04.1	16x1,5	1/4	19	12	11	18	10	500	7251
AME10LMG06.1	16x1,5	3/8	22	12	12,5	19,5	10	500	7251
AME10LMG08.1	16x1,5	1/2	27	14	13	20	10	500	7251
AME12LMG02.1	18x1,5	1/8	19	8	11,5	18,5	12	400	5801
AME12LMG04.1	18x1,5	1/4	19	12	12	19	12	400	5801
AME12LMG06.1	18x1,5	3/8	22	12	12,5	19,5	12	400	5801
AME12LMG08.1	18x1,5	1/2	27	14	13	20	12	400	5801
AME12LMG12.1	18x1,5	3/4	32	16	14	21	12	400	5801
AME15LMG06.1	22x1,5	3/8	24	12	13,5	20,5	15	400	5801
AME15LMG08.1	22x1,5	1/2	27	14	14	21	15	400	5801
AME15LMG12.1	22x1,5	3/4	32	16	15	22	15	400	5801
AME18LMG06.1	26x1,5	3/8	27	12	14,5	22	18	400	5801
AME18LMG08.1	26x1,5	1/2	27	14	14,5	22	18	400	5801
AME18LMG12.1	26x1,5	3/4	32	16	14,5	22	18	400	5801
AME22LMG08.1	30x2	1/2	32	14	16,5	24	22	250	3626
AME22LMG12.1	30x2	3/4	32	16	16,5	24	22	250	3626
AME22LMG16.1	30x2	1	41	18	17,5	25	22	250	3626

DIN MALE STUD COUPLING - BSPP MALE FORM B (2)

ADATTATORE DIRITTO M. DIN - M.GAS CILINDRICO FORMA B DIN 3852

F1 - DIN
F2 - BSPP




Code	F1 mm	F2 inch	H1 mm	L1 mm	L2 mm	L3 mm	T mm	PN bar	PN psi
AME28LMG08.1	36x2	1/2	41	14	17,5	25	28	250	3626
AME28LMG12.1	36x2	3/4	41	16	17,5	25	28	250	3626
AME28LMG16.1	36x2	1	41	18	17,5	25	28	250	3626
AME28LMG20.1	36x2	1 1/4	50	20	18,5	26	28	250	3626
AME35LMG08.1	45x2	1/2	46	14	17,5	28	35	250	3626
AME35LMG12.1	45x2	3/4	46	16	17,5	28	35	250	3626
AME35LMG16.1	45x2	1	46	18	17,5	28	35	250	3626
AME35LMG20.1	45x2	1 1/4	50	20	17,5	28	35	250	3626
AME35LMG24.1	45x2	1 1/2	55	22	19,5	30	35	250	3626
AME42LMG16.1	52x2	1	55	18	19	30	42	250	3620
AME42LMG20.1	52x2	1 1/4	55	20	19	30	42	250	3626
AME42LMG24.1	52x2	1 1/2	55	22	19	30	42	250	3626
AME06SMG02.1	14x1,5	1/8	14	8	12,5	19,5	6	800	11603
AME06SMG04.1	14x1,5	1/4	19	12	13	20	6	800	11603
AME06SMG06.1	14x1,5	3/8	22	12	15,5	22,5	6	800	11603
AME06SMG08.1	14x1,5	1/2	27	14	18	25	6	800	11603
AME08SMG04.1	16x1,5	1/4	19	12	15	22	8	800	11603
AME08SMG06.1	16x1,5	3/8	22	12	15,5	22,5	8	800	11603
AME08SMG08.1	16x1,5	1/2	27	14	18	25	8	800	11603
AME10SMG04.1	18x1,5	1/4	19	12	14,5	22	10	800	11603
AME10SMG06.1	18x1,5	3/8	22	12	15	22,5	10	800	11603
AME10SMG08.1	18x1,5	1/2	27	14	17,5	25	10	800	11603
AME12SMG04.1	20x1,5	1/4	22	12	16,5	24	12	630	9137
AME12SMG06.1	20x1,5	3/8	22	12	17	24,5	12	630	9137
AME12SMG08.1	20x1,5	1/2	27	14	17,5	25	12	630	9137
AME12SMG12.1	20x1,5	3/4	32	16	19,5	27	12	630	9137

DIN MALE STUD COUPLING - BSPP MALE FORM B (3)

ADATTATORE DIRITTO M. DIN - M.GAS CILINDRICO FORMA B DIN 3852

F1 - DIN
F2 - BSPP




Code	F1 mm	F2 inch	H1 mm	L1 mm	L2 mm	L3 mm	T mm	PN bar	PN psi
AME14SMG06.1	22x1,5	3/8	24	12	18,5	26,5	14	630	9137
AME14SMG08.1	22x1,5	1/2	27	14	19	27	14	630	9137
AME16SMG06.1	24x1,5	3/8	27	12	18	26,5	16	630	9137
AME16SMG08.1	24x1,5	1/2	27	14	18,5	27	16	630	9137
AME16SMG12.1	24x1,5	3/4	32	16	20,5	29	16	630	9137
AME20SMG08.1	30x2	1/2	32	14	20,5	31	20	420	6091
AME20SMG12.1	30x2	3/4	32	16	20,5	31	20	420	6091
AME20SMG16.1	30x2	1	41	18	22,5	33	20	420	6091
AME20SMG20.1	30x2	1 1/4	50	20	22,5	33	20	420	6091
AME25SMG12.1	36x2	3/4	41	16	23	35	25	420	6091
AME25SMG16.1	36x2	1	41	18	23	35	25	420	6091
AME25SMG20.1	36x2	1 1/4	50	20	23	35	25	420	6091
AME30SMG16.1	42x2	1	46	18	23,5	37	30	420	6091
AME30SMG20.1	42x2	1 1/4	50	20	23,5	37	30	420	6091
AME38SMG16.1	52x2	1	55	18	26	42	38	420	6091
AME38SMG20.1	52x2	1 1/4	55	20	26	42	38	420	6091
AME38SMG24.1	52x2	1 1/2	55	22	26	42	38	420	6091

DIN MALE STUD COUPLING - BSPP MALE FORM E (1)

ADATTATORE DIRITTO M- DIN -M.GAS CILINDRICO FORMA E DIN 3852

F1 - DIN
F2 - BSPP




Code	F1 mm	F2 inch	H1 mm	L1 mm	L2 mm	L3 mm	T mm	PN bar	PN psi
AME06LLMG02EL.1	10X1	1/8	14	6	8	13,5	6	100	1450
AME06LMG02EL.1	12x1,5	1/8	14	8	8,5	15,5	6	500	7251
AME06LMG04EL.1	12x1,5	1/4	19	12	10	17	6	500	7251
AME06LMG06EL.1	12x1,5	3/8	22	12	11,5	18,5	6	500	7251
AME06LMG08EL.1	12x1,5	1/2	27	14	12	19	6	500	7251
AME08LMG02EL.1	14x1,5	1/8	14	8	9,5	16,5	8	500	7251
AME08LMG04EL.1	14x1,5	1/4	19	12	10	17	8	500	7251
AME08LMG06EL.1	14x1,5	3/8	22	12	11,5	18,5	8	500	7251
AME08LMG08EL.1	14x1,5	1/2	27	14	12	19	8	500	7251
AME10LMG02EL.1	16x1,5	1/8	17	8	10,5	17,5	10	500	7251
AME10LMG04EL.1	16x1,5	1/4	19	12	11	18	10	500	7251
AME10LMG06EL.1	16x1,5	3/8	22	12	12,5	19,5	10	500	7251
AME10LMG08EL.1	16x1,5	1/2	27	14	13	20	10	500	7251
AME12LMG02EL.1	18x1,5	1/8	19	8	11,5	18,5	12	400	5801
AME12LMG04EL.1	18x1,5	1/4	19	12	12	19	12	400	5801
AME12LMG06EL.1	18x1,5	3/8	22	12	12,5	19,5	12	400	5801
AME12LMG08EL.1	18x1,5	1/2	27	14	13	20	12	400	5801
AME12LMG12EL.1	18x1,5	3/4	32	16	14	21	12	400	5801
AME15LMG06EL.1	22x1,5	3/8	24	12	13,5	20,5	15	400	5801
AME15LMG08EL.1	22x1,5	1/2	27	14	14	21	15	400	5801
AME15LMG12EL.1	22x1,5	3/4	32	16	15	22	15	400	5801
AME18LMG06EL.1	26x1,5	3/8	27	12	14,5	22	18	400	5801
AME18LMG08EL.1	26x1,5	1/2	27	14	14,5	22	18	400	5801
AME18LMG12EL.1	26x1,5	3/4	32	16	14,5	22	18	400	5801
AME22LMG08EL.1	30x2	1/2	32	14	16,5	24	22	250	3626
AME22LMG12EL.1	30x2	3/4	32	16	16,5	24	22	250	3626

DIN MALE STUD COUPLING - BSPP MALE FORM E (2)

ADATTATORE DIRITTO M- DIN -M.GAS CILINDRICO FORMA E DIN 3852

F1 - DIN

F2 - BSPP




Code	F1 mm	F2 inch	H1 mm	L1 mm	L2 mm	L3 mm	T mm	PN bar	PN psi
AME22LMG16EL.1	30x2	1	41	18	17,5	25	22	250	3626
AME28LMG08EL.1	36x2	1/2	41	14	17,5	25	28	250	3626
AME28LMG12EL.1	36x2	3/4	41	16	17,5	25	28	250	3626
AME28LMG16EL.1	36x2	1	41	18	17,5	25	28	250	3626
AME28LMG20EL.1	36x2	1 1/4	50	20	18,5	26	28	250	3626
AME28LMG24EL.1	36x2	1 1/2	55	22	20,5	28	28	250	3626
AME35LMG16EL.1	45x2	1	46	18	17,5	28	35	250	3626
AME35LMG20EL.1	45x2	1 1/4	50	20	17,5	28	35	250	3626
AME42LMG16EL.1	52x2	1	55	18	19	30	42	250	3626
AME42LMG20EL.1	52x2	1 1/4	55	20	19	30	42	250	3626
AME42LMG24EL.1	52x2	1 1/2	55	22	19	30	42	250	3626
AME06SMG02EL.1	14x1,5	1/8	14	8	12,5	19,5	6	800	11603
AME06SMG04EL.1	14x1,5	1/4	19	12	13	20	6	800	11603
AME06SMG06EL.1	14x1,5	3/8	22	12	15,5	22,5	6	800	11603
AME06SMG08EL.1	14x1,5	1/2	27	14	18	25	6	800	11603
AME08SMG04EL.1	16x1,5	1/4	19	12	15	22	8	800	11603
AME08SMG06EL.1	16x1,5	3/8	22	12	15,5	22,5	8	800	11603
AME08SMG08EL.1	16x1,5	1/2	27	14	18	25	8	800	11603
AME10SMG04EL.1	18x1,5	1/4	19	12	14,5	22	10	800	11603
AME10SMG06EL.1	18x1,5	3/8	22	12	15	22,5	10	800	11603
AME10SMG08EL.1	18x1,5	1/2	27	14	17,5	25	10	800	11603
AME12SMG04EL.1	20x1,5	1/4	22	12	16,5	24	12	630	9137
AME12SMG06EL.1	20x1,5	3/8	22	12	17	24,5	12	630	9137
AME12SMG08EL.1	20x1,5	1/2	27	14	17,5	25	12	630	9137
AME12SMG16EL.1	20x1,5	1	41	18	15,5	23	12	630	9137
AME14SMG06EL.1	22x1,5	3/8	24	12	18,5	26,5	14	630	9137

DIN MALE STUD COUPLING - BSPP MALE FORM E (3)

ADATTATORE DIRITTO M- DIN -M.GAS CILINDRICO FORMA E DIN 3852

F1 - DIN
F2 - BSPP




Code	F1 mm	F2 inch	H1 mm	L1 mm	L2 mm	L3 mm	T mm	PN bar	PN psi
AME14SMG08EL.1	22x1,5	1/2	27	14	19	27	14	630	9137
AME16SMG06EL.1	24x1,5	3/8	27	12	18	26,5	16	630	9137
AME16SMG08EL.1	24x1,5	1/2	27	14	18,5	27	16	630	9137
AME16SMG12EL.1	24x1,5	3/4	32	16	20,5	29	16	630	9137
AME16SMG16EL.1	24x1,5	1	41	18	16,5	25	16	630	9137
AME20SMG08EL.1	30x2	1/2	32	14	20,5	31	20	420	6091
AME20SMG12EL.1	30x2	3/4	32	16	20,5	31	20	420	6091
AME20SMG16EL.1	30x2	1	41	18	22,5	33	20	420	6091
AME20SMG20EL.1	30x2	1 1/4	50	20	22,5	33	20	420	6091
AME25SMG08EL.1	36x2	1/2	41	14	23	35	25	420	6091
AME25SMG12EL.1	36x2	3/4	41	16	23	35	25	420	6091
AME25SMG16EL.1	36x2	1	41	18	23	35	25	420	6091
AME25SMG20EL.1	36x2	1/4	50	20	23	35	25	420	6091
AME25SMG24EL.1	36x2	1 1/2	55	22	26	38	25	420	6091
AME30SMG12EL.1	42x2	3/4	46	16	23,5	37	30	420	6091
AME30SMG16EL.1	42x2	1	46	18	23,5	37	30	420	6091
AME30SMG20EL.1	42x2	1 1/4	50	20	23,5	37	30	420	6091
AME30SMG24EL.1	42x2	1 1/2	55	22	26,5	40	30	420	6091
AME38SMG20EL.1	52x2	1 1/4	55	20	26	42	38	420	6091
AME38SMG24EL.1	52x2	1 1/2	55	22	26	42	38	420	6091

DIN MALE STUD COUPLING SV 60° - BSPP MALE (1)

ADATTATORE DIRITTO M. DIN - M. GAS CILINDRICO SV 60°

F1 - DIN
F2 - BSPP




Code	F1 mm	F2 inch	H1 mm	L1 mm	L2 mm	L3 mm	T mm	PN bar	PN psi
AME06LMG02SV.1	12x1,5	1/8	14	8	8,5	15,5	6	500	7251
AME06LMG04SV.1	12x1,5	1/4	19	12	10	17	6	500	7251
AME06LMG06SV.1	12x1,5	3/8	22	12	11,5	18,5	6	500	7251
AME06LMG08SV.1	12x1,5	1/2	27	14	12	19	6	500	7251
AME08LMG02SV.1	14x1,5	1/8	14	8	9,5	16,5	8	500	7251
AME08LMG04SV.1	14x1,5	1/4	19	12	10	17	8	500	7251
AME08LMG06SV.1	14x1,5	3/8	22	12	11,5	18,5	8	500	7251
AME08LMG08SV.1	14x1,5	1/2	27	14	12	19	8	500	7251
AME10LMG02SV.1	16x1,5	1/8	17	8	10,5	17,5	10	500	7251
AME10LMG04SV.1	16x1,5	1/4	19	12	11	18	10	500	7251
AME10LMG06SV.1	16x1,5	3/8	22	12	12,5	19,5	10	500	7251
AME10LMG08SV.1	16x1,5	1/2	27	14	13	20	10	500	7251
AME12LMG04SV.1	18x1,5	1/4	19	12	12	19	12	400	5801
AME12LMG06SV.1	18x1,5	3/8	22	12	12,5	19,5	12	400	5801
AME12LMG08SV.1	18x1,5	1/2	27	14	13	20	12	400	5801
AME12LMG12SV.1	18x1,5	3/4	32	16	14	21	12	400	5801
AME15LMG06SV.1	22x1,5	3/8	24	12	13,5	20,5	15	400	5801
AME15LMG08SV.1	22x1,5	1/2	27	14	14	21	15	400	5801
AME15LMG12SV.1	22x1,5	3/4	32	16	15	22	15	400	5801
AME18LMG06SV.1	26x1,5	3/8	27	12	14,5	22	18	400	5801
AME18LMG08SV.1	26x1,5	1/2	27	14	14,5	22	18	400	5801
AME18LMG12SV.1	26x1,5	3/4	32	16	14,5	22	18	400	5801
AME22LMG08SV.1	30x2	1/2	32	14	16,5	24	22	250	3626
AME22LMG12SV.1	30x2	3/4	32	16	16,5	24	22	250	3626
AME22LMG16SV.1	30x2	1	41	18	17,5	25	22	250	3626
AME28LMG12SV.1	36x2	3/4	41	16	17,5	25	28	250	3626

DIN MALE STUD COUPLING SV 60° - BSPP MALE (2)

ADATTATORE DIRITTO M. DIN - M. GAS CILINDRICO SV 60°

F1 - DIN

F2 - BSPP




Code	F1 mm	F2 inch	H1 mm	L1 mm	L2 mm	L3 mm	T mm	PN bar	PN psi
AME28LMG16SV.1	36x2	1	41	18	17,5	25	28	250	3626
AME35LMG16SV.1	45x2	1	46	18	17,5	28	35	250	3626
AME35LMG20SV.1	45x2	1 1/4	50	20	17,5	28	35	250	3626
AME42LMG20SV.1	52x2	1 1/4	55	20	19	30	42	250	3626
AME42LMG24SV.1	52x2	1 1/2	55	22	19	30	42	250	3626
AME06SMG04SV.1	14x1,5	1/4	19	12	13	20	6	800	11603
AME06SMG08SV.1	14x1,5	1/2	27	14	18	25	6	800	11603
AME08SMG04SV.1	16x1,5	1/4	19	12	15	22	8	800	11603
AME08SMG06SV.1	16x1,5	3/8	22	12	15,5	22,5	8	800	11603
AME10SMG04SV.1	18x1,5	1/4	19	12	14,5	22	10	800	11603
AME10SMG06SV.1	18x1,5	3/8	22	12	15	22,5	10	800	11603
AME10SMG08SV.1	18x1,5	1/2	27	14	17,5	25	10	800	11603
AME12SMG04SV.1	20x1,5	1/4	22	12	16,5	24	12	630	9137
AME12SMG06SV.1	20x1,5	3/8	22	12	17	24,5	12	630	9137
AME12SMG08SV.1	20x1,5	1/2	27	14	17,5	25	12	630	9137
AME14SMG06SV.1	22x1,5	3/8	24	12	18,5	26,5	14	630	9137
AME14SMG08SV.1	22x1,5	1/2	27	14	19	27	14	630	9137
AME16SMG06SV.1	24x1,5	3/8	27	12	18	26,5	16	630	9137
AME16SMG08SV.1	24x1,5	1/2	27	14	18,5	27	16	630	9137
AME16SMG12SV.1	24x1,5	3/4	32	16	20,5	29	16	630	9137
AME20SMG08SV.1	30x2	1/2	32	14	20,5	31	20	420	6091
AME20SMG12SV.1	30x2	3/4	32	16	20,5	31	20	420	6091
AME20SMG16SV.1	30x2	1	41	18	22,5	33	20	420	6091
AME25SMG08SV.1	36x2	1/2	41	14	23	35	25	420	6091
AME25SMG12SV.1	36x2	3/4	41	16	23	35	25	420	6091
AME25SMG16SV.1	36x2	1	41	18	23	35	25	420	6091

DIN MALE STUD COUPLING SV 60° - BSPP MALE (3)

ADATTATORE DIRITTO M. DIN - M. GAS CILINDRICO SV 60°

F1 - DIN
F2 - BSPP




Code	F1 mm	F2 inch	H1 mm	L1 mm	L2 mm	L3 mm	T mm	PN bar	PN psi
AME30SMG16SV.1	42x2	1	46	18	23,5	37	30	420	6091
AME30SMG20SV.1	42x2	1 1/4	50	20	23,5	37	30	420	6091
AME38SMG16SV.1	52x2	1	55	18	26	42	38	420	6091
AME38SMG20SV.1	52x2	1 1/4	55	20	26	42	38	420	6091
AME38SMG24SV.1	52x2	1 1/2	55	22	26	42	38	420	6091

DIN MALE BULKHEAD CONNECTION - BSPP MALE FORM E

PASSAPARETE DIRITTO M DIN - M GAS CILINDRICO FORMA E

F1 - DIN
F2 - BSPP




Code	F1 mm	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	A mm	T mm	PN bar	PN psi
APPME06LMG02EL.1	12x1,5	1/8	17	17	8	32,5	39,5	16	6	500	7251
APPME08LMG04EL.1	14x1,5	1/4	19	19	12	34	41	16	8	500	7251
APPME10LMG04EL.1	16x1,5	1/4	22	22	12	36	43	16	10	500	7251
APPME12LMG06EL.1	18x1,5	3/8	24	24	12	37,5	44,5	16	12	400	5801
APPME12LMG08EL.1	18x1,5	1/2	27	24	14	38	45	16	12	400	5801
APPME15LMG08EL.1	22x1,5	1/2	27	30	14	41	48	16	15	400	5801
APPME18LMG08EL.1	26x1,5	1/2	32	36	14	44,5	52	16	18	400	5801
APPME22LMG12EL.1	30x2	3/4	36	41	16	47,5	55	16	22	250	3626
APPME28LMG16EL.1	36x2	1	41	46	18	50,5	58	16	28	250	3626
APPME35LMG20EL.1	45x2	1 1/4	50	55	20	52,5	63	16	35	250	3626
APPME42LMG24EL.1	52x2	1 1/2	60	65	22	53	64	16	42	250	3626
APPME06SMG04EL.1	14x1,5	1/4	19	19	12	38	45	16	6	800	11603
APPME08SMG04EL.1	16x1,5	1/4	22	22	12	39	46	16	8	800	11603
APPME10SMG06EL.1	18x1,5	3/8	24	24	12	41,5	49	16	10	800	11603
APPME12SMG06EL.1	20x1,5	3/8	27	27	12	43	50,5	16	12	630	9137
APPME14SMG08EL.1	22x1,5	1/2	30	30	14	46	54	16	14	630	9137
APPME16SMG08EL.1	24x1,5	1/2	32	32	14	45,5	54	16	16	630	9137
APPME20SMG12EL.1	30x2	3/4	41	41	16	48,5	59	16	20	420	6091
APPME25SMG16EL.1	36x2	1	46	46	18	52	64	16	25	420	6091
APPME30SMG20EL.1	42x2	1 1/4	50	50	20	55,5	69	16	30	420	6091
APPME38SMG24EL.1	52x2	1 1/2	65	65	22	56	72	16	38	420	6091

DIN MALE STUD COUPLING - METRIC MALE FORM B (1)

ADATTATORE DIRITTO M. DIN - M. METRICO FORMA B DIN 3852

F1 - DIN

F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	L1 mm	L2 mm	L3 mm	T mm	PN bar	PN psi
AME08LMM14.1	14x1,5	14x1,5	19	12	10	17	8	500	7251
AME08LMM16.1	14x1,5	16x1,5	22	12	11,5	18,5	8	500	7251
AME08LMM18.1	14x1,5	18x1,5	24	12	11,5	18,5	8	500	7251
AME10LMM10.1	16x1,5	10x1	17	8	10,5	17,5	10	500	7251
AME10LMM12.1	16x1,5	12x1,5	17	12	11	18	10	500	7251
AME10LMM14.1	16x1,5	14x1,5	19	12	11	18	10	500	7251
AME10LMM16.1	16x1,5	16x1,5	22	12	12,5	19,5	10	500	7251
AME10LMM18.1	16x1,5	18x1,5	24	12	12,5	19,5	10	500	7251
AME10LMM22.1	16x1,5	22x1,5	27	14	14	21	10	500	7251
AME12LMM14.1	18x1,5	14x1,5	19	12	12,5	19,5	12	400	5801
AME12LMM16.1	18x1,5	16x1,5	22	12	12,5	19,5	12	400	5801
AME12LMM18.1	18x1,5	18x1,5	24	12	12,5	19,5	12	400	5801
AME12LMM22.1	18x1,5	22x1,5	27	14	14	21	12	400	5801
AME15LMM16.1	22x1,5	16x1,5	24	12	13	20	15	400	5801
AME15LMM18.1	22x1,5	18x1,5	24	12	13,5	20,5	15	400	5801
AME15LMM22.1	22x1,5	22x1,5	27	14	15	22	15	400	5801
AME18LMM18.1	26x1,5	18x1,5	27	12	14	21,5	18	400	5801
AME18LMM22.1	26x1,5	22x1,5	27	14	14,5	22	18	400	5801
AME18LMM26.1	26x1,5	26x1,5	32	16	16,5	24	18	400	5801
AME22LMM22.1	30x2	22x1,5	32	14	16,5	24	22	250	3626
AME22LMM26.1	30x2	26x1,5	32	16	16,5	24	22	250	3626
AME22LMM27.1	30x2	27x2	32	16	16,5	24	22	250	3626
AME28LMM33.1	36x2	33x2	41	18	17,5	25	28	250	3626
AME35LMM42.1	45x2	42x2	50	20	17,5	28	35	250	3626
AME42LMM48.1	52x2	48x2	55	22	19	30	42	250	3626
AME06SMM12.1	14x1,5	12x1,5	17	12	13	20	6	800	11603

DIN MALE STUD COUPLING - METRIC MALE FORM B (2)

ADATTATORE DIRITTO M. DIN - M. METRICO FORMA B DIN 3852

F1 - DIN
F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	L1 mm	L2 mm	L3 mm	T mm	PN bar	PN psi
AME06SMM14.1	14x1,5	14x1,5	19	12	15	22	6	800	11603
AME08SMM14.1	16x1,5	14x1,5	19	12	15	22	8	800	11603
AME10SMM14A.1	18x1,5	14x1,5	19	10	14,5	22	10	800	11603
AME10SMM16.1	18x1,5	16x1,5	22	12	15	22,5	10	800	11603
AME10SMM18.1	18x1,5	18x1,5	24	12	15,5	23	10	800	11603
AME12SMM14.1	20x1,5	14x1,5	22	12	16,5	24	12	630	9137
AME12SMM18.1	20x1,5	18x1,5	24	12	17	24,5	12	630	9137
AME12SMM22.1	20x1,5	22x1,5	27	14	17,5	25	12	630	9137
AME14SMM20.1	22x1,5	20x1,5	27	14	18,5	26,5	14	630	9137
AME16SMM18.1	24x1,5	18x1,5	27	12	18	26,5	16	630	9137
AME16SMM22.1	24x1,5	22x1,5	27	14	18,5	27	16	630	9137
AME20SMM27.1	30x2	27x2	32	16	20,5	31	20	420	6091
AME25SMM27.1	36x2	27x2	41	16	23	35	25	420	6091
AME25SMM33.1	36x2	33x2	41	18	23	35	25	420	6091
AME30SMM42.1	42x2	42x2	50	20	23,5	37	30	420	6091
AME38SMM48.1	52x2	48x2	55	22	26	42	38	420	6091

DIN MALE STUD COUPLING - METRIC MALE - ISO 6149-3

ADATTATORE DIRITTO MASCHIO DIN - M. METRICO FORMA E DIN ISO 6149

F1 - DIN
F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	L1 mm	L2 mm	L3 mm	T mm	PN bar	PN psi
AME06LLMM10-3.1	10x1	10x1	14	6,5	8	13,5	6	500	7251
AME06LMM10-3.1	12x1,5	10x1	14	8,5	8,5	16,5	8	500	7251
AME08LMM12-3.1	14x1,5	12x1,5	17	11	10	17	8	500	7251
AME10LMM14-3.1	16x1,5	14x1,5	19	11	11	18	10	500	7251
AME12LMM16-3.1	18x1,5	16x1,5	22	11,5	12,5	19,5	12	400	5801
AME12LMM22-3.1	18x1,5	22x1,5	27	13	14	21	12	400	5801
AME15LMM18-3.1	22x1,5	18x1,5	24	12,5	13,5	20,5	15	400	5801
AME15LMM22-3.1	22x1,5	22x1,5	27	13,5	15,5	22,5	18	400	5801
AME18LMM22-3.1	26x1,5	22x1,5	27	13	14,5	22	18	400	5801
AME22LMM27-3.1	30x2	27x2	32	16	16,5	24	28	250	3626
AME28LMM33-3.1	36x2	33x2	41	16	17,5	25	35	250	3626
AME35LMM42-3.1	45x2	42x2	50	16	17,5	28	35	250	3626
AME42LMM48-3.1	52x2	48x2	55	17,5	19	30	42	800	11603

DIN MALE STUD COUPLING - METRIC MALE - ISO 6149-2

ADATTATORE DIRITTO MASCHIO DIN - M. METRICO FORMA E DIN ISO 6149

F1 - DIN
F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	L1 mm	L2 mm	L3 mm	T mm	PN bar	PN psi
AME06SMM12-2.1	14x1,5	12x1,5	17	11	13	20	6	800	11603
AME08SMM14-2.1	16x1,5	14x1,5	19	11	15	22	10	800	11603
AME10SMM16-2.1	18x1,5	16x1,5	22	12,5	15	22,5	10	800	11603
AME12SMM18-2.1	20x1,5	18x1,5	24	14	17	24,5	12	630	9137
AME16SMM22-2.1	24x1,5	22x2	27	15	18,5	27	16	630	9137
AME20SMM27-2.1	30x2	27x1,5	32	18,5	20,5	31	20	420	6091
AME25SMM33-2.1	36x2	33x2	41	18,5	23	35	25	420	6091
AME30SMM42-2.1	42x2	42x2	50	19	23,5	37	30	420	6091
AME38SMM48-2.1	52x2	48x2	60	21,5	26	42	38	420	6091

DIN MALE STUD COUPLING - METRIC MALE FORM E (1)

ADATTATORE DIRITTO MASCHIO DIN - M. METRICO FORMA E DIN 3852

F1 - DIN

F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	L1 mm	L2 mm	L3 mm	T mm	PN bar	PN psi
AME06LMM10EL.1	12x1,5	10x1	14	8	8,5	15,5	6	500	7251
AME08LMM10EL.1	14x1,5	10x1	14	8	9,5	16,5	8	500	7251
AME08LMM12EL.1	14x1,5	12x1,5	17	12	10	17	8	500	7251
AME08LMM14EL.1	14x1,5	14x1,5	19	12	10	17	8	500	7251
AME08LMM16EL.1	14x1,5	16x1,5	22	12	11,5	18,5	8	500	7251
AME10LMM12EL.1	16x1,5	12x1,5	17	12	11	18	10	500	7251
AME10LMM14EL.1	16x1,5	14x1,5	19	12	11	18	10	500	7251
AME10LMM16EL.1	16x1,5	16x1,5	22	12	12	19,5	10	500	7251
AME10LMM18EL.1	16x1,5	18x1,5	24	12	12,5	19,5	10	500	7251
AME10LMM22EL.1	16x1,5	22x1,5	27	14	14	21	10	500	7251
AME12LMM14EL.1	18x1,5	14x1,5	19	12	12,5	19,5	12	400	5801
AME12LMM16EL.1	18x1,5	16x1,5	22	12	12,5	19,5	12	400	5801
AME12LMM18EL.1	18x1,5	18x1,5	24	12	12,5	19,5	12	400	5801
AME12LMM22EL.1	18x1,5	22x1,5	27	14	14	21	12	400	5801
AME15LMM16EL.1	22x1,5	16x1,5	24	12	13	20	15	400	5801
AME15LMM18EL.1	22x1,5	18x1,5	24	14	13,5	20,5	15	400	5801
AME15LMM22EL.1	22x1,5	22x1,5	27	14	15	22	15	400	5801
AME18LMM18EL.1	26x1,5	18x1,5	27	12	14	21,5	18	400	5801
AME18LMM22EL.1	26x1,5	22x1,5	27	14	14,5	22	18	400	5801
AME22LMM22EL.1	30x2	22x1,5	32	14	16,5	24	22	250	3626
AME22LMM26EL.1	30x2	26x1,5	32	16	16,5	24	22	250	3626
AME28LMM33EL.1	36x2	33x2	41	18	17,5	25	28	250	3626
AME35LMM42EL.1	45x2	42x2	50	20	17,5	28	35	250	3626
AME42LMM48EL.1	52x2	48x2	55	22	19	30	42	250	3626
AME06SMM12EL.1	14x1,5	12x1,5	17	12	13	20	6	800	11603
AME08SMM14EL.1	16x1,5	14x1,5	19	12	15	22	8	800	11603

DIN MALE STUD COUPLING - METRIC MALE FORM E (2)

ADATTATORE DIRITTO MASCHIO DIN - M. METRICO FORMA E DIN 3852

F1 - DIN
F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	L1 mm	L2 mm	L3 mm	T mm	PN bar	PN psi
AME10SMM16EL.1	18x1,5	16x1,5	22	12	15	22,5	10	800	11603
AME12SMM16EL.1	20x1,5	16x1,5	22	12	17	24,5	12	630	9137
AME12SMM18EL.1	20x1,5	18x1,5	24	12	17	24,5	12	630	9137
AME12SMM22EL.1	20x1,5	22x1,5	27	14	17,5	25	12	630	9137
AME14SMM20EL.1	22x1,5	20x1,5	27	14	18,5	26,5	14	630	9137
AME16SMM18EL.1	24x1,5	18x1,5	27	12	18	26,5	16	630	9137
AME16SMM22EL.1	24x1,5	22x1,5	27	14	18,5	27	16	630	9137
AME16SMM33EL.1	24x1,5	33x2	41	18	22,5	31	16	630	9137
AME20SMM22EL.1	30x2	22x1,5	32	14	20,5	31	20	420	6091
AME20SMM27EL.1	30x2	27x2	32	16	20,5	31	20	420	6091
AME25SMM33EL.1	36x2	33x2	41	18	23	35	25	420	6091
AME30SMM42EL.1	42x2	42x2	50	20	23,5	37	30	420	6091
AME38SMM48EL.1	52x2	48x2	55	22	26	42	38	420	6091

DIN MALE STUD COUPLING - UNF/UN MALE (1)

ADATTATORE DIRITTO MASCHIO DIN - MASCHIO UNF/UN

F1 - DIN

F2 - UNF




Code	F1 mm	F2 inch	H1 mm	L1 mm	L2 mm	L3 mm	T mm	PN bar	PN psi
AME06LMU04.1	12x1,5	7/16	14	9,1	9,9	16,9	6	500	7251
AME08LMU04.1	14x1,5	7/16	14	9,1	9,9	16,9	8	500	7251
AME08LMU05.1	14x1,5	1/2	17	9,1	9,9	16,9	8	500	7251
AME10LMU04.1	16x1,5	7/16	17	9,1	10,9	17,9	10	500	7251
AME10LMU05.1	16x1,5	1/2	17	9,1	10,9	17,9	10	500	7251
AME12LMU06.1	18x1,5	9/16	19	10	11	18	12	400	5801
AME12LMU08.1	18x1,5	3/4	22	11,1	12,9	19,9	12	400	5801
AME12LMU10.1	18x1,5	7/8	27	12,7	14,3	21,3	12	400	5801
AME15LMU08.1	22x1,5	3/4	24	11,1	13,9	20,9	15	400	5801
AME15LMU10.1	22x1,5	7/8	27	12,7	14,3	21,3	15	400	5801
AME18LMU08.1	26x1,5	3/4	27	11,1	14,4	21,9	18	400	5801
AME18LMU10.1	26x1,5	7/8	27	12,7	14,8	22,3	18	400	5801
AME22LMU10.1	30x2	7/8	32	12,7	16,8	24,3	22	250	3626
AME22LMU12.1	30x2	1 1/16	32	15,1	16,4	23,9	22	250	3626
AME22LMU16.1	30x2	1 5/16	41	15,1	17,4	24,9	22	250	3626
AME28LMU12.1	36x2	1 1/16	41	15,1	17,4	24,9	28	250	3626
AME28LMU16.1	36x2	1 5/16	41	15,1	17,4	24,9	28	250	3626
AME35LMU16.1	45x2	1 5/16	46	15,1	17,4	27,9	35	250	3626
AME35LMU20.1	45x2	1 5/8	50	15,1	17,4	27,9	35	250	3626
AME42LMU20.1	52x2	1 5/8	55	15,1	18,9	29,9	42	250	3626
AME42LMU24.1	52x2	1 7/8	55	15,1	18,9	29,9	42	250	3626
AME06SMU05.1	14x1,5	1/2	17	9,1	14,9	21,9	6	800	11603
AME08SMU04.1	16x1,5	7/16	17	9,1	14,9	21,9	8	800	11603
AME08SMU05.1	16x1,5	1/2	17	9,1	14,9	21,9	8	800	11603
AME10SMU06.1	18x1,5	9/16	19	10	14,5	22	10	800	11603
AME12SMU06.1	20x1,5	9/16	22	10	14,5	22	12	630	9137

DIN MALE STUD COUPLING - UNF/UN MALE (2)

ADATTATORE DIRITTO MASCHIO DIN - MASCHIO UNF/UN

F1 - DIN

F2 - UNF




Code	F1 mm	F2 inch	H1 mm	L1 mm	L2 mm	L3 mm	T mm	PN bar	PN psi
AME12SMU08.1	20x1,5	3/4	22	11,1	17,4	24,9	12	630	9137
AME14SMU08.1	22x1,5	3/4	24	11,1	15,9	23,9	14	630	9137
AME16SMU08.1	24x1,5	3/4	27	11,1	15,4	23,9	16	630	9137
AME16SMU10.1	24x1,5	7/8	27	12,7	18,8	27,3	16	630	9137
AME20SMU08.1	30x2	3/4	32	11,1	20,4	30,9	20	420	6091
AME20SMU10.1	30x2	7/8	32	12,7	20,8	31,3	20	420	6091
AME20SMU12.1	30x2	1 1/16	32	15,1	20,4	30,9	20	420	6091
AME20SMU16.1	30x2	1 5/16	41	15,1	20,4	30,9	20	420	6091
AME25SMU12.1	36x2	1 1/16	41	15,1	22,9	34,9	25	420	6091
AME25SMU16.1	36x2	1 5/16	41	15,1	22,9	34,9	25	420	6091
AME30SMU16.1	42x2	1 5/16	46	15,1	23,4	36,9	30	420	6091
AME30SMU20.1	42x2	1 5/8	50	15,1	23,4	36,9	30	420	6091
AME38SMU20.1	52x2	1 5/8	55	15,1	25,9	41,9	38	420	6091
AME38SMU24.1	52x2	1 7/8	55	15,1	25,9	41,9	38	420	6091

DIN MALE STUD COUPLING - BSPT MALE (1)

ADATTATORE DIRITTO MASCHIO DIN - MASCHIO GAS CONICO

F1 - DIN

F2 - BSPT




Code	F1 mm	F2 inch	H1 mm	L1 mm	L2 mm	L3 mm	T mm	PN bar	PN psi
AME06LLMGK02.1	10x1	1/8	12	8	6,5	12	6	100	1450
AME08LLMGK02.1	12x1	1/8	12	8	7,5	13	8	100	1450
AME08LLMGK04.1	12x1	1/4	14	12	8,5	14	8	100	1450
AME06LMGK02.1	12x1,5	1/8	12	8	7	14	6	500	7251
AME06LMGK04.1	12x1,5	1/4	14	12	8	15	6	500	7251
AME06LMGK06.1	12x1,5	3/8	19	12	11	18	6	500	7251
AME08LMGK02.1	14x1,5	1/8	14	8	8	15	8	500	7251
AME08LMGK04.1	14x1,5	1/4	17	12	8	15	8	500	7251
AME08LMGK06.1	14x1,5	3/8	19	12	9	16	8	500	7251
AME08LMGK08.1	14x1,5	1/2	22	14	9	16	8	500	7251
AME10LMGK02.1	16x1,5	1/8	17	8	9	16	10	500	7251
AME10LMGK04.1	16x1,5	1/4	17	12	9	16	10	500	7251
AME10LMGK06.1	16x1,5	3/8	19	12	10	17	10	500	7251
AME10LMGK08.1	16x1,5	1/2	22	14	10	17	10	500	7251
AME12LMGK04.1	18x1,5	1/4	19	12	10	17	12	400	5801
AME12LMGK06.1	18x1,5	3/8	19	12	10	17	12	400	5801
AME12LMGK08.1	18x1,5	1/2	22	14	10	17	12	400	5801
AME15LMGK06.1	22x1,5	3/8	24	12	11	18	15	400	5801
AME15LMGK08.1	22x1,5	1/2	24	14	11	18	15	400	5801
AME18LMGK06.1	26x1,5	3/8	27	12	11,5	19	18	400	5801
AME18LMGK08.1	26x1,5	1/2	27	14	11,5	19	18	400	5801
AME18LMGK12.1	26x1,5	3/4	32	16	11,5	19	18	400	5801
AME22LMGK12.1	30x2	3/4	32	16	13,5	21	22	250	3626
AME28LMGK16.1	36x2	1	41	18	14,5	22	28	250	3626
AME35LMGK16.1	45x2	1	46	18	14,5	25	35	250	3626
AME35LMGK20.1	45x2	1 1/4	46	20	14,5	25	35	250	3626

DIN MALE STUD COUPLING - BSPT MALE (2)

ADATTATORE DIRITTO MASCHIO DIN - MASCHIO GAS CONICO

F1 - DIN
F2 - BSPT




Code	F1 mm	F2 inch	H1 mm	L1 mm	L2 mm	L3 mm	T mm	PN bar	PN psi
AME42LMGK24.1	52x2	1 1/2	55	23	16	27	42	250	3626
AME06SMGK04.1	14x1,5	1/4	17	12	11	18	6	800	11603
AME08SMGK04.1	16x1,5	1/4	17	12	13	20	8	800	11603
AME10SMGK04.1	18x1,5	1/4	19	13	12,5	20	10	800	11603
AME10SMGK06.1	18x1,5	3/8	19	12	12,5	20	10	800	11603
AME12SMGK04.1	20x1,5	1/4	22	12	14,5	22	12	630	9137
AME12SMGK06.1	20x1,5	3/8	22	12	14,5	22	12	630	9137
AME12SMGK08.1	20x1,5	1/2	22	14	14,5	22	12	630	9137
AME14SMGK06.1	22x1,5	3/8	24	12	16	24	14	630	9137
AME14SMGK08.1	22x1,5	1/2	24	14	16	24	14	630	9137
AME16SMGK06.1	24x1,5	3/8	27	12	15,5	24	16	630	9137
AME16SMGK08.1	24x1,5	1/2	27	14	15,5	24	16	630	9137
AME20SMGK08.1	30x2	1/2	32	14	17,5	28	20	420	6091
AME20SMGK12.1	30x2	3/4	32	16	17,5	28	20	420	6091
AME25SMGK08.1	36x2	1/2	41	14	20	32	25	420	6091
AME25SMGK12.1	36x2	3/4	41	16	20	32	25	420	6091
AME25SMGK16.1	36x2	1	41	18	20	32	25	420	6091
AME30SMGK16.1	42x2	1	46	18	20,5	34	30	420	6091
AME30SMGK20.1	42x2	1 1/4	46	20	20,5	34	30	420	6091
AME38SMGK20.1	52x2	1 1/4	55	20	23	39	38	420	6091
AME38SMGK24.1	52x2	1 1/2	55	23	23	39	38	420	6091

DIN MALE STUD COUPLING - NPT MALE (1)

ADATTATORE DIRITTO MASCHIO DIN - MASCHIO NPT

F1 - DIN

F2 - NPT




Code	F1 mm	F2 inch	H1 mm	L1 mm	L2 mm	L3 mm	T mm	PN bar	PN psi
AME06LLMN02.1	10x1	1/8	12	10	6,5	12	6	100	1450
AME08LLMN02.1	12X1	1/8	12	10	8,5	14	8	100	1450
AME06LMN02.1	12x1,5	1/8	12	10	7	14	6	500	7251
AME06LMN04.1	12x1,5	1/4	14	15	8	15	6	500	7251
AME06LMN06.1	10x1	3/8	17	14,5	8,5	15,5	6	500	7251
AME06LMN08.1	10x1	1/2	22	19,5	9,5	16,5	6	500	7251
AME08LMN02.1	14x1,5	1/8	14	10	8	15	8	500	7251
AME08LMN04.1	14x1,5	1/4	17	15	8	15	8	500	7251
AME08LMN06.1	14x1,5	3/8	19	15	9	16	8	500	7251
AME08LMN08.1	14x1,5	1/2	22	19,5	9,5	16,5	8	500	7251
AME10LMN02.1	16x1,5	1/8	17	10	9	16	10	500	7251
AME10LMN04.1	16x1,5	1/4	17	15	9	16	10	500	7251
AME10LMN06.1	16x1,5	3/8	19	15	10	17	10	500	7251
AME10LMN08.1	16x1,5	1/2	22	19,5	10,5	17,5	10	500	7251
AME10LMN12.1	16x1,5	3/4	30	19,5	11,5	18,5	10	500	7251
AME12LMN02.1	18x1,5	1/8	19	10	9	16	12	400	5801
AME12LMN04.1	18x1,5	1/4	19	15	10	17	12	400	5801
AME12LMN06.1	18x1,5	3/8	19	15	10	17	12	400	5801
AME12LMN08.1	18x1,5	1/2	22	19,5	10,5	17,5	12	400	5801
AME15LMN06.1	22x1,5	3/8	24	15	11	18	15	400	5801
AME15LMN08.1	22x1,5	1/2	24	19,5	11,5	18,5	15	400	5801
AME15LMN12.1	22x1,5	3/4	30	19,5	12,5	19,5	15	400	5801
AME15LMN16.1	22x1,5	1	36	24,5	13,5	20,5	15	400	5801
AME18LMN06.1	26x1,5	3/8	27	14,5	12	19,5	18	400	5801
AME18LMN08.1	26x1,5	1/2	27	19,5	12	19,5	18	400	5801
AME18LMN12.1	26x1,5	3/4	32	20	11,5	19	18	400	5801

DIN MALE STUD COUPLING - NPT MALE (2)

ADATTATORE DIRITTO MASCHIO DIN - MASCHIO NPT

F1 - DIN

F2 - NPT




Code	F1 mm	F2 inch	H1 mm	L1 mm	L2 mm	L3 mm	T mm	PN bar	PN psi
AME18LMN16.1	26x1,5	1	36	24,5	13	20,5	18	400	5801
AME22LMN06.1	30x2	3/8	32	14,5	14,5	22	22	250	3626
AME22LMN08.1	30x2	1/2	32	19,5	14	21,5	22	250	3626
AME22LMN12.1	30x2	3/4	32	20	13,5	21	22	250	3626
AME22LMN16.1	30x2	1	36	24,5	15	22,5	22	250	3626
AME28LMN12.1	36x2	3/4	41	19,5	15	22,5	28	250	3626
AME28LMN16.1	36x2	1	41	25	14,5	22	28	250	3626
AME28LMN20.1	36x2	1 1/4	46	25	16,5	24	28	250	3626
AME35LMN16.1	45x2	1	46	24,5	15	25,5	35	250	3620
AME35LMN20.1	45x2	1 1/4	46	25,5	15	25,5	35	250	3626
AME42LMN20.1	52x2	1 1/4	55	25	17	28	42	250	3626
AME42LMN24.1	52x2	1 1/2	55	26	16	27	42	250	3626
AME06SMN02.1	14x1,5	1/8	14	10	11	18	6	800	11603
AME06SMN04.1	14x1,5	1/4	17	15	11	18	6	800	11603
AME06SMN06.1	14x1,5	3/8	19	14,5	11,5	18,5	6	800	11603
AME06SMN08.1	14x1,5	1/2	22	19,5	15,5	22,5	6	800	11603
AME08SMN04.1	16x1,5	1/4	17	15	13	20	8	800	11603
AME08SMN06.1	16x1,5	3/8	19	14,5	13,5	20,5	8	800	11603
AME08SMN08.1	16x1,5	1/2	22	19,5	15,5	22,5	8	800	11603
AME10SMN04.1	18x1,5	1/4	19	15	12,5	20	10	800	11603
AME10SMN06.1	18x1,5	3/8	19	15	12,5	20	10	800	11603
AME10SMN08.1	18x1,5	1/2	22	19,5	15	22,5	10	800	11603
AME10SMN12.1	18x1,5	3/4	30	19,5	17	24,5	10	800	11603
AME12SMN04.1	20x1,5	1/4	22	15	14,5	22	12	630	9137
AME12SMN06.1	20x1,5	3/8	22	15	14,5	22	12	630	9137
AME12SMN08.1	20x1,5	1/2	22	19,5	15	22,5	12	630	9137

DIN MALE STUD COUPLING - NPT MALE (3)

ADATTATORE DIRITTO MASCHIO DIN - MASCHIO NPT

F1 - DIN

F2 - NPT




Code	F1 mm	F2 inch	H1 mm	L1 mm	L2 mm	L3 mm	T mm	PN bar	PN psi
AME14SMN08.1	22x1,5	1/2	24	19,5	16,5	24,5	14	630	9137
AME16SMN06.1	24x1,5	3/8	27	15	15,5	24	16	630	9137
AME16SMN08.1	24x1,5	1/2	27	19,5	16	24,5	16	630	9137
AME16SMN12.1	24x1,5	3/4	30	19,5	18	26,5	16	630	9137
AME16SMN16.1	24x1,5	1	36	24,5	18	26,5	16	630	9137
AME20SMN08.1	30x2	1/2	32	19,5	18	28,5	20	420	6091
AME20SMN12.1	30x2	3/4	32	20	17,5	28	20	420	6091
AME20SMN16.1	30x2	1	36	24,5	20	30,5	20	420	6091
AME25SMN12.1	36x2	3/4	41	20	20	32	25	420	6091
AME25SMN16.1	36x2	1	41	25	20	32	25	420	6091
AME25SMN20.1	36x2	1 1/4	46	25	21	33	25	420	6091
AME25SMN24.1	36x2	1 1/4	50	26	23	35	25	420	6091
AME30SMN16.1	42x2	1	46	25	20,5	34	30	420	6091
AME30SMN20.1	42x2	1 1/4	46	25,5	21	34,5	30	420	6091
AME30SMN24.1	42x2	1 1/2	50	26	20,5	34	30	420	6091
AME38SMN20.1	52x2	1 1/4	55	25	24	40	38	420	6091
AME38SMN24.1	52x2	1 1/2	55	26	23	39	38	420	6091

DIN MALE STUD COUPLING - METRIC TAPER MALE

ADATTATORE DIRITTOMASCHIO DIN -MASCHIO METRICO CONICO

F1 - DIN
F2 - METRIC TAPER




Code	F1 mm	F2 mm	H1 mm	L1 mm	L2 mm	L3 mm	T mm	PN bar	PN psi
AME06LLMMK08.1	10x1	8x1	12	8,5	6,5	12	6	100	1450
AME06LLMMK10.1	10x1	10x1	12	10	6,5	12	6	100	1450
AME08LLMMK10.1	12X1	10x1	12	10	8	14	8	100	1450
AME06LMMK10.1	12x1,5	10x1	12	10	7	14	6	500	7251
AME08LMMK12.1	14x1,5	12x1,5	17	12	8	15	8	500	7251
AME10LMMK14.1	16x1,5	14x1,5	17	12	9	16	10	500	7251
AME12LMMK16.1	18x1,5	16x1,5	19	12	10	17	12	400	5801
AME15LMMK18.1	22x1,5	18x1,5	24	12	11	18	15	400	5801
AME18LMMK22.1	26x1,5	22x1,5	27	14	11,5	19	18	400	5801
AME22LMMK26.1	30x2	26x1,5	32	18	13,5	21	22	250	3626
AME28LMMK33.1	36x2	33x2	41	20	14,5	22	28	250	3626
AME35LMMK42.1	45x2	42x2	46	21	14,5	25	35	250	3626
AME42LMMK48.1	52x2	48x2	55	22	16	27	42	250	3626
AME06SMMK12.1	14x1,5	12x1,5	17	12	12	19	6	800	11603
AME08SMMK14.1	16x1,5	14x1,5	17	12	13	20	8	800	11603
AME10SMMK16.1	18x1,5	16x1,5	19	12	12,5	20	10	800	11603
AME12SMMK18.1	20x1,5	18x1,5	22	12	14,5	22	12	630	9137
AME14SMMK20.1	22x1,5	20x1,5	24	14	16	24	14	630	9137
AME16SMMK22.1	24x1,5	22x1,5	27	14	17,5	26	16	630	9137
AME20SMMK27.1	30x2	27x2	32	18	17,5	28	20	420	6091
AME25SMMK33.1	36x2	33x2	41	20	18	30	25	420	6091
AME30SMMK42.1	42x2	42x2	46	21	19,5	33	30	420	6091
AME38SMMK48.1	52x2	48x2	55	22	22	38	38	420	6091

DIN FEMALE STUD ADAPTER-BSPP MALE FORM E (1)

ADATTATORE F. GIREVOLE - M. GAS CILINDRICO FORMA E DIN 3852

F1 - DIN

F2 - BSPP




Code	F1 mm	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	T mm	PN bar	PN psi
AFE06LMG02EL	12x1,5	1/8	14	14	8	22	6	500	7251
AFE08LMG04EL	14x1,5	1/4	19	17	12	27	8	500	7251
AFE10LMG04EL	16x1,5	1/4	19	19	12	25,5	10	500	7251
AFE10LMG06EL	16x1,5	3/8	22	19	12	26,5	10	500	7251
AFE12LMG04EL	18x1,5	1/4	19	22	12	25,5	12	400	5801
AFE12LMG06EL	18x1,5	3/8	22	22	12	32	12	400	5801
AFE12LMG08EL	18x1,5	1/2	27	22	14	27,5	12	400	5801
AFE15LMG08EL	22x1,5	1/2	27	27	14	31	15	400	5801
AFE15LMG12EL	22x1,5	3/4	32	27	16	32,5	15	400	5801
AFE18LMG08EL	26x1,5	1/2	27	32	14	29	18	400	5801
AFE18LMG12EL	26x1,5	3/4	32	32	16	29	18	400	5801
AFE22LMG12EL	30x2	3/4	32	36	16	32,5	22	250	3626
AFE28LMG16EL	36x2	1	41	41	18	36	28	250	3626
AFE35LMG20EL	45x2	1 1/4	50	50	20	38,5	35	250	3626
AFE42LMG24EL	52x2	1 1/2	55	60	22	42	42	250	3626
AFE06SMG04EL	14x1,5	1/4	19	17	12	24,5	6	800	11603
AFE08SMG04EL	16x1,5	1/4	19	19	12	27	8	800	11603
AFE10SMG06EL	18x1,5	3/8	22	22	12	29,5	10	800	11603
AFE12SMG04EL	20x1,5	1/4	19	24	12	31,5	12	630	9137
AFE12SMG06EL	20x1,5	3/8	22	24	12	31,5	12	630	9137
AFE12SMG08EL	20x1,5	1/2	27	24	14	32	12	630	9137
AFE14SMG08EL	22x1,5	1/2	27	27	14	33,5	14	630	9137
AFE16SMG06EL	24x1,5	3/8	27	30	14	37	26	630	9137
AFE16SMG08EL	24x1,5	1/2	27	30	14	34	16	630	9137
AFE16SMG12EL	24x1,5	3/4	32	30	16	37	16	630	9137
AFE20SMG12EL	30x2	3/4	32	36	16	39	20	420	6091

DIN FEMALE STUD ADAPTER-BSPP MALE FORM E (2)

ADATTATORE F. GIREVOLE - M. GAS CILINDRICO FORMA E DIN 3852

F1 - DIN
F2 - BSPP




Code	F1 mm	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	T mm	PN bar	PN psi
AFE20SMG16EL	30x2	1	41	36	18	44	30	420	6091
AFE25SMG16EL	36x2	1	41	46	18	42	25	420	6091
AFE30SMG16EL	42x2	1	41	50	18	44	30	420	6091
AFE30SMG20EL	42x2	1 1/4	50	50	20	44	30	420	6091
AFE38SMG20EL	52x2	1 1/4	50	60	20	48	38	420	6091
AFE38SMG24EL	52x2	1 1/2	55	60	22	50	38	420	6091

DIN FEMALE STUD ADPTER-METRIC FORM E

ADATTATORE FEMMINA GIREVOLE - MASCHIO METRICO FORMA E

F1 - DIN
F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	T mm	PN bar	PN psi
AFE06LMM10EL	12x1,5	10x1	14	14	8	22	6	500	7251
AFE08LMM12EL	14x1,5	12x1,5	17	17	12	23,5	8	500	7251
AFE10LMM14EL	16x1,5	14x1,5	19	19	12	25,5	10	500	7251
AFE10LMM18EL	16x1,5	18x1,5	24	19	12	26,5	10	500	7251
AFE15LMM18EL	22x1,5	18x1,5	24	27	12	29,5	15	400	5801
AFE15LMM22EL	22x1,5	22x1,5	27	27	14	31	15	400	5801
AFE18LMM22EL	26x1,5	22x1,5	27	32	14	29	18	400	5801
AFE22LMM26EL	30x2	26x1,5	32	36	16	32,5	22	250	3626
AFE28LMM33EL	36x2	33x2	41	41	18	36	28	250	3626
AFE35LMM42EL	45x2	42x2	50	50	20	38,5	35	250	3626
AFE42LMM48EL	52x2	48x2	55	60	22	42	42	250	3626
AFE06SMM12EL	14x1,5	12x1,5	17	17	12	24	6	800	11603
AFE08SMM14EL	16x1,5	14x1,5	19	19	12	27	8	800	11603
AFE10SMM16EL	18x1,5	16x1,5	22	22	12	29,5	10	800	11603
AFE12SMM18EL	20x1,5	18x1,5	24	24	12	30,5	12	630	9137
AFE14SMM20EL	22x1,5	20x1,5	27	27	14	33,5	14	630	9137
AFE16SMM22EL	24x1,5	22x1,5	27	30	14	34	16	630	9137
AFE20SMM27EL	30x2	27x2	32	36	16	41,5	20	420	6091
AFE25SMM33EL	36x2	33x2	41	46	18	42	25	420	6091
AFE30SMM42EL	42x2	42x2	50	50	20	44	30	420	6091
AFE38SMM48EL	52x2	48x2	55	60	22	50	38	420	6091

DIN FEMALE STUD ADAPTER-NPT MALE

ADATTATORE DIRITTO FEMMINA GIREVOLE - MASCHIO NPT

F1 - DIN

F2 - NPT




Code	F1 mm	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	T mm	PN bar	PN psi
AFE06LMN02	12x1,5	1/8	12	14	10	20,5	6	500	7251
AFE08LMN04	14x1,5	1/4	14	17	15	25	8	500	7251
AFE10LMN04	16x1,5	1/4	14	19	15	22	10	500	7251
AFE12LMN06	18x1,5	3/8	19	22	15	23	12	400	5801
AFE15LMN08	22x1,5	1/2	22	27	19,5	27,5	15	400	5801
AFE18LMN08	26x1,5	1/2	24	32	19,5	26	18	400	5801
AFE22LMN12	30x2	3/4	27	36	20	29,5	22	250	3626
AFE28LMN16	36x2	1	36	41	25	33	28	250	3626
AFE35LMN20	45x2	1 1/4	46	50	25,5	39,5	35	250	3626
AFE42LMN24	52x2	1 1/2	50	60	26	43,5	42	250	3626
AFE06SMN04	14x1,5	1/4	14	17	15	22,5	6	800	11603
AFE08SMN04	16x1,5	1/4	14	19	15	25	8	800	11603
AFE10SMN06	18x1,5	3/8	19	22	15	28	10	800	11603
AFE12SMN06	20x1,5	3/8	19	24	15	29	12	630	9137
AFE14SMN08	22x1,5	1/2	22	27	19,5	28	14	630	9137
AFE16SMN08	24x1,5	1/2	22	30	19,5	30,5	16	630	9137
AFE20SMN12	30x2	3/4	27	36	20	36	20	420	6091
AFE25SMN16	36x2	1	36	46	25	39	25	420	6091
AFE30SMN20	42x2	1 1/4	46	50	25,5	41	30	420	6091
AFE38SMN24	52x2	1 1/2	50	60	26	47	38	420	6091

DIN FEMALE STUD ADAPTER-UNF MALE

ADATTATORE DIRITTO FEMMINA GIREVOLE - MASCHIO UNF

F1 - DIN

F2 - UNF




Code	F1 mm	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	T mm	PN bar	PN psi
AFE06LMU04	12x1,5	7/16	14	14	9	23,5	6	500	7251
AFE08LMU04	14x1,5	7/16	14	17	9	30	8	500	7251
AFE10LMU06	16x1,5	9/16	17	19	10	27,5	10	500	7251
AFE12LMU08	18x1,5	3/4	22	22	11	33	12	400	5801
AFE15LMU10	22x1,5	7/8	27	27	12,5	31,5	15	400	5801
AFE18LMU10	26x1,5	7/8	27	32	12,5	30,5	18	400	5801
AFE22LMU12	30x2	1 1/16	32	36	15	32,5	22	250	3626
AFE28LMU16	36x2	1 5/16	41	41	18	38	28	250	3626
AFE35LMU20	45x2	1 5/8	50	50	15	38,5	35	250	3626
AFE42LMU24	52x2	1 7/8	55	60	15	40,5	42	250	3626
AFE06SMU04	14x1,5	7/16	14	17	9	27,5	6	800	11603
AFE08SMU06	16x1,5	9/16	17	19	10	27	8	800	11603
AFE10SMU06	18x1,5	9/16	17	22	10	27	10	800	11603
AFE12SMU08	20x1,5	3/4	22	24	11	35	12	630	9137
AFE14SMU10	22x1,5	7/8	27	27	12,5	35,5	14	630	9137
AFE16SMU10	24x1,5	7/8	27	30	12,5	36	16	630	9137
AFE20SMU12	30x2	1 1/16	32	36	15	40	20	420	6091
AFE25SMU16	36x2	1 5/16	41	46	18	51	25	420	6091
AFE30SMU20	42x2	1 5/8	50	50	15	43	30	420	6091
AFE38SMU24	52x2	1 7/8	55	60	22	67	38	420	6091

BSPP MALE - DIN STUD STANDPIPE FORM B

ADATTATORE DIRITTO MASCHIO GAS CILINDRICO FORMA B DIN 3852 - TUBO DIN

F1 - BSPP

F2 - DIN



Code	F1 inch	H1 mm	L1 mm	L2 mm	T mm	PN bar	PN psi
AMG02TL06.1	1/8	14	8	32,5	6	500	7251
AMG04TL08.1	1/4	19	12	41,5	8	500	7251
AMG04TL10.1	1/4	19	12	39,5	10	500	7251
AMG04TL12.1	1/4	19	12	39,5	12	400	5801
AMG06TL12.1	3/8	22	12	46	12	400	5801
AMG08TL12.1	1/2	27	12	48,5	12	400	5801
AMG08TL15.1	1/2	27	14	46	15	400	5801
AMG08TL18.1	1/2	27	14	45,5	18	400	5801
AMG08TL22.1	1/2	27	14	46,5	22	250	3626
AMG12TL22.1	3/4	32	16	48,5	22	250	3626
AMG16TL28.1	1	41	18	53	28	250	3626
AMG20TL35.1	1 1/4	50	20	62,5	35	250	3626
AMG24TL42.1	1 1/2	55	22	68,5	42	250	3626
AMG04TS06.1	1/4	19	12	39	6	800	11603
AMG04TS08.1	1/4	19	12	41,5	8	800	11603
AMG06TS10.1	3/8	22	12	44	10	800	11603
AMG06TS12.1	3/8	22	12	46	12	630	9137
AMG08TS12.1	1/2	27	14	52	12	630	9137
AMG08TS14.1	1/2	27	14	50,5	14	630	9137
AMG08TS16.1	1/2	27	14	51	16	630	9137
AMG08TS20.1	1/2	27	14	52	20	420	6091
AMG12TS16.1	3/4	32	16	55	16	420	6091
AMG12TS20.1	3/4	32	16	59	20	420	6091
AMG16TS25.1	1	41	18	66	25	420	6091
AMG20TS30.1	1 1/4	50	20	71	30	420	6091
AMG24TS38.1	1 1/2	55	22	82	38	420	6091

Note: AMG02TL06.1 for body only


AMG02TL06 for nut and cutting ring included

BSPP MALE - DIN STUD STANDPIPE FORM E

ADATTATORE DIRITTO MASCHIO GAS CILINDRICO FORMA E DIN 3852 - TUBO DIN

F1 - BSPP

F2 - DIN



Code	F1 inch	H1 mm	L1 mm	L2 mm	T mm	PN bar	PN psi
AMG02ELTL06.1	1/8	14	8	32,5	6	500	7251
AMG04ELTL08.1	1/4	19	12	41,5	8	500	7251
AMG04ELTL10.1	1/4	19	12	39,5	10	500	7251
AMG04ELTL12.1	1/4	19	12	45	12	400	5801
AMG06ELTL12.1	3/8	22	12	46	12	400	5801
AMG08ELTL12.1	1/2	27	14	48,5	12	400	5801
AMG08ELTL15.1	1/2	27	14	46	15	400	5801
AMG08ELTL18.1	1/2	27	14	45,5	18	400	5801
AMG08ELTL22.1	1/2	27	14	46,5	22	250	3626
AMG12ELTL22.1	3/4	32	16	48,5	22	250	3626
AMG16ELTL28.1	1	41	18	53	28	250	3626
AMG20ELTL35.1	1 1/4	50	20	62,5	35	250	3626
AMG24ELTL42.1	1 1/2	55	22	68,5	42	250	3626
AMG04ELTS06.1	1/4	19	12	39	6	800	11603
AMG04ELTS08.1	1/4	19	12	41,5	8	800	11603
AMG06ELTS10.1	3/8	22	12	44	10	800	11603
AMG06ELTS12.1	3/8	22	12	46	12	630	9137
AMG08ELTS14.1	1/2	27	14	50,5	14	630	9137
AMG08ELTS16.1	1/2	27	14	51	16	630	9137
AMG12ELTS20.1	3/4	32	16	59	20	420	6091
AMG16ELTS25.1	1	41	18	66	25	420	6091
AMG20ELTS30.1	1 1/4	50	20	71	30	420	6091
AMG24ELTS38.1	1 1/2	55	22	82	38	420	6091

Note: AMG02ELTL06.1 for body only


AMG02ELTL06 for nut and cutting ring included

METRIC MALE FORM B - DIN STUD STANDPIPE

ADATTATORE DIRITTO MASCHIO GAS CILINDRICO FORMA B DIN 3852 - TUBO DIN

F1 - METRIC

F2 - DIN



Code	F1 mm	H1 mm	L1 mm	L2 mm	T mm	PN bar	PN psi
AMM10TL06.1	10x1	14	8	32,5	6	500	7251
AMM12TL08.1	12x1,5	17	12	38,5	8	500	7251
AMM14TL10.1	14x1,5	19	12	39,5	10	500	7251
AMM16TL12.1	16x1,5	22	12	46	12	400	5801
AMM18TL15.1	18x1,5	24	12	43,5	15	400	5801
AMM22TL18.1	22x1,5	27	14	45,5	18	400	5801
AMM26TL22.1	26x1,5	32	16	48,5	22	250	3626
AMM33TL28.1	33x2	41	18	53	28	250	3626
AMM42TL35.1	42x2	50	20	62,5	35	250	3626
AMM48TL42.1	48x2	55	22	68,5	42	250	3626
AMM12TS06.1	12x1,5	17	12	39	6	800	11603
AMM14TS08.1	14x1,5	19	12	41,5	8	800	11603
AMM16TS10.1	16x1,5	22	12	44	10	800	11603
AMM18TS12.1	18x1,5	24	12	46	12	630	9137
AMM20TS14.1	20x1,5	27	14	50,5	14	630	9137
AMM22TS16.1	22x1,5	27	14	51	16	630	9137
AMM27TS20.1	27x2	32	16	59	20	420	6091
AMM33TS25.1	33x2	41	18	66	25	420	6091
AMM42TS30.1	42x2	50	20	71	30	420	6091
AMM48TS38.1	48x2	55	22	82	38	420	6091


Note: AMM10TL06.1 for body only
AMM10TL06 for nut and cutting ring included

METRIC MALE FORM E - DIN STUD STANDPIPE

ADATTATORE DIRITTO MASCHIO METRICO FORMA E DIN 3852 - TUBO DIN

F1 - METRIC

F2 - DIN



Code	F1 mm	H1 mm	L1 mm	L2 mm	T mm	PN bar	PN psi
AMM10ELTL06.1	10x1	14	8	32,5	6	500	7251
AMM12ELTL08.1	12x1,5	17	12	38,5	8	500	7251
AMM14ELTL10.1	14x1,5	19	12	39,5	10	500	7251
AMM16ELTL12.1	16x1,5	22	12	50	12	400	5801
AMM18ELTL15.1	18x1,5	24	12	43,5	15	400	5801
AMM22ELTL18.1	22x1,5	27	14	48,5	18	400	5801
AMM26ELTL22.1	26x1,5	32	16	48,5	22	250	3626
AMM33ELTL28.1	33x2	41	18	53	28	250	3626
AMM42ELTL35.1	42x2	50	20	62,5	35	250	3626
AMM48ELTL42.1	48x2	55	22	68,5	42	250	3626
AMM12ELTS06.1	12x1,5	17	12	39	6	800	11603
AMM14ELTS08.1	14x1,5	19	12	41,5	8	800	11603
AMM16ELTS10.1	16x1,5	22	12	44	10	800	11603
AMM18ELTS12.1	18x1,5	24	12	50	12	630	9137
AMM20ELTS14.1	20x1,5	27	14	50,5	14	630	9137
AMM22ELTS16.1	22x1,5	27	14	55	16	630	9137
AMM27ELTS20.1	27x2	32	16	59	20	420	6091
AMM33ELTS25.1	33x2	41	18	66	25	420	6091
AMM42ELTS30.1	42x2	50	20	71	30	420	6091
AMM48ELTS38.1	48x2	55	22	71,5	38	420	6091

Note: AMM10ELTL06.1 for body only


AMM10ELTL06 for nut and cutting ring included

NPT MALE - DIN STUD STANDPIPE

ADATTATORE DIRITTO MASCHIO NPT - TUBO DIN

F1 - NPT

F2 - DIN



Code	F1 inch	H1 mm	L1 mm	L2 mm	T mm	PN bar	PN psi
AMN02TL06.1	1/8	12	10	33	6	500	7251
AMN04TL08.1	1/4	14	15	39	8	500	7251
AMN04TL10.1	1/4	14	15	40	10	500	7251
AMN06TL12.1	3/8	19	15	44,5	12	400	5801
AMN08TL15.1	1/2	22	19,5	48,5	15	400	5801
AMN08TL18.1	1/2	22	19,5	49	18	400	5801
AMN12TL22.1	3/4	27	20	49	22	250	3626
AMN16TL28.1	1	36	25	55,5	28	250	3626
AMN20TL35.1	1 1/4	46	26	63	35	250	3626
AMN24TL42.1	1 1/2	50	26	65	42	250	3626
AMN04TS06.1	1/4	14	15	41	6	800	11603
AMN04TS08.1	1/4	14	15	40	8	800	11603
AMN06TS10.1	3/8	19	15	44	10	800	11603
AMN06TS12.1	3/8	19	15	44,5	12	630	9137
AMN08TS14.1	1/2	22	20	53,5	14	630	9137
AMN08TS16.1	1/2	22	19,5	53,5	16	630	9137
AMN12TS20.1	3/4	27	20	58	20	420	6091
AMN16TS25.1	1	36	25	68,5	25	420	6091
AMN20TS30.1	1 1/4	46	26	67,5	30	420	6091
AMN24TS38.1	1 1/2	50	26	78	38	420	6091


Note: AMN02TL06.1 for body only

AMN02TL06 for nut and cutting ring included

DIN MALE STUD ELBOW - BSPP MALE

GOMITO 90° MASCHIO DIN - MASCHIO GAS CILINDRICO

F1 - DIN
F2 - BSPP




Code	F1 mm	F2 inch	H1 mm	L1 mm	L2 mm	L3 mm	L4 mm	T1 mm	PN bar	PN psi
LME12LMG08.1	18x1,5	1/2	22	22	36,5	23	30	12	400	5801
LME22LMG12.1	30x2	3/4	27	16	42	27,5	35	22	250	3626
LME28LMG16.1	36x2	1	36	18	48	30,5	38	28	250	3626
LME35LMG20.1	45x2	1 1/4	41	20	55	34,5	45	35	250	3626
LME42LMG24.1	52x2	1 1/2	50	22	61	40	51	42	250	3626
LME20SMG12.1	30x2	3/4	27	16	42	26,5	37	20	420	6091
LME25SMG16.1	36x2	1	36	18	48	30	42	25	420	6091
LME30SMG20.1	42x2	1 1/4	41	20	55	35,5	49	30	420	6091
LME38SMG24.1	52x2	1 1/2	50	22	61	41	57	38	420	6091

DIN MALE STUD ELBOW - BSPT MALE (1)

GOMITO 90° MASCHIO DIN - MASCHIO GAS CONICO

F1 - DIN

F2 - BSPT




Code	F1 mm	F2 inch	H1 mm	L1 mm	L2 mm	L3 mm	L4 mm	T mm	PN bar	PN psi
LME06LLMGK02.1	10x1	1/8	12	9	17,1	10,5	16	6	100	1450
LME08LLMGK02.1	12x1	1/8	12	10	21,7	13,5	19	8	100	1450
LME06LMGK02.1	12x1,5	1/8	12	10	20	12	19	6	500	7251
LME06LMGK04.1	12x1,5	1/4	12	13	27	14	21	6	500	7251
LME08LMGK02.1	14x1,5	1/8	12	10	22	14	21	8	500	7251
LME08LMGK04.1	14x1,5	1/4	12	13	28	14	21	8	500	7251
LME08LMGK06.1	14x1,5	3/8	17	14	28	16	23	8	500	7251
LME08LMGK08.1	14x1,5	1/2	19	18,5	34	20	27	8	500	7251
LME10LMGK02.1	16x1,5	1/8	14	10	22	15	22	10	500	7251
LME10LMGK04.1	16x1,5	1/4	14	13	27	15	22	10	500	7251
LME10LMGK06.1	16x1,5	3/8	17	14	28	17	24	10	500	7251
LME10LMGK08.1	16x1,5	1/2	19	18,5	35,5	19	26	10	500	7251
LME12LMGK04.1	18x1,5	1/4	17	13	28	17	24	12	400	5801
LME12LMGK06.1	18x1,5	3/8	17	14	28	17	24	12	400	5801
LME12LMGK08.1	18x1,5	1/2	19	18,5	35,5	20	27	12	400	5801
LME15LMGK06.1	22x1,5	3/8	19	14	30	21	28	15	400	5801
LME15LMGK08.1	22x1,5	1/2	19	18,5	35,5	21	28	15	400	5801
LME18LMGK08.1	26x1,5	1/2	24	18,5	36	23,5	31	18	400	5801
LME18LMGK12.1	26x1,5	3/4	27	18,5	47	26,5	34	18	400	5801
LME22LMGK12.1	30x2	3/4	27	18,5	46,5	27,5	35	22	250	3626
LME28LMGK16.1	36x2	1	36	28	52	30,5	38	28	250	3626
LME35LMGK20.1	45x2	1 1/4	41	25	54	34,5	45	35	250	3626
LME42LMGK24.1	52x2	1 1/2	50	27	61	40	51	42	250	3626
LME06SMGK04.1	14x1,5	1/4	12	13	27	16	23	6	800	11603
LME06SMGK06.1	14x1,5	3/8	17	14	28	16	23	6	800	11603
LME08SMGK04.1	16x1,5	1/4	14	13	27	17	24	8	800	11603

DIN MALE STUD ELBOW - BSPT MALE (2)

GOMITO 90° MASCHIO DIN - MASCHIO GAS CONICO

F1 - DIN

F2 - BSPT




Code	F1 mm	F2 inch	H1 mm	L1 mm	L2 mm	L3 mm	L4 mm	T mm	PN bar	PN psi
LME08SMGK06.1	16x1,5	3/8	17	12	28	18	25	8	800	11603
LME10SMGK04.1	18x1,5	1/4	17	12	28	17,5	25	10	800	11603
LME10SMGK06.1	18x1,5	3/8	17	14	28	17,5	25	10	800	11603
LME10SMGK08.1	18x1,5	1/2	19	14	32	22,5	30	10	800	11603
LME12SMGK06.1	20x1,5	3/8	17	14	28	21,5	29	12	630	9137
LME12SMGK08.1	20x1,5	1/2	19	18,5	35,5	21,5	29	12	630	9137
LME14SMGK06.1	22x1,5	3/8	19	14	30	22	30	14	630	9137
LME14SMGK08.1	22x1,5	1/2	19	18,5	34	22	30	14	630	9137
LME16SMGK06.1	24x1,5	3/8	24	14	37	24,5	33	16	630	9137
LME16SMGK08.1	24x1,5	1/2	24	18,5	36	24,5	33	16	630	9137
LME20SMGK08.1	30x2	1/2	27	22	40	26,5	37	20	420	6091
LME20SMGK12.1	30x2	3/4	27	18,5	47	26,5	37	20	420	6091
LME25SMGK12.1	36x2	3/4	36	18,5	48	30	42	25	420	6091
LME25SMGK16.1	36x2	1	36	28	52	30	42	25	420	6091
LME30SMGK16.1	42x2	1	41	28	54	35,5	49	30	420	6091
LME30SMGK20.1	42x2	1 1/4	41	25	54	35,5	49	30	420	6091
LME38SMGK20.1	52x2	1 1/4	50	25	61	41	57	38	420	6091
LME38SMGK24.1	52x2	1 1/2	50	27	61	41	57	38	420	6091

DIN MALE STUD ELBOW - METRIC MALE

GOMITO 90° MASCHIO DIN - MASCHIO METRICO FORMA B

F1 - DIN
F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	L1 mm	L2 mm	L3 mm	L4 mm	T mm	PN bar	PN psi
LME22LMM26.1	30x2	26x1,5	27	16	42	27,5	35	22	250	3626
LME28LMM33.1	36x2	33x2	36	18	48	30,5	38	28	250	3626
LME35LMM42.1	45x2	42x2	41	20	55	34,5	45	35	250	3626
LME42LMM48.1	52x2	48x2	50	22	61	40	51	42	250	3626
LME20SMM27.1	30x2	27x2	27	16	42	26,5	37	20	420	6091
LME25SMM33.1	36x2	33x2	36	18	48	30	42	25	420	6091
LME30SMM42.1	42x2	42x2	41	20	55	35,5	49	30	420	6091
LME38SMM48.1	52x2	48x2	50	22	61	41	57	38	420	6091

DIN MALE STUD ELBOW - METRIC TAPER

GOMITO 90° MASCHIO DIN - MASCHIO METRICO CONICO

F1 - DIN
F2 - METRIC TAPER




Code	F1 mm	F2 mm	H1 mm	L1 mm	L2 mm	L3 mm	L4 mm	T mm	PN bar	PN psi
LME06LMMK10.1	12x1,5	10x1	12	10	20	12	19	6	500	7251
LME08LMMK12.1	14x1,5	12x1,5	12	12	26	14	21	8	500	7251
LME10LMMK14.1	16x1,5	14x1,5	14	13	27	15	22	10	500	7251
LME12LMMK16.1	18x1,5	16x1,5	17	14	28	17	24	12	400	5801
LME15LMMK18.1	22x1,5	18x1,5	19	18,5	34	21	28	15	400	5801
LME18LMMK22.1	26x1,5	22x1,5	24	18,5	36	23,5	31	18	400	5801
LME06SMMK12.1	14x1,5	12x1,5	12	12	26	16	23	6	800	11603
LME08SMMK14.1	16x1,5	14x1,5	14	13	27	17	24	8	800	11603
LME10SMMK16.1	18x1,5	16x1,5	17	14	28	17,5	25	10	800	11603
LME12SMMK18.1	20x1,5	18x1,5	17	14	28	21,5	29	12	630	9137
LME14SMMK20.1	22x1,5	20x1,5	19	18,5	35	22	30	14	630	9137
LME16SMMK22.1	24x1,5	22x1,5	24	18,5	36	24,5	33	16	630	9137

DIN MALE STUD ELBOW - NPT MALE (1)

GOMITO 90° MASCHIO DIN - MASCHIO NPT

F1 - DIN

F2 - NPT




Code	F1 mm	F2 inch	H1 mm	L1 mm	L2 mm	L3 mm	L4 mm	T mm	PN bar	PN psi
LME06LLMN02.1	10x1	1/8	12	9	17,1	10,5	16	6	100	1450
LME08LLMN02.1	12X1	1/8	12	9	20	11,5	17	8	100	1450
LME06LMN02.1	12x1,5	1/8	12	8	20	12	19	6	500	7251
LME06LMN04.1	12x1,5	1/4	12	12,5	26	12	19	6	500	7251
LME06LMN06.1	12x1,5	3/8	17	14,5	28	18	25	6	500	7251
LME08LMN02.1	14x1,5	1/8	12	10	24	14	21	8	500	7251
LME08LMN04.1	14x1,5	1/4	12	13,6	28	14	21	8	500	7251
LME08LMN06.1	14x1,5	3/8	17	15	28	16	23	8	500	7251
LME08LMN08.1	14x1,5	1/2	19	19,5	34	20	27	8	500	7251
LME10LMN02.1	16x1,5	1/8	14	10	24	15	22	10	500	7251
LME10LMN04.1	16x1,5	1/4	14	15	27	15	22	10	500	7251
LME10LMN06.1	16x1,5	3/8	17	15	28	17	24	10	500	7251
LME10LMN08.1	16x1,5	1/2	19	19,5	34	20	27	10	500	7251
LME12LMN04.1	18x1,5	1/4	17	15	28	17	24	12	400	5801
LME12LMN06.1	18x1,5	3/8	17	15	29	17	24	12	400	5801
LME12LMN08.1	18x1,5	1/2	19	19,5	34	20	27	12	400	5801
LME15LMN06.1	22x1,5	3/8	19	15	30	21	28	15	400	5801
LME15LMN08.1	22x1,5	1/2	19	18,5	35,5	21	28	15	400	5801
LME18LMN08.1	26x1,5	1/2	24	19,5	36	23,5	31	18	400	5801
LME18LMN12.1	26x1,5	3/4	27	20	42	26,5	34	18	400	5801
LME22LMN12.1	30x2	3/4	27	20	42	27,5	35	22	250	3626
LME28LMN16.1	36x2	1	36	25	48	30,5	38	28	250	3626
LME35LMN20.1	45x2	1 1/4	41	26	54	34,5	45	35	250	3626
LME42LMN24.1	52x2	1 1/2	50	27	61	40	51	42	250	3626
LME06SMN04.1	14x1,5	1/4	12	13	27,5	16	23	6	800	11603
LME08SMN04.1	16x1,5	1/4	14	13,6	27	17	24	8	800	11603

DIN MALE STUD ELBOW - NPT MALE (2)

GOMITO 90° MASCHIO DIN - MASCHIO NPT

F1 - DIN

F2 - NPT




Code	F1 mm	F2 inch	H1 mm	L1 mm	L2 mm	L3 mm	L4 mm	T mm	PN bar	PN psi
LME08SMN06.1	16x1,5	3/8	17	14,5	28	18	25	8	800	11606
LME08SMN08.1	16x1,5	1/2	19	19,5	34	23	30	8	800	11603
LME10SMN04.1	18x1,5	1/4	17	14,5	28	17,5	25	10	800	11606
LME10SMN06.1	18x1,5	3/8	17	15	28	17,5	25	10	800	11603
LME12SMN04.1	20x1,5	1/4	17	14,5	29	21,5	39	12	630	9137
LME12SMN06.1	20x1,5	3/8	17	15	28	21,5	29	12	630	9137
LME12SMN08.1	20x1,5	1/2	19	18,5	35,5	20,5	28	12	630	9137
LME14SMN06.1	22x1,5	3/8	19	15	30	22	30	14	630	9137
LME14SMN08.1	22x1,5	1/2	19	19,5	34	22	30	14	630	9137
LME16SMN06.1	24x1,5	3/8	24	15	37	24,5	33	16	630	9137
LME16SMN08.1	24x1,5	1/2	24	19,5	36	24,5	33	16	630	9137
LME20SMN08.1	30x2	1/2	27	21	41	26,5	37	20	420	6091
LME20SMN12.1	30x2	3/4	27	16	42	26,5	37	20	420	6091
LME25SMN12.1	36x2	3/4	36	20	46	30	42	25	420	6091
LME25SMN16.1	36x2	1	36	25	48	30	42	25	420	6091
LME30SMN16.1	42x2	1	41	25	48	35,5	49	30	420	6091
LME30SMN20.1	42x2	1 1/4	41	26	54	35,5	49	30	420	6091
LME38SMN24.1	52x2	1 1/2	50	27	61	41	57	38	420	6091

T ADAPTER DIN MALE/DIN MALE/BSPP MALE

ADATTATORE T MASCHIO DIN - MASCHIO GAS CILINDRICO AL PIEDE

F1 - DIN
F2 - BSPP




Code	F1 mm	F2 inch	H1 mm	L1 mm	L2 mm	L3 mm	L4 mm	T mm	PN bar	PN psi
TME22LMG12P.1	30x2	3/4	27	16	27,5	42	35	22	250	3626
TME28LMG16P.1	36x2	1	36	18	30,5	48	38	28	250	3626
TME35LMG20P.1	45x2	1 1/4	41	20	34,5	55	45	35,3	250	3626
TME42LMG24P.1	52x2	1 1/2	50	22	40	61	51	42	250	3626
TME20SMG12P.1	30x2	3/4	27	16	26,5	42	37	20	420	6091
TME25SMG16P.1	36x2	1	36	18	30	48	42	25	420	6091
TME30SMG20P.1	42x2	1 1/4	41	20	35,5	55	49	30	420	6091
TME38SMG24P.1	52x2	1 1/2	50	22	41	61	57	38	420	6091

T ADAPTER DIN MALE/DIN MALE/METRIC MALE

ADATTATORE T MASCHIO DIN - MASCHIO METRICO AL PIEDE

F1 - DIN
F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	L1 mm	L2 mm	L3 mm	L4 mm	T mm	PN bar	PN psi
TME22LMM26P.1	30x2	26x1,5	27	16	27,5	42	35	22	250	3626
TME28LMM33P.1	36x2	33x2	36	18	30,5	48	38	28	250	3626
TME35LMM42P.1	45x2	42x2	41	20	34,5	55	45	35	250	3626
TME42LMM48P.1	52x2	48x2	50	22	40	61	51	42	250	3626
TME20SMM27P.1	30x2	27x2	27	16	26,5	42	37	20	420	6091
TME25SMM33P.1	36x2	33x2	36	18	30	48	42	25	420	6091
TME30SMM42P.1	42x2	42x2	41	20	35,5	55	49	30	420	6091
TME38SMM48P.1	52x2	48x2	50	22	41	61	57	38	420	6091

T ADAPTER DIN MALE/DIN MALE/BSPT MALE

ADATTATORE T MASCHIO DIN - MASCHIO GAS CONICO AL PIEDE

F1 - DIN

F2 - BSPT




Code	F1 mm	F2 inch	H1 mm	L1 mm	L2 mm	L3 mm	L4 mm	T mm	PN bar	PN psi
TME06LLMGK02P.1	12x1,5	1/8	12	8	9,5	20	15	6	100	1450
TME08LLMGK02P.1	14x1,5	1/8	12	8	11,5	20	17	8	100	1450
TME06LMGK02P.1	12x1,5	1/8	12	10	12	20	19	6	500	7251
TME08LMGK04P.1	14x1,5	1/4	12	13	14	27	21	8	500	7251
TME10LMGK04P.1	16x1,5	1/4	14	13	15	27	22	10	500	7251
TME12LMGK06P.1	18x1,5	3/8	17	14	17	28	24	12	400	5801
TME15LMGK08P.1	22x1,5	1/2	19	18,5	21	35,5	28	15	400	5801
TME18LMGK08P.1	26x1,5	1/2	24	18,5	23,5	36	31	18	400	5801
TME22LMGK12P.1	30x2	3/4	27	18,5	27,5	47	35	22	250	3626
TME28LMGK16P.1	36x2	1	36	28	30,5	52	38	28	250	3626
TME35LMGK20P.1	45x2	1 1/4	41	25	34,5	54	45	35	250	3626
TME42LMGK24P.1	52x2	1 1/2	50	27	40	61	51	42	250	3626
TME06SMGK04P.1	14x1,5	1/4	12	13	16	27	23	6	800	11603
TME08SMGK04P.1	16x1,5	1/4	14	13	17	27	24	8	800	11603
TME10SMGK06P.1	18x1,5	3/8	17	14	17,5	28	25	10	800	11603
TME12SMGK06P.1	20x1,5	3/8	17	14	21,5	28	29	12	630	9137
TME14SMGK08P.1	22x1,5	1/2	19	18,5	22	32	30	14	630	9137
TME16SMGK08P.1	24x1,5	1/2	24	18,5	24,5	36	33	16	630	9137
TME20SMGK12P.1	30x2	3/4	27	18,5	26,5	47	37	20	420	6091
TME25SMGK16P.1	36x2	1	36	28	30	52	42	25	420	6091
TME30SMGK20P.1	42x2	1 1/4	41	25	35,5	54	49	30	420	6091
TME38SMGK24P.1	52x2	1 1/2	50	27	41	61	57	38	420	6091

T ADAPTER DIN MALE/DIN MALE/METRIC TAPER MALE

ADATTATORE T MASCHIO DIN - MASCHIO METRICO CONICO AL PIEDE

F1 - DIN
F2 - METRIC TAPER




Code	F1 mm	F2 mm	H1 mm	L1 mm	L2 mm	L3 mm	L4 mm	T mm	PN bar	PN psi
TME06LLMMK10P.1	10x1	10x1	12	8	12	20	15	6	100	1450
TME08LLMMK10P.1	12x1	10x1	12	8	11,5	20	17	8	100	1450
TME06LMMK10P.1	12x1,5	10x1	12	10	12	20	19	6	500	7251
TME08LMMK12P.1	14x1,5	12x1,5	12	12	14	26	21	8	500	7251
TME10LMMK14P.1	16x1,5	14x1,5	14	13	15	27	22	10	500	7251
TME12LMMK16P.1	18x1,5	16x1,5	17	14	17	28	24	12	400	5801
TME15LMMK18P.1	22x1,5	18x1,5	19	18,5	21	35,5	28	15	400	5801
TME18LMMK22P.1	26x1,5	22x1,5	24	18,5	23,5	36	31	18	400	5801
TME06SMMK12P.1	14x1,5	12x1,5	12	12	16	26	23	6	800	11603
TME08SMMK14P.1	16x1,5	14x1,5	14	13	17	27	24	8	800	11603
TME10SMMK16P.1	18x1,5	16x1,5	17	14	17,5	28	25	10	800	11603
TME12SMMK18P.1	20x1,5	18x1,5	17	14	21,5	28	29	12	630	9137
TME14SMMK20P.1	22x1,5	20x1,5	19	18,5	22	34	30	14	630	9137
TME16SMMK22P.1	24x1,5	22x1,5	24	18,5	24,5	36	33	16	630	9137

T ADAPTER DIN MALE/DIN MALE/NPT MALE

ADATTATORE T MASCHIO DIN - MASCHIO NPT AL PIEDE

F1 - DIN

F2 - NPT




Code	F1 mm	F2 inch	H1 mm	L1 mm	L2 mm	L3 mm	L4 mm	T mm	PN bar	PN psi
TME06LMN02P.1	12x1,5	1/8	12	10	12	20	19	6	500	7251
TME08LMN04P.1	14x1,5	1/4	12	13,6	14	28	21	8	500	7251
TME10LMN04P.1	16x1,5	1/4	14	15	15	27	22	10	500	7251
TME12LMN06P.1	18x1,5	3/8	17	15	17	28	24	12	400	5801
TME15LMN08P.1	22x1,5	1/2	19	18,5	21	35	28	15	400	5801
TME18LMN08P.1	26x1,5	1/2	24	19,5	23,5	36	31	18	400	5801
TME22LMN12P.1	30x2	3/4	27	20	27,5	42	35	22	250	3626
TME28LMN16P.1	36x2	1	36	28	30,5	52	38	28	250	3626
TME35LMN20P.1	45x2	1 1/4	41	26	34,5	54	45	35	250	3626
TME42LMN24P.1	52x2	1 1/2	50	27	40	61	51	42	250	3626
TME06SMN04P.1	14x1,5	1/4	12	13	16	26,5	23	6	800	11603
TME08SMN04P.1	16x1,5	1/4	14	13,6	17	27	24	8	800	11603
TME10SMN06P.1	18x1,5	3/8	17	13	17,5	28	25	10	800	11603
TME12SMN06P.1	20x1,5	3/8	17	15	21,5	28	29	12	630	9137
TME14SMN08P.1	22x1,5	1/2	19	18,5	22	35	30	14	630	9137
TME16SMN08P.1	24x1,5	1/2	24	19,5	24,5	36	33	16	630	9137
TME20SMN12P.1	30x2	3/4	27	16	26,5	42	37	20	420	6091
TME25SMN16P.1	36x2	1	36	25	30	48	42	25	420	6091
TME30SMN20P.1	42x2	1 1/4	41	26	35,5	54	49	30	420	6091
TME38SMN24P.1	52x2	1 1/2	50	27	41	61	57	38	420	6091

T ADAPTER BSPP MALE/DIN MALE/DIN MALE

ADATTATORE T MASCHIO DIN - MASCHIO GAS CILINDRICO AL BRACCIO

F1 - DIN
F2 - BSPP




Code	F1 mm	F2 inch	H1 mm	L1 mm	L2 mm	L3 mm	L4 mm	T mm	PN bar	PN psi
TME22LMG12B.1	30x2	3/4	27	16	27,5	35	42,2	22	250	3626
TME28LMG16B.1	36x2	1	36	18	30,5	38	48	28	250	3626
TME35LMG20B.1	45x2	1 1/4	41	20	34,5	45	55	35	250	3626
TME42LMG24B.1	52x2	1 1/2	50	22	40	51	61	42	250	3626
TME20SMG12B.1	30x2	3/4	27	16	26,5	37	42	20	420	6091
TME25SMG16B.1	36x2	1	36	18	30	42	48	25	420	6091
TME30SMG20B.1	42x2	1 1/4	41	20	35,5	49	55	30	420	6091
TME38SMG24B.1	52x2	1 1/2	50	22	41	57	61	38	420	6091

T ADAPTER BSPT MALE/DIN MALE/DIN MALE

ADATTATORE T MASCHIO DIN - MASCHIO METRICO AL BRACCIO

F1 - DIN
F2 - BSPT




Code	F1 mm	F2 inch	H1 mm	L1 mm	L2 mm	L3 mm	L4 mm	T mm	PN bar	PN psi
TME06LLMGK02B.1	10x1	1/8	12	8	9,5	15	17	6	100	1450
TME08LLMGK02B.1	12x1	1/8	12	8	11,5	17	20	8	100	1450
TME06LMGK02B.1	12x1,5	1/8	12	10	12	19	20	6	500	7251
TME08LMGK04B.1	14x1,5	1/4	12	13	14	21	27	8	500	7251
TME10LMGK04B.1	16x1,5	1/4	14	13	15	22	27	10	500	7251
TME12LMGK06B.1	18x1,5	3/8	17	14	17	24	28	12	400	5801
TME15LMGK08B.1	22x1,5	1/2	19	18,5	21	28	35,5	15	400	5801
TME18LMGK08B.1	26x1,5	1/2	24	18,5	23,5	31	36	18	400	5801
TME22LMGK12B.1	30x2	3/4	27	18,5	27,5	35	47	22	250	3626
TME28LMGK16B.1	36x2	1	36	28	30,5	38	52	28	250	3626
TME35LMGK20B.1	45x2	1 1/4	41	25	34,5	45	54	35	250	3626
TME42LMGK24B.1	52x2	1 1/2	50	27	40	51	61	42	250	3626
TME06SMGK04B.1	14x1,5	1/4	12	13	16	23	26	6	800	11603
TME08SMGK04B.1	16x1,5	1/4	14	13	17	24	27	8	800	11603
TME10SMGK06B.1	18x1,5	3/8	17	14	17,5	25	28	10	800	11603
TME12SMGK06B.1	20x1,5	3/8	17	14	21,5	29	28	12	630	9137
TME14SMGK08B.1	22x1,5	1/2	19	18,5	22	30	34	14	630	9137
TME16SMGK08B.1	24x1,5	1/2	24	18,5	24,5	33	36	16	630	9137
TME20SMGK12B.1	30x2	3/4	27	18,5	26,5	37	47	20	420	6091
TME25SMGK16B.1	36x2	1	36	28	30	42	52	25	420	6091
TME30SMGK20B.1	42x2	1 1/4	41	25	40,5	54	54	30	420	6091
TME38SMGK24B.1	52x2	1 1/2	50	27	41	57	61	38	420	6091

T ADAPTER METRIC MALE/DIN MALE/DIN MALE

ADATTATORE T MASCHIO DIN - MASCHIO METRICO AL BRACCIO

F1 - DIN
F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	L1 mm	L2 mm	L3 mm	L4 mm	T mm	PN bar	PN psi
TME22LMM26B.1	30x2	26x1,5	27	16	27,5	35	42	22	250	3626
TME28LMM33B.1	36x2	33x2	36	18	30,5	38	48	28	250	3626
TME35LMM42B.1	45x2	42x2	41	20	34,5	45	55	35	250	3626
TME42LMM48B.1	52x2	48x2	50	22	40	51	61	42	250	3626
TME20SMM27B.1	30x2	27x2	27	16	26,5	37	42	20	420	6091
TME25SMM33B.1	36x2	33x2	36	18	30	42	48	25	420	6091
TME30SMM42B.1	42x2	42x2	41	20	35,5	49	55	30	420	6091
TME38SMM48B.1	52x2	48x2	50	22	41	57	61	38	420	6091

T ADAPTER METRIC TAPER MALE/DIN MALE/DIN MALE

ADATTATORE T MASCHIO DIN - MASCHIO METRICO CONICO AL BRACCIO

F1 - DIN
F2 - METRIC TAPER




Code	F1 mm	F2 mm	H1 mm	L1 mm	L2 mm	L3 mm	L4 mm	T mm	PN bar	PN psi
TME06LMMK10B.1	12x1,5	10x1	12	10	13	20	20	6	500	7251
TME08LMMK12B.1	14x1,5	12x1,5	12	12	14	21	26	8	500	7251
TME10LMMK14B.1	16x1,5	14x1,5	14	13	15	22	27	10	500	7251
TME12LMMK16B.1	18x1,5	16x1,5	17	14	17	24	28	12	400	5801
TME15LMMK18B.1	22x1,5	18x1,5	19	18,5	21	28	35,5	15	400	5801
TME18LMMK22B.1	26x1,5	22x1,5	24	18,5	23,5	31	36	18	400	5801
TME06SMMK12B.1	14x1,5	12x1,5	12	12	16	23	26	6	800	11603
TME08SMMK14B.1	16x1,5	14x1,5	14	13	17	24	27	8	800	11603
TME10SMMK16B.1	18x1,5	16x1,5	17	14	17,5	25	28	10	800	11603
TME12SMMK18B.1	20x1,5	18x1,5	17	14	21,5	29	28	12	630	9137
TME14SMMK20B.1	22x1,5	20x1,5	19	18,5	22	30	34	14	630	9137
TME16SMMK22B.1	24x1,5	22x1,5	24	18,5	24,5	33	36	16	630	9137

T ADAPTER NPT MALE/DIN MALE/DIN MALE

ADATTATORE T MASCHIO DIN - MASCHIO NPT AL BRACCIO

F1 - DIN

F2 - NPT




Code	F1 mm	F2 inch	H1 mm	L1 mm	L2 mm	L3 mm	L4 mm	T mm	PN bar	PN psi
TME06LMN02B.1	12x1,5	1/8	12	10	12	19	20	6	500	7251
TME08LMN04B.1	14x1,5	1/4	12	13,6	14	21	28	8	500	7251
TME10LMN04B.1	16x1,5	1/4	14	15	15	22	28,5	10	500	7251
TME12LMN06B.1	18x1,5	3/8	17	15	17	24	28	12	400	5801
TME15LMN08B.1	22x1,5	1/2	19	18,5	21	28	35	15	400	5801
TME18LMN08B.1	26x1,5	1/2	24	19,5	23,5	31	36	18	400	5801
TME22LMN12B.1	30x2	3/4	27	20	27,5	35	42	22	250	3626
TME28LMN16B.1	36x2	1	36	28	30,5	38	52	28	250	3626
TME35LMN20B.1	45x2	1 1/4	41	26	34,5	45	54	35	250	3626
TME42LMN24B.1	52x2	1 1/2	50	27	40	51	61	42	250	3626
TME06SMN04B.1	14x1,5	1/4	12	13	16	23	26,5	6	800	11603
TME08SMN04B.1	16x1,5	1/4	14	13,6	17	24	27	8	800	11603
TME10SMN06B.1	18x1,5	3/8	17	13	17,5	25	28	10	800	11603
TME12SMN06B.1	20x1,5	3/8	17	15	21,5	29	28	12	630	9137
TME14SMN08B.1	22x1,5	1/2	19	18,5	22	30	35	14	630	9137
TME16SMN08B.1	24x1,5	1/2	24	19,5	24,5	33	36	16	630	9137
TME20SMN12B.1	30x2	3/4	27	16	26,5	37	42	20	420	6091
TME25SMN16B.1	36x2	1	36	25	30	42	48	25	420	6091
TME30SMN20B.1	42x2	1 1/4	41	26	35,5	49	54	30	420	6091
TME38SMN24B.1	52x2	1 1/2	50	27	41	57	61	38	420	6091

DIN MALE STUD ELBOW - BSPP MALE ADJUSTABLE

GOMITO 90° MASCHIO DIN - MASCHIO GAS CILINDRICO ORIENTABILE

F1 - DIN

F2 - BSPP




Code	F1 mm	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	L4 mm	T mm	PN bar	PN psi
LME06LMOG02.1	12x1,5	1/8	14	14	19,5	14	26	21	6	500	7251
LME08LMOG04.1	14x1,5	1/4	14	19	24	13	34	20	8	500	7251
LME10LMOG04.1	16x1,5	1/4	14	19	24	15	34	22	10	500	7251
LME10LMOG06.1	16x1,5	3/8	19	22	27,5	18	38	25	10	500	7251
LME12LMOG04.1	18x1,5	1/4	19	19	27	18	37	25	12	400	5801
LME12LMOG06.1	18x1,5	3/8	19	22	27,5	18	38	26	12	400	5801
LME15LMOG08.1	22x1,5	1/2	22	27	29,5	20	45	27	15	400	5801
LME18LMOG08.1	26x1,5	1/2	27	27	34	24	49,5	31,5	18	400	5801
LME22LMOG12.1	30x2	3/4	27	36	33,5	26	49	33,5	22	250	3626
LME28LMOG16.1	36x2	1	33	41	38	30,5	53	38	28	250	3626
LME35LMOG20.1	45x2	1 1/4	41	50	44,5	36,5	60	47	35	250	3626
LME42LMOG24.1	52x2	1 1/2	48	55	47	40	67	51	42	250	3626
LME06SMOG04.1	14x1,5	1/4	14	19	24	15,5	34	22,5	6	800	11603
LME08SMOG04.1	16x1,5	1/4	14	19	24	18	34	25	8	800	11603
LME10SMOG06.1	18x1,5	3/8	19	22	26,5	20	37	27,5	10	800	11603
LME12SMOG06.1	20x1,5	3/8	19	22	27,5	19,5	38	27	12	630	9137
LME14SMOG08.1	22x1,5	1/2	22	27	29,5	20,5	45	28,5	14	630	9137
LME16SMOG08.1	24x1,5	1/2	27	27	33,5	24,5	49	33	16	630	9137
LME20SMOG08.1	30x2	1/2	27	27	32	31,5	47,5	42	20	420	6091
LME20SMOG12.1	30x2	3/4	27	36	33,5	28,5	49	39	20	420	6091
LME25SMOG16.1	36x2	1	33	41	38,5	28	53,5	40	25	420	6091
LME30SMOG20.1	42x2	1 1/4	41	50	44,5	34	60	47,5	30	420	6091
LME38SMOG24.1	52x2	1 1/2	48	55	48	38	68	54	38	420	6091

DIN MALE STUD ELBOW - METRIC MALE ADJUSTABLE

GOMITO 90° MASCHIO DIN - MASCHIO METRICO ORIENTABILE

F1 - DIN

F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	L4 mm	T mm	PN bar	PN psi
LME06LMOM10.1	12x1,5	10x1	14	14	19	14	30	21	6	500	7251
LME08LMOM12.1	14x1,5	12x1,5	14	17	20,5	16	33	23	8	500	7251
LME10LMOM14.1	16x1,5	14x1,5	14	19	20,5	17	35,5	24	10	500	7251
LME12LMOM16.1	18x1,5	16x1,5	19	22	25	19	39	26	12	400	5801
LME15LMOM18.1	22x1,5	18x1,5	22	24	26,5	21	42	28	15	400	5801
LME15LMOM20.1	22x1,5	20x1,5	22	27	25	21	43,5	28	15	400	5801
LME18LMOM22.1	26x1,5	22x1,5	27	27	29,5	24	45,5	31,5	18	400	5801
LME22LMOM27.1	30x2	27x2	27	32	32	28,5	50	36	22	250	3626
LME28LMOM33.1	36x2	33x2	33	41	38	31	57	38,5	28	250	3626
LME35LMOM42.1	45x2	42x2	41	50	43	42,5	60,5	53	35	250	3626
LME42LMOM48.1	52x2	48x2	48	55	45	39	68	50	42	250	3626
LME06SMOM12.1	14x1,5	12x1,5	14	17	20	16	34	23	6	800	11603
LME08SMOM14.1	16x1,5	14x1,5	14	19	20,5	18	36	25	8	800	11603
LME10SMOM16.1	18x1,5	16x1,5	19	22	24	19,5	39	27	10	800	11603
LME12SMOM18.1	20x1,5	18x1,5	22	24	25,5	21,5	42	29	12	630	9137
LME16SMOM22.1	24x1,5	22x1,5	27	27	32,5	25	50	33,5	16	630	9137
LME20SMOM27.1	30x2	27x2	27	32	33	29,5	54	40	20	420	6091
LME25SMOM33.1	36x2	33x2	33	41	38	30,5	57	42,5	25	420	6091
LME30SMOM42.1	42x2	42x2	41	50	43,5	41,5	61	55	30	420	6091
LME38SMOM48.1	52x2	48x2	48	55	46	38	68,5	54	38	420	6091

DIN METRIC STUD ELBOW - METRIC MALE ADJUSTABLE

GOMITO 90° M.DIN - M. METRICO ORIENTABILE CON O-RING

F1 - DIN
F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	L4 mm	T mm	PN bar	PN psi
LME06LMOMR10.1	12x1,5	10x1	14	14	20,5	14	30	21	6	500	7251
LME08LMOMR12.1	14x1,5	12x1,5	14	17	22	16	33	23	8	500	7251
LME10LMOMR14.1	16x1,5	14x1,5	14	19	22	17	35,5	24	10	500	7251
LME12LMOMR16.1	18x1,5	16x1,5	19	22	26,5	19	39	26	12	400	5801
LME15LMOMR18.1	22x1,5	18x1,5	22	24	28	21	42	28	15	400	5801
LME18LMOMR22.1	26x1,5	22x1,5	27	27	31	24	45,5	31,5	18	400	5801
LME22LMOMR27.1	30x2	27x2	27	32	33,5	28,5	50	36	22	250	3626
LME28LMOMR33.1	36x2	33x2	33	41	39,5	31	57	38,5	28	250	3626
LME35LMOMR42.1	45x2	42x2	41	50	44,5	42,5	60,5	53	35	250	3626
LME42LMOMR48.1	52x2	48x2	48	55	46,5	39	68	50	42	250	3626
LME06SMOMR12.1	14x1,5	12x1,5	14	17	21,5	16	34	23	6	800	11603
LME08SMOMR14.1	16x1,5	14x1,5	14	19	22	18	36	25	8	800	11603
LME10SMOMR16.1	18x1,5	16x1,5	19	22	25,5	19,5	39	27	10	800	11603
LME12SMOMR18.1	20x1,5	18x1,5	19	24	27	21,5	42	29	12	630	9137
LME16SMOMR22.1	24x1,5	22x1,5	27	27	34	25	50	33,5	16	630	9137
LME20SMOMR27.1	30x2	27x2	27	32	34,5	29,5	54	40	20	420	3626
LME25SMOMR33.1	36x2	33x2	33	41	39,5	30,5	57	42,5	25	420	3626
LME30SMOMR42.1	42x2	42x2	41	50	45	41,5	61	55	30	420	3626
LME38SMOMR48.1	52x2	48x2	48	55	47,5	38	69	54	38	420	3626

DIN MALE STUD ELBOW - UNF MALE ADJUSTABLE

GOMITO 90° MASCHIO DIN - MASCHIO UNF ORIENTABILE

F1 - DIN

F2 - UNF




Code	F1 mm	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	L4 mm	T mm	PN bar	PN psi
LME06LMOU04.1	12x1,5	7/16	14	14	19	14	29,5	21	6	500	7251
LME08LMOU04.1	14x1,5	7/16	14	14	19	14	29,5	21	8	500	7251
LME10LMOU04.1	16x1,5	7/16	14	14	23,5	17	34	24	10	500	7251
LME10LMOU06.1	16x1,5	9/16	14	17	22	17	34	24	10	500	7251
LME12LMOU06.1	18x1,5	9/16	19	17	24	19	36	26	12	400	5801
LME12LMOU08.1	18x1,5	3/4	19	22	22	19	36	26	12	400	5801
LME15LMOU08.1	22x1,5	3/4	22	22	23	21	37	28	15	400	5801
LME15LMOU10.1	22x1,5	7/8	22	27	27	21	43	28	15	400	5801
LME18LMOU10.1	26x1,5	7/8	27	27	31	24,5	47	32	18	400	5801
LME18LMOU12.1	26x1,5	1 1/16	27	36	33	24,5	49,5	32	18	400	5801
LME22LMOU12.1	30x2	1 1/16	27	36	36,5	27	53	34,5	22	250	3626
LME28LMOU16.1	36x2	1 5/16	33	41	36	33	53	40,5	28	250	3626
LME35LMOU20.1	45x2	1 5/8	41	50	39,5	43	60	53,5	35	250	3626
LME42LMOU24.1	52x2	1 7/8	48	55	44	38	67	49	42	250	3626
LME06SMOU04.1	14x1,5	7/16	14	14	19	15,5	32	22,5	6	800	11603
LME08SMOU06.1	16x1,5	9/16	14	17	19	19	37	26	8	800	11603
LME10SMOU06.1	18x1,5	9/16	19	17	22,5	20,5	39	28	10	800	11603
LME12SMOU06.1	20x1,5	9/16	19	17	27	23,5	39	31	12	630	9137
LME12SMOU08.1	20x1,5	3/4	19	22	26,5	23,5	43,5	31	12	630	9137
LME14SMOU10.1	22x1,5	7/8	22	27	28	22	44	30	14	630	9137
LME16SMOU10.1	24x1,5	7/8	27	27	34	25	50	33,5	16	630	9137
LME20SMOU12.1	30x2	1 1/16	27	36	36,5	30	53	40,5	20	420	6091
LME30SMOU20.1	42x2	1 5/8	41	50	41	36	60	49,5	30	420	6091
LME38SMOU24.1	52x2	1 7/8	48	55	41,5	38	68,5	54	38	420	6091

T ADAPTER DIN MALE/DIN MALE/BSPP MALE ADJUSTABLE

ADATTATORE T MASCHIO DIN - MASCHIO GAS CILINDRICO ORIENTABILE AL PIEDE

F1 - DIN
F2 - BSPP




Code	F1 mm	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	L4 mm	T mm	PN bar	PN psi
TME06LMOG02P.1	12x1,5	1/8	14	14	19,5	14	26	21	6	500	7251
TME08LMOG04P.1	14x1,5	1/4	14	19	24	14	34	21	8	500	7251
TME10LMOG04P.1	16x1,5	1/4	14	19	24	15	34	22	10	500	7251
TME12LMOG06P.1	18x1,5	3/8	19	22	26,5	19	37	26	12	400	5801
TME15LMOG08P.1	22x1,5	1/2	22	27	29,5	21	45	28	15	400	5801
TME18LMOG08P.1	26x1,5	1/2	27	27	34	24	49,5	31,5	18	400	5801
TME22LMOG12P.1	30x2	3/4	27	36	33,5	30	49	37,5	22	250	3626
TME28LMOG16P.1	36x2	1	33	41	39,5	33	53	40,5	28	250	3626
TME35LMOG20P.1	45x2	1 1/4	41	50	44,5	38	60	48,5	35	250	3626
TME42LMOG24P.1	52x2	1 1/2	48	55	47	40	67	51	42	250	3626
TME06SMOG04P.1	14x1,5	1/4	14	19	24	15,5	34	22,5	6	800	11603
TME08SMOG04P.1	16x1,5	1/4	14	19	24	18,5	34	25,5	8	800	11603
TME10SMOG06P.1	18x1,5	3/8	19	22	26,5	20	37	27,5	10	800	11603
TME12SMOG06P.1	20x1,5	3/8	19	22	27,5	18,5	38	26	12	630	9137
TME14SMOG08P.1	22x1,5	1/2	22	27	29,5	22	45	30	14	630	9137
TME16SMOG08P.1	24x1,5	1/2	27	27	33,5	25	49	33,5	16	630	9137
TME20SMOG12P.1	30x2	3/4	27	36	33,5	31,5	49	42	20	420	6091
TME25SMOG16P.1	36x2	1	33	41	39,5	30	53	42	25	420	6091
TME30SMOG20P.1	42x2	1 1/4	41	50	44,5	39	60	52,5	30	420	6091
TME38SMOG24P.1	52x2	1 1/2	48	55	48	37,5	68	53,5	38	420	6091

T ADAPTER DIN MALE/DIN MALE/METRIC MALE ADJUSTABLE

ADATTATORE T MASCHIO DIN - MASCHIO METRICO ORIENTABILE AL PIEDE

F1 - DIN
F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	L4 mm	T mm	PN bar	PN psi
TME06LMOM10P.1	12x1,5	10x1	14	14	19	14	21	30	6	500	7251
TME08LMOM12P.1	14x1,5	12x1,5	14	17	20,5	14	21	33	8	500	7251
TME10LMOM14P.1	16x1,5	14x1,5	14	19	21,5	17	24	34,5	10	500	7251
TME12LMOM16P.1	18x1,5	18x1,5	19	22	24,5	19	26	36	12	400	5801
TME15LMOM18P.1	22x1,5	18x1,5	22	24	24,5	21	28	42	15	400	5801
TME18LMOM22P.1	26x1,5	22x1,5	27	27	30	24	31,5	46	18	400	5801
TME22LMOM27P.1	30x2	27x2	27	32	32	28,5	36	50	22	160	2320
TME28LMOM33P.1	36x2	33x2	33	41	40	31	38,5	57	28	160	2320
TME35LMOM42P.1	45x2	42x2	41	50	43	38	48	60,5	35	160	2320
TME42LMOM48P.1	52x2	48x2	48	55	45	39	50	68	42	160	2320
TME06SMOM12P.1	14x1,5	12x1,5	14	17	21,5	15,5	22,5	34	6	800	11603
TME08SMOM14P.1	16x1,5	14x1,5	14	19	21	18	25	36	8	800	11603
TME10SMOM16P.1	18x1,5	16x1,5	19	22	23	18	27	38	10	800	11603
TME12SMOM18P.1	20x1,5	18x1,5	19	24	25,5	21,5	29	43	12	630	9137
TME16SMOM22P.1	24x1,5	22x1,5	27	27	32,5	25	33,5	50	16	630	9137
TME20SMOM27P.1	30x2	27x2	27	32	32	29	40	54	20	420	6091
TME25SMOM33P.1	36x2	33x2	33	41	38	30,5	42,5	57	25	420	6091
TME30SMOM42P.1	42x2	42x2	41	50	43,5	41,5	55	61	30	420	6091
TME38SMOM48P.1	52x2	48x2	48	55	46	38	68,5	68,5	38	420	6091

T ADAPTER DIN MALE/DIN MALE/METRIC MALE ADJUSTABLE AND RETAINING SEAL

ADATTATORE T MASCHIO DIN - MASCHIO METRICO ORIENTAB. AL PIEDE

F1 - DIN

F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	L4 mm	T mm	PN bar	PN psi
TME06LMOMR10P.1	12x1,5	10x1	14	14	20,5	14	21	30	6	500	7251
TME08LMOMR12P.1	14x1,5	12x1,5	14	17	22	14	23	33	8	500	7251
TME10LMOMR14P.1	16x1,5	14x1,5	14	19	23	17	24	34,5	10	500	7251
TME12LMOMR16P.1	18x1,5	16x1,5	19	22	26	19	26	36	12	400	5801
TME15LMOMR18P.1	22x1,5	18x1,5	22	24	26	21	28	42	15	400	5801
TME18LMOMR22P.1	26x1,5	22x1,5	27	27	32	24,5	31,5	46	18	400	5801
TME22LMOMR27P.1	30x2	27x2	27	32	34	28,5	35,5	50	22	250	3626
TME28LMOMR33P.1	36x2	33x2	33	41	42	31	38,5	54	28	250	3626
TME35LMOMR42P.1	45x2	42x2	41	50	45	38	48,5	62	35	250	3626
TME42LMOMR48P.1	52x2	48x2	48	55	47	39	49	65	42	250	3626
TME06SMOMR12P.1	14x1,5	12x1,5	14	17	23	15,5	22,5	34	6	800	11603
TME08SMOMR14P.1	16x1,5	14x1,5	14	19	22,5	18	25	36	8	800	11603
TME10SMOMR16P.1	18x1,5	16x1,5	19	22	24,5	18	25,5	38	10	800	11603
TME12SMOMR18P.1	20x1,5	18x1,5	19	24	27	21,5	29,5	43	12	630	9137
TME16SMOMR22P.1	24x1,5	22x1,5	27	27	34,5	25	33	50	16	630	9137
TME20SMOMR27P.1	30x2	27x2	27	32	34	29	38,5	54	20	420	6091
TME25SMOMR33P.1	36x2	33x2	33	41	40	30,5	42,5	57	25	420	6091
TME30SMOMR42P.1	42x2	42x2	41	50	45,5	41,5	49,5	68	30	420	6091
TME38SMOMR48P.1	52x2	48x2	48	55	48	38	50	69	38	420	6091

T ADAPTER DIN MALE/DIN MALE/UNF MALE ADJUSTABLE

ADATTATORE T MASCHIO DIN - MASCHIO UNF ORIENTABILE AL PIEDE

F1 - DIN

F2 - UNF




Code	F1 mm	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	L4 mm	T mm	PN bar	PN psi
TME06LMOU04P.1	12x1,5	7/16	14	14	19	14	29	21	6	500	7251
TME08LMOU04P.1	14x1,5	7/16	14	14	19	14	30	21	8	500	7251
TME10LMOU06P.1	16x1,5	9/16	14	17	19	18	34	24	10	500	7251
TME12LMOU06P.1	18x1,5	9/16	19	17	25	19	36	26	12	400	5801
TME12LMOU08P.1	18x1,5	3/4	19	22	22	19	36	26	12	400	5801
TME15LMOU08P.1	22x1,5	3/4	22	22	28	21	41	28	15	400	5801
TME15LMOU10P.1	22x1,5	7/8	22	27	28	21	43	28	15	400	5801
TME18LMOU10P.1	26x1,5	7/8	27	27	28,5	24	47	31,5	18	400	5801
TME18LMOU12P.1	26x1,5	1 1/16	27	36	33	24	49,5	24,5	18	400	5801
TME22LMOU12P.1	30x2	1 1/16	27	36	35	28	52	35	22	250	3626
TME28LMOU16P.1	36x2	1 5/16	33	41	42	31	59	38	28	250	3626
TME35LMOU20P.1	45x2	1 5/8	41	50	46	38	63	48	35	250	3626
TME42LMOU24P.1	52x2	1 7/8	48	55	47	38	64	49	42	250	3626
TME06SMOU04P.1	14x1,5	7/16	14	14	19	15,5	32	22,5	6	800	11603
TME08SMOU06P.1	16x1,5	9/16	14	17	25	17	37	24	8	800	11603
TME10SMOU06P.1	18x1,5	9/16	19	17	26	18	38	25	10	800	11603
TME12SMOU08P.1	20x1,5	3/4	19	22	22,5	23,5	36,5	23,5	12	630	9137
TME14SMOU10P.1	22x1,5	7/8	22	27	36,5	22	44	30	14	630	9137
TME16SMOU10P.1	24x1,5	7/8	27	27	34	25	50	33	16	630	9137
TME20SMOU12P.1	30x2	1 1/16	27	36	37	28	56	38	20	420	6091
TME25SMOU16P.1	36x2	1 5/16	33	41	50	30	69	42	25	420	6091
TME30SMOU20P.1	42x2	1 5/8	41	50	50	36	69	49	30	420	6091
TME38SMOU24P.1	52x2	1 7/8	48	55	51	34	70	50	38	420	6091

T ADAPTER BSPP MALE ADJUSTABLE/DIN MALE/DIN MALE

ADATTATORE T MASCHIO DIN - MASCHIO GAS CILINDRICO ORIENTABILE AL BRACCIO

F1 - DIN
F2 - BSPP




Code	F1 mm	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	L4 mm	T mm	PN bar	PN psi
TME06LMOG02B.1	12x1,5	1/8	14	14	19,5	14	26	21	6	500	7251
TME08LMOG04B.1	14x1,5	1/4	14	19	24	14	34	21	8	500	7251
TME10LMOG04B.1	16x1,5	1/4	14	19	24	15	34	22	10	500	7251
TME12LMOG06B.1	18x1,5	3/8	19	22	26	18	36,7	25	12	400	5801
TME15LMOG08B.1	22x1,5	1/2	22	27	29,5	21	45	28	15	400	5801
TME18LMOG08B.1	26x1,5	1/2	27	27	34	24	49,5	31,5	18	400	5801
TME22LMOG12B.1	30x2	3/4	27	36	33,5	30	49	37,5	22	250	3626
TME28LMOG16B.1	36x2	1	33	41	39,5	33	53	40,5	28	250	3626
TME35LMOG20B.1	45x2	1 1/4	41	50	44,5	38,5	60	49	35	250	3626
TME42LMOG24B.1	52x2	1 1/2	48	55	47	40	67	51	42	250	3626
TME06SMOG04B.1	14x1,5	1/4	14	34	24	15,5	34	22,5	6	800	11603
TME08SMOG04B.1	16x1,5	1/4	14	34	24	17	34	24	8	800	11603
TME10SMOG06B.1	18x1,5	3/8	19	22	26,5	20	37	27,5	10	800	11603
TME12SMOG06B.1	20x1,5	3/8	19	22	26,5	17,5	36	25	12	630	9137
TME14SMOG08B.1	22	1/2	22	27	29,5	22	45	30	14	630	9137
TME16SMOG08B.1	24x1,5	1/2	27	27	36	25	49	33,5	16	630	9137
TME20SMOG12B.1	30x2	3/4	27	36	33,5	31,5	49	42	20	420	6091
TME25SMOG16B.1	36x2	1	33	41	39,5	30	53	42	25	420	6091
TME30SMOG20B.1	42x2	1 1/4	41	50	44,5	39	60	52,5	30	420	6091
TME38SMOG24B.1	52x2	1 1/2	48	55	48	37,5	68	53,5	38	420	6091

T ADAPTER METRIC MALE ADJUSTABLE/DIN MALE/DIN MALE

ADATTATORE T MASCHIO DIN - MASCHIO METRICO ORIENTABILE AL BRACCIO

F1 - DIN
F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	L4 mm	T mm	PN bar	PN psi
TME06LMOM10B.1	12x1,5	10x1	14	14	19	14	30	21	6	500	7251
TME08LMOM12B.1	14x1,5	12x1,5	14	17	20,5	14	33	21	8	500	7251
TME10LMOM14B.1	16x1,5	14x1,5	14	19	21,5	17	34,5	24	10	500	7251
TME12LMOM16B.1	18x1,5	16x1,5	19	22	24,5	19	36	26	12	400	7251
TME15LMOM18B.1	22x1,5	18x1,5	22	24	24,5	21	42	28	15	400	7251
TME18LMOM22B.1	26x1,5	22x1,5	27	27	30	24	46	31,5	18	400	7251
TME22LMOM27B.1	30x2	27x2	27	32	32	28,5	50	36	22	250	3626
TME28LMOM33B.1	36x2	33x2	33	41	40	31	57	38,5	28	250	3626
TME35LMOM42B.1	45x2	42x2	41	50	43	38	60,5	48,5	35	250	3626
TME42LMOM48B.1	52x2	48x2	48	55	45	39	68	50	42	250	3626
TME06SMOM12B.1	14x1,5	12x1,5	14	17	21,5	15,5	34	22,5	6	800	11603
TME08SMOM14B.1	16x1,5	14x1,5	14	19	21	18	36	25	8	800	11603
TME10SMOM16B.1	18x1,5	16x1,5	19	22	23	19,5	38	27	10	800	11603
TME12SMOM18B.1	20x1,5	18x1,5	22	24	25,5	21,5	43	29	12	630	9137
TME16SMOM22B.1	24x1,5	22x1,5	27	27	32,5	25	50	33,5	16	630	9137
TME20SMOM27B.1	30x2	27x2	27	32	32	29	54	40	20	420	6091
TME25SMOM33B.1	36x2	33x2	33	41	38	30,5	57	42,5	25	420	6091
TME30SMOM42B.1	42x2	42x2	41	50	43,5	41,5	61	55	30	420	6091
TME38SMOM48B.1	52x2	48x2	48	55	46	38	68,5	54	38	420	6091

T ADAPTER METRIC MALE ADJUSTABLE/DIN MALE/DIN MALE
AND RETAINING SEAL

ADATTATORE T MASCHIO DIN - MASCHIO METRICO ORIENTABILE AL BRACCIO CON
RONDELLA DI RITEGNO

F1 - DIN
F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	L4 mm	T mm	PN bar	PN psi
TME06LMOMR10B.1	12x1,5	10x1	14	14	20,5	14	30	21	6	500	7251
TME08LMOMR12B.1	14x1,5	12x1,5	14	17	22	14	33	21	8	500	7251
TME10LMOMR14B.1	16x1,5	14x1,5	14	19	23	17	34,5	24	10	500	7251
TME12LMOMR16B.1	18x1,5	16x1,5	19	22	26	19	36	26	12	400	5801
TME15LMOMR18B.1	22x1,5	18x1,5	22	24	26	21	42	28	15	400	7251
TME18LMOMR22B.1	26x1,5	22x1,5	27	27	32	24,5	46	31,5	18	400	5801
TME22LMOMR27B.1	30x2	27x2	27	32	34	28,5	50	35,5	22	250	3626
TME28LMOMR33B.1	36x2	33x2	33	41	42	31	54	38,5	28	250	3626
TME35LMOMR42B.1	45x2	42x2	41	50	45	38	62	48,5	35	250	3626
TME42LMOMR48B.1	52x2	48x2	48	55	47	39	65	49	42	250	3626
TME06SMOMR12B.1	14x1,5	12x1,5	14	17	23	15,5	34	22,5	6	800	11603
TME08SMOMR14B.1	16x1,5	14x1,5	14	19	22,5	18	36	25	8	800	11603
TME10SMOMR16B.1	18x1,5	16x1,5	19	22	24,5	18	38	25,5	10	800	11603
TME12SMOMR18B.1	20x1,5	18x1,5	22	24	27	21,5	43	29,5	12	630	9137
TME16SMOMR22B.1	24x1,5	22x1,5	27	27	34,5	25	50	33	16	630	9137
TME20SMOMR27B.1	30x2	27x2	27	32	34	29	54	38,5	20	420	6091
TME25SMOMR33B.1	36x2	33x2	33	41	40	30,5	57	42,5	25	420	6091
TME30SMOMR42B.1	42x2	42x2	41	50	45,5	41,5	68	49,5	30	420	6091
TME38SMOMR48B.1	52x2	48x2	48	55	48	38	69	50	38	420	6091

T ADAPTER UNF MALE ADJUSTABLE/DIN MALE/DIN MALE

ADATTATORE T MASCHIO DIN - MASCHIO UNF ORIENTABILE AL BRACCIO

F1 - DIN

F2 - UNF




Code	F1 mm	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	L4 mm	T mm	PN bar	PN psi
TME06LMOU04B.1	12x1,5	7/16	14	14	19	14	29	21	6	500	7251
TME08LMOU04B.1	14x1,5	7/16	14	14	19	14	30	21	8	500	7251
TME10LMOU06B.1	16x1,5	9/16	14	17	19	18	34	24	10	500	7251
TME12LMOU06B.1	18x1,5	9/16	19	17	25	19	36	26	12	400	5801
TME12LMOU08B.1	18x1,5	3/4	19	22	22	19	36	26	12	400	5801
TME15LMOU08B.1	22x1,5	3/4	22	22	28	21	41	28	15	400	5801
TME15LMOU10B.1	22x1,5	7/8	22	27	28	21	43	28	15	400	5801
TME18LMOU10B.1	26x1,5	7/8	27	27	28,5	24	47	31,5	18	400	5801
TME18LMOU12B.1	26x1,5	1 1/16	27	36	33	24	49,5	24,5	18	400	5801
TME22LMOU12B.1	30x2	1 1/16	27	36	35	28	52	35	22	250	3626
TME28LMOU16B.1	36x2	1 5/16	33	41	42	31	59	38	28	250	3626
TME35LMOU20B.1	45x2	1 5/8	41	50	46	38	63	48	35	250	3626
TME42LMOU24B.1	52x2	1 7/8	48	55	47	38	64	49	42	250	3626
TME06SMOU04B.1	14x1,5	7/16	14	14	19	15,5	32	22,5	6	800	11603
TME08SMOU06B.1	16x1,5	9/16	14	17	25	17	37	24	8	800	11603
TME10SMOU06B.1	18x1,5	9/16	19	17	26	18	38	25	10	800	11603
TME12SMOU08B.1	20x1,5	3/4	19	22	22,5	23,5	34,4	23,5	12	630	9137
TME14SMOU10B.1	22x1,5	7/8	22	27	36,5	22	44	30	14	630	9137
TME16SMOU10B.1	24x1,5	7/8	27	27	34	25	50	33	16	630	9137
TME20SMOU12B.1	30x2	1 1/16	27	36	37	28	56	38	20	420	6091
TME25SMOU16B.1	36x2	1 5/16	33	41	50	30	69	42	25	420	6091
TME30SMOU20B.1	42x2	1 5/8	41	50	50	36	69	49	30	420	6091
TME38SMOU24B.1	52x2	1 7/8	48	55	51	34	70	50	38	420	6091

DIN MALE 45° ELBOW - BSPP MALE ADJUSTABLE

ADATTATORE 45° MASCHIO DIN - MASCHIO GAS CILINDRICO ORIENTABILE

F1 - DIN

F2 - BSPP




Code	F1 mm	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	L4 mm	T mm	PN bar	PN psi
QME06LMOG02.1	12x1,5	1/8	14	14	19,5	13	26	20	6	500	7251
QME08LMOG04.1	14x1,5	1/4	14	19	24	14	34	21	8	500	7251
QME10LMOG04.1	16x1,5	1/4	14	19	24	15	34	22	10	500	7251
QME12LMOG06.1	18x1,5	3/8	19	22	26,5	14	37	21	12	400	5801
QME15LMOG08.1	22x1,5	1/2	22	27	29,5	20	45	27	15	400	5801
QME18LMOG08.1	26x1,5	1/2	27	27	33,5	24	49	31,5	18	400	5801
QME22LMOG12.1	30x2	3/4	27	36	33,5	29	49	36,5	22	250	3626
QME28LMOG16.1	36x2	1	33	41	39,5	33	54,5	40,5	28	250	3626
QME35LMOG20.1	45x2	1 1/4	41	50	44,5	43	60	53,5	35	250	3626
QME42LMOG24.1	52x2	1 1/2	48	55	48	40	68	51	42	250	3626
QME06SMOG04.1	14x1,5	1/4	14	19	24	15,5	34	22,5	6	800	11603
QME08SMOG04.1	16x1,5	1/4	14	19	24	18	34	25	8	800	11603
QME10SMOG06.1	18x1,5	3/8	19	22	26,5	20,5	37	27,5	10	800	11603
QME12SMOG06.1	20x1,5	3/8	19	22	27,5	23,5	38	31	12	630	9137
QME14SMOG08.1	22x1,5	1/2	22	27	29,5	22	45	30	14	630	9137
QME16SMOG08.1	24x1,5	1/2	27	27	33,5	16	49	24,5	16	630	9137
QME20SMOG12.1	30x2	3/4	27	36	33,5	19,5	49	30	20	420	6091
QME25SMOG16.1	36x2	1	33	41	39,5	30	54,5	42	25	420	6091
QME30SMOG20.1	42x2	1 1/4	41	50	44,5	36	60	49,5	30	420	6091
QME38SMOG24.1	52x2	1 1/2	48	55	48	37,5	68	54	38	420	6091

DIN MALE 45° ELBOW - METRIC MALE ADJUSTABLE

ADATTATORE 45° MASCHIO DIN - MASCHIO METRICO ORIENTABILE

F1 - DIN
F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	L4 mm	T mm	PN bar	PN psi
QME06LMOM10.1	12x1,5	10x1	14	14	19	14	30	21	6	500	7251
QME08LMOM12.1	14x1,5	12x1,5	14	17	20,5	16	33	23	8	500	7251
QME10LMOM14.1	16x1,5	14x1,5	14	19	19	17	34	24	10	500	7251
QME12LMOM16.1	18x1,5	16x1,5	19	22	25	19	39	26	12	400	5801
QME15LMOM18.1	22x1,5	18x1,5	22	27	25,5	21	42	28	15	400	5801
QME18LMOM22.1	26x1,5	22x1,5	27	32	30,5	24	46	31,5	18	400	5801
QME22LMOM27.1	30x2	27x2	27	36	32	28,5	50	36	22	250	3626
QME28LMOM33.1	36x2	33x2	33	41	37	31	57	38,5	28	250	3626
QME35LMOM42.1	45x2	42x2	41	50	41,5	42,5	60	53	35	250	3626
QME42LMOM48.1	52x2	48x2	48	60	45	39	68	50	42	250	3626
QME06SMOM12.1	14x1,5	12x1,5	14	19	20,5	16	33	23	6	800	11603
QME08SMOM14.1	16x1,5	14x1,5	14	19	23	18	38	25	8	800	11603
QME10SMOM16.1	18x1,5	16x1,5	19	22	24	20	38	27	10	800	11603
QME12SMOM18.1	20x1,5	18x1,5	22	27	25,5	21,5	42	29	12	630	9137
QME16SMOM22.1	24x1,5	22x1,5	27	30	34,5	25	50	33,5	16	630	9137
QME20SMOM27.1	30x2	27x2	27	36	36	29,5	54	40	20	420	6091
QME25SMOM33.1	36x2	33x2	33	46	37	30,5	57	42,5	25	420	6091
QME30SMOM42.1	42x2	42x2	41	50	42,5	41,5	61	55	30	420	6091
QME38SMOM48.1	52x2	48x2	48	60	45,5	38	68,5	54	38	420	6091

DIN MALE 45° ELBOW - METRIC MALE ADJUSTABLE AND
RETAINING SEAL

ADATTATORE 45° MASCHIO DIN - MASCHIO METRICO ORIENTABILE

F1 - DIN

F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	L4 mm	T mm	PN bar	PN psi
QME06LMOMR10.1	12x1,5	10x1	14	14	20,5	14	30	21	6	500	7251
QME08LMOMR12.1	14x1,5	12x1,5	14	17	22	16	33	23	8	500	7251
QME10LMOMR14.1	16x1,5	14x1,5	14	19	20,5	17	34	24	10	500	7251
QME12LMOMR16.1	18x1,5	16x1,5	19	22	26,5	19	39	26	12	400	5801
QME15LMOMR18.1	22x1,5	18x1,5	22	27	27	21	42	28	15	400	5801
QME18LMOMR22.1	26x1,5	22x1,5	27	32	32	24	46	31,5	18	400	5801
QME22LMOMR27.1	30x2	27x2	27	36	33,5	28,5	50	36	22	250	3626
QME28LMOMR33.1	36x2	33x2	33	41	38,5	31	57	38,5	28	250	3626
QME35LMOMR42.1	45x2	42x2	41	50	43	42,5	60	53	35	250	3626
QME42LMOMR48.1	52x2	48x2	48	60	46,5	39	68	50	42	250	3626
QME06SMOMR12.1	14x1,5	12x1,5	14	19	22	16	33	23	6	800	11603
QME08SMOMR14.1	16x1,5	14x1,5	14	19	24,5	18	38	25	8	800	11603
QME10SMOMR16.1	18x1,5	16x1,5	19	22	25,5	20	38	27	10	800	11603
QME12SMOMR18.1	20x1,5	18x1,5	22	27	27	21,5	42	29	12	630	9137
QME16SMOMR22.1	24x1,5	22x1,5	27	30	36	25	50	33,5	16	630	9137
QME20SMOMR27.1	30x2	27x2	27	36	37,5	29,5	54	40	20	420	6091
QME25SMOMR33.1	36x2	33x2	33	46	38,5	30,5	57	42,5	25	420	6091
QME30SMOMR42.1	42x2	42x2	41	50	44	41,5	61	55	30	420	6091
QME38SMOMR48.1	52x2	48x2	48	60	47	38	68,5	54	38	420	6091

DIN MALE 45° ELBOW - UNF MALE ADJUSTABLE

ADATTATORE 45° MASCHIO DIN - MASCHIO UNF ORIENTABILE

F1 - DIN

F2 - UNF




Code	F1 mm	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	L4 mm	T mm	PN bar	PN psi
QME06LMOU04.1	12x1,5	7/16	14	14	19	14	29,5	21	6	500	7251
QME08LMOU04.1	14x1,5	7/16	14	17	19	14	29,5	21	8	500	7251
QME10LMOU06.1	16x1,5	9/16	14	19	20	18	32	25	10	500	7251
QME12LMOU06.1	18x1,5	9/16	19	22	22,5	19	34,5	26	12	400	5801
QME12LMOU08.1	18x1,5	3/4	19	22	22	19	36	26	12	400	5801
QME15LMOU08.1	22x1,5	3/4	22	27	24,5	21	37	28	15	400	5801
QME15LMOU10.1	22x1,5	7/8	22	27	27	21	43	28	15	400	5801
QME18LMOU10.1	26x1,5	7/8	27	32	31	24,5	47	32	18	400	5801
QME18LMOU12.1	26x1,5	1 1/16	27	32	33	24,5	49,5	32	18	400	5801
QME22LMOU12.1	30x2	1 1/16	27	36	36,5	29,5	53	37	22	250	3626
QME28LMOU16.1	36x2	1 5/16	33	41	37	33	53	40,5	28	250	3626
QME35LMOU20.1	45x2	1 5/8	41	50	41	43	60	53,5	35	250	3626
QME42LMOU24.1	52x2	1 7/8	48	60	44	38	67	49	42	250	3626
QME06SMOU04.1	12x1,5	7/16	14	19	19	14	29,5	21	6	800	11603
QME08SMOU06.1	16x1,5	9/16	14	19	20	19	32	26	8	800	11603
QME10SMOU06.1	18x1,5	9/16	19	22	22,5	20,5	34,5	28	10	800	11603
QME12SMOU08.1	20x1,5	3/4	19	24	26,5	23,5	40,5	31	12	630	9137
QME14SMOU10.1	22x1,5	7/8	22	27	28	22	44	30	14	630	9137
QME16SMOU10.1	24x1,5	7/8	27	30	34	25	50	33,5	16	630	9137
QME20SMOU12.1	30x2	1 1/16	27	36	36,5	30	53	40,5	20	420	6091
QME25SMOU16.1	36x2	1 5/16	33	46	37	30	53	42	25	420	6091
QME30SMOU20.1	42x2	1 5/8	41	50	41	36	60	49,5	30	420	6091
QME38SMOU24.1	52x2	1 7/8	48	60	45,5	38	68,5	54	38	420	6091

DIN MALE BANJO ELBOW - BSPP

GOMITO 90° ORIENTABILE MASHIO DIN - BULLONE FORATO GAS CILINDRICO

F1 - DIN

F2 - BSPP




Code	F1 mm	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	L4 mm	L5 mm	T mm	PN bar	PN psi
LME06LBFG02.1	12x1,5	1/8	17	17	8	10	12	24,5	19	6	500	7251
LME08LBFG04.1	14x1,5	1/4	22	19	12	13	14,5	31,5	21,5	8	500	7251
LME10LBFG04.1	16x1,5	1/4	22	19	12	13	14,5	31,5	22,5	10	500	7251
LME12LBFG06.1	18x1,5	3/8	27	24	12	16,5	16,5	39	25	12	400	5801
LME15LBFG08.1	22x1,5	1/2	32	30	14	19	19,5	44,5	28,5	15	400	5801
LME18LBFG08.1	26x1,5	1/2	32	30	14	19	19,5	44,5	28,5	18	400	5801
LME22LBFG12.1	30x2	3/4	41	36	16	23,5	27,5	56,5	35	22	250	3626
LME28LBFG16.1	36x2	1	46	41	18	26	31,5	58,2	39	28	250	3626
LME35LBFG20.1	45x2	1 1/4	60	50	20	33	36	77,5	46,5	35	250	3626
LME42LBFG24.1	52x2	1 1/2	70	60	22	40,5	39,5	75,5	50,5	42	250	3626
LME06SBFG04.1	14x1,5	1/4	22	19	12	14	16,5	31,5	23,5	6	800	11603
LME08SBFG04.1	16x1,5	1/4	22	19	12	13	16,5	31,5	23,5	8	800	11603
LME10SBFG06.1	18x1,5	3/8	27	24	12	16,5	18,5	39	26	10	800	11603
LME12SBFG06.1	20x1,5	3/8	27	24	12	16,5	18,5	39	26	12	630	9137
LME14SBFG08.1	22x1,5	1/2	32	30	14	19	23	44,5	31	14	630	9137
LME16SBFG08.1	24x1,5	1/2	32	30	14	19	22	44,5	30,5	16	630	9137
LME20SBFG12.1	30x2	3/4	41	36	16	23,5	26,5	56,5	37	20	420	6091
LME25SBFG16.1	36x2	1	46	41	18	26	30	58,2	39	25	420	6091
LME30SBFG20.1	42x2	1 1/4	60	40	20	33	37	77,5	50,5	30	420	6091
LME38SBFG24.1	52x2	1 1/2	70	60	22	38	41,5	87,5	57,5	38	420	6091

DIN MALE BANJO ELBOW - METRIC

GOMITO 90° ORIENTABILE MASCHIO DIN - BULLONE FORATO METRICO

F1 - DIN
F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	L4 mm	L5 mm	T mm	PN bar	PN psi
LME06LBFM10.1	12x1,5	10x1	17	17	7,8	10	12	24,5	19	6	500	7251
LME08LBFM12.1	14x1,5	12x1,5	22	19	12	13	14,5	31,5	21,5	8	500	7251
LME10LBFM14.1	16x1,5	14x1,5	22	19	12	13	15,5	31,5	22,5	10	500	7251
LME12LBFM16.1	18x1,5	16x1,5	27	24	12	16,5	18	30	25	12	400	5801
LME15LBFM18.1	22x1,5	18x1,5	32	27	12	18,5	21,5	43,5	28,5	15	400	5801
LME18LBFM22.1	26x1,5	22x1,5	32	30	14	19	21	45,5	28,5	18	400	5801
LME22LBFM26.1	30x2	26x1,5	41	36	16	23,5	27,5	54,5	35	22	250	3626
LME28LBFM33.1	36x2	33x2	50	46	18	30,5	31	55,5	38,5	28	250	3626
LME35LBFM42.1	45x2	42x2	60	50	20	35,5	35	65,5	45,5	35	250	3626
LME42LBFM48.1	52x2	48x2	70	60	22	40,5	39,5	75,5	50,5	42	250	3626
LME06SBFM12.1	14x1,5	12x1,5	22	19	12	13	16,5	31,5	23,5	6	800	11603
LME08SBFM14.1	16x1,5	14x1,5	22	19	12	13	16,5	31,5	23,5	8	800	11603
LME10SBFM16.1	18x1,5	16x1,5	27	24	12	16,5	18,5	30	26	10	800	11603
LME12SBFM18.1	20x1,5	18x1,5	32	27	12	18,5	21	43,5	28,5	12	630	9137
LME14SBFM20.1	22x1,5	20x1,5	32	27	14	20	23	36	31	14	630	9137
LME16SBFM22.1	24x1,5	22x1,5	32	30	14	19	22	45,5	30,5	16	630	9137
LME20SBFM27.1	30x2	27x2	41	36	16	23,5	26,5	59,5	37	20	420	6091
LME25SBFM33.1	36x2	33x2	50	46	18	28	31,5	70,5	43,5	25	420	6091
LME30SBFM42.1	42x2	42x2	60	50	20	35,5	36	65,5	49,5	30	420	6091
LME38SBFM48.1	52x2	48x2	70	60	22	40,5	40,5	75,5	56,5	38	420	6091

DIN MALE BANJO TEE - BSPP

T ORIENTABILE MASCHIO DIN - BULLONE FORATO GAS CILINDRICO AL PIEDE

F1 - DIN

F2 - BSPP




Code	F1 mm	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	L4 mm	L5 mm	T mm	PN bar	PN psi
TME06LBFG02P.1	12x1,5	1/8	17	17	8	10,5	12	24,5	19	6	500	7251
TME08LBFG04P.1	14x1,5	1/4	22	19	12	13	14,5	31,5	21,5	8	500	7251
TME10LBFG04P.1	16x1,5	1/4	22	19	12	13	15	31,5	22,5	10	500	7251
TME12LBFG06P.1	18x1,5	3/8	27	24	12	16,5	18	39	25	12	400	5801
TME15LBFG08P.1	22x1,5	1/2	32	30	14	19	21,5	44,5	25,8	15	400	5801
TME18LBFG08P.1	26x1,5	1/2	32	30	14	19	21	44,5	28,5	18	400	5801
TME22LBFG12P.1	30x2	3/4	41	36	16	23,5	27,5	56,5	35	22	250	3626
TME28LBFG16P.1	36x2	1	50	46	18	28	32	65,5	39,5	28	250	3626
TME35LBFG20P.1	45x2	1 1/4	60	50	20	33	36	77,5	46,5	35	250	3626
TME42LBFG24P.1	52x2	1 1/2	70	60	22	38	40,5	87,5	51,5	42	250	3626
TME06SBFG04P.1	14x1,5	1/4	22	19	12	13	16,5	31,5	23,5	6	800	11603
TME08SBFG04P.1	16x1,5	1/4	22	19	12	13	16,5	31,5	23,5	8	800	11603
TME10SBFG06P.1	18x1,5	3/8	27	24	12	16,5	18,5	39	26	10	800	11603
TME12SBFG06P.1	20x1,5	3/8	27	27	12	16,5	18,5	39	28,5	12	630	9137
TME14SBFG08P.1	22x1,5	1/2	32	27	14	19	23	44,5	31	14	630	9137
TME16SBFG08P.1	24x1,5	1/2	32	30	4	19	22	44,5	31	16	630	9137
TME20SBFG12P.1	30x2	3/4	41	36	16	23,5	26,5	56,5	37	20	420	6091
TME25SBFG16P.1	36x2	1	50	46	18	28	31,5	65,5	43,5	25	420	6091
TME30SBFG20P.1	42x2	1 1/4	60	50	20	33	37	77,5	50,5	30	420	6091
TME38SBFG24P.1	52x2	1 1/2	70	60	22	38	41,5	87,5	57,5	38	420	6091

DIN MALE BANJO TEE - METRIC

T ORIENTABILE MASCHIO DIN - BULLONE FORATO METRICO AL PIEDE

F1 - DIN

F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	L4 mm	L5 mm	T mm	PN bar	PN psi
TME06LBFM10P.1	12x1,5	10x1	17	17	8	10,5	12	18,5	19	6	500	7251
TME08LBFM12P.1	14x1,5	12x1,5	22	19	12	14	14,5	25	21,5	8	500	7251
TME10LBFM14P.1	16x1,5	14x1,5	22	19	12	13	15,5	31,5	22,5	10	500	7251
TME12LBFM16P.1	18x1,5	16x1,5	27	24	12	16,5	18	30	25	12	400	5801
TME15LBFM18P.1	22x1,5	18x1,5	32	27	12	18,5	22	33,5	29	15	400	5801
TME18LBFM22P.1	26x1,5	22x1,5	32	30	14	21,5	21,5	37,5	29	18	400	5801
TME22LBFM26P.1	30x2	26x1,5	41	36	16	24	26,5	44	34	22	250	3626
TME28LBFM33P.1	36x2	33x2	50	46	18	28	32	70,5	39,5	28	250	3626
TME35LBFM42P.1	45x2	42x2	60	50	20	35,5	35	65,5	45,5	35	250	3626
TME42LBFM48P.1	52x2	48x2	70	60	22	40,5	39,5	75,5	50,5	42	250	3626
TME06SBFM12P.1	14x1,5	12x1,5	22	19	12	14	16,5	25	23,5	6	800	11603
TME08SBFM14P.1	16x1,5	14x1,5	22	19	12	14	16,5	25	23,5	8	800	11603
TME10SBFM16P.1	18x1,5	16x1,5	27	24	12	16,5	18,5	30	26	10	800	11603
TME12SBFM18P.1	20x1,5	18x1,5	32	27	12	18,5	21	43,5	28,5	12	630	9137
TME14SBFM20P.1	22x1,5	20x1,5	32	27	14	20	23	36	31	14	630	9137
TME16SBFM22P.1	24x1,5	22x1,5	32	30	14	21,5	22,5	37,5	31	16	630	9137
TME20SBFM27P.1	30x2	27x2	41	36	16	24	25,5	44	36	20	420	6091
TME25SBFM33P.1	36x2	33x2	50	46	18	30,5	31,5	55,5	43,5	25	420	6091
TME30SBFM42P.1	42x2	42x2	60	50	20	35,5	36	65,5	49,5	30	420	6091
TME38SBFM48P.1	52x2	48x2	70	60	22	40,5	40,5	75,5	56,5	38	420	6091

WELDING BOSS

ADATTATORE DIRITTO MASCHIO DIN ESTREMITA' A SALDARE

F1 - DIN
F2 - None




Code	F1 mm	H1 mm	L1 mm	L2 mm	D mm	T mm	PN bar	PN psi
AME06LW.1	12x1,5	12	14	21	10	6	500	7251
AME08LW.1	14x1,5	14	16	23	12	8	500	7251
AME10LW.1	16x1,5	17	18	25	14	10	500	7251
AME12LW.1	18x1,5	19	18	25	16	12	400	5801
AME15LW.1	22x1,5	22	22	29	19	15	400	5801
AME18LW.1	26x1,5	27	23,5	31	22	18	400	5801
AME22LW.1	30x2	32	28,5	36	27	22	250	3626
AME28LW.1	36x2	41	30,5	38	32	28	250	3626
AME35LW.1	45x2	46	32,5	43	40	35	250	3626
AME42LW.1	52x2	55	35	46	46	42	250	3626
AME06SW.1	14x1,5	14	19	26	11	6	800	11603
AME08SW.1	16x1,5	17	21	28	13	8	800	11603
AME10SW.1	18x1,5	19	22,5	30	15	10	800	11603
AME12SW.1	20x1,5	22	24,5	32	17	12	630	9137
AME14SW.1	22x1,5	24	27	35	19	14	630	9137
AME16SW.1	24x1,5	27	26,5	35	21	16	630	9137
AME20SW.1	30x2	32	29,5	40	26	20	420	6091
AME25SW.1	36x2	41	32	44	31	25	420	6091
AME30SW.1	42x2	46	35,5	49	36	30	420	6091
AME38SW.1	52x2	55	38	54	44	38	420	6091

DIN WELDING NIPPLE (1)

OGIVA A SALDARE CON O-RING DIN 3865 A - ISO 8434-4

F1 - DIN

F2 - None




Code	L1 mm	D mm	D1 mm	T mm	PN bar	PN psi
TLS06W	31	6	2,5	6	800	11603
TLS08W	31	8	4	8	800	11603
TLS10W	32,5	10	7	10	800	11603
TLS10WX2	32,5	10	6	10	800	11603
TLS12W	32,5	12	9	12	630	9137
TLS12WX2	32,5	12	8	12	630	9137
TLS12WX2.5	32,5	12	7	12	630	9137
TL15W	34,5	15	10	15	400	5801
TL18W	35,5	18	13	18	400	5801
TL22W	38,5	22	17	22	250	3626
TL28W	42,5	28	23	28	250	3626
TL35W	47,5	35	29	35	250	3626
TL42W	47,5	42	36	42	250	3626
TS14W	38,5	14	8	14	630	9137
TS16W	39	16	12	16	630	9137
TS16WX2.5	39	16	11	16	630	9137
TS16WX3	39	16	10	16	630	9137
TS20W	45	20	15	20	420	6091
TS20WX3	45	20	14	20	420	6091
TS20WX4	45	20	12	20	420	6091
TS25W	49,5	25	19	25	420	6091
TS25WX4	49,5	25	17	25	420	6091
TS25WX5	49,5	25	15	25	400	6091
TS30W	52	30	24	30	420	6091
TS30WX4	52	30	22	30	420	6091
TS30WX5	52	30	20	30	420	6091

DIN WELDING NIPPLE (2)

OGIVA A SALDARE CON O-RING DIN 3865 A - ISO 8434-4

F1 - DIN
F2 - None




Code	L1 mm	D mm	D1 mm	T mm	PN bar	PN psi
TS30WX6	52	30	18	30	420	6091
TS38W	56,5	38	32	38	420	6091
TS38WX5	56,5	38	28	38	420	6091
TS38WX6	56,5	38	26	38	420	6091
TS38WX8	56,5	38	22	38	420	6091

DIN MALE - WELDING BULKHEAD CONNECTION

PROLUNGA SALDABILE MASCHIO DIN - MASCHIO DIN

F1 - DIN
F2 - None




Code	F1 mm	L1 mm	L2 mm	D mm	T mm	PN bar	PN psi
APME06LW.1	12x1,5	56	70	18	6	500	7251
APME08LW.1	14x1,5	56	70	20	8	500	7251
APME10LW.1	16x1,5	58	72	22	10	500	7251
APME12LW.1	18x1,5	58	72	25	12	400	5801
APME15LW.1	22x1,5	70	84	28	15	400	5801
APME18LW.1	26x1,5	69	84	32	18	400	5801
APME22LW.1	30x2	73	88	36	22	250	3626
APME28LW.1	36x2	73	88	40	28	250	3626
APME35LW.1	45x2	71	92	50	35	250	3626
APME42LW.1	52x2	70	92	60	42	250	3626
APME06SW.1	14x1,5	60	74	20	6	800	11603
APME08SW.1	16x1,5	60	74	22	8	800	11603
APME10SW.1	18x1,5	59	74	25	10	800	11603
APME12SW.1	20x1,5	59	74	28	12	630	9137
APME14SW.1	22x1,5	72	88	30	14	630	9137
APME16SW.1	24x1,5	71	88	35	16	630	9137
APME20SW.1	30x2	71	92	38	20	420	6091
APME25SW.1	36x2	72	96	45	25	420	6091
APME30SW.1	42x2	73	100	50	30	420	6091
APME38SW.1	52x2	72	104	60	38	420	6091

DIN MALE WELDING ELBOW

GOMITO 90° MASCHIO DIN - ESTREMITA' A SALDARE

F1 - DIN
F2 - None




Code	F1 mm	H1 mm	L1 mm	L2 mm	L3 mm	D mm	T mm	PN bar	PN psi
LME06LW.1	12x1,5	12	12	19	19	10	6	315	4568
LME08LW.1	14x1,5	12	14	21	21	12	8	315	4568
LME10LW.1	16x1,5	14	15	22	22	14	10	315	4568
LME12LW.1	18x1,5	17	17	24	24	16	12	315	4568
LME15LW.1	22x1,5	19	21	28	28	19	15	315	4568
LME18LW.1	26x1,5	24	23,5	31	31	22	18	315	4568
LME22LW.1	30x2	27	27,5	35	35	27	22	160	2320
LME28LW.1	36x2	36	30,5	38	38	32	28	160	2320
LME35LW.1	45x2	41	34,5	45	45	40	35	160	2320
LME42LW.1	52x2	50	40	51	51	46	42	160	2320
LME06SW.1	14x1,5	12	16	23	23	11	6	630	9137
LME08SW.1	16x1,5	14	17	24	24	13	8	630	9137
LME10SW.1	18x1,5	17	17,5	25	25	15	10	630	9137
LME12SW.1	20x1,5	17	21,5	29	29	17	12	630	9137
LME14SW.1	22x1,5	19	22	30	30	19	14	630	9137
LME16SW.1	24x1,5	24	24,5	33	33	21	16	400	5801
LME20SW.1	30x2	27	26,5	37	37	26	20	400	5801
LME25SW.1	36x2	36	30	42	42	31	25	400	5801
LME30SW.1	42x2	41	35,5	49	49	36	30	400	5801
LME38SW.1	52x2	50	41	57	57	44	38	315	4568

DIN CONNECTOR BSPP MALE - BSPP FEMALE - FORM E

RIDUZIONE MASCHIO GAS CILINDRICO FORMA E DIN 3852 - F. FISSA GAS CILINDRICA

F1 - BSPP
F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	L1 mm	L2 mm	PN bar	PN psi
ARMG06ELFFG02	3/8	1/8	22	12	22,5	630	9137
ARMG08ELFFG02	1/2	1/8	27	14	24	630	9137
ARMG08ELFFG04	1/2	1/4	27	14	24	630	9137
ARMG12ELFFG04	3/4	1/4	32	16	26	400	5801
ARMG12ELFFG06	3/4	3/8	32	16	26	400	5801
ARMG16ELFFG04	1	1/4	41	18	29	400	5801
ARMG16ELFFG06	1	3/8	41	18	29	400	5801
ARMG16ELFFG08	1	1/2	41	18	29	400	5801
ARMG20ELFFG08	1 1/4	1/2	50	20	32	400	5801
ARMG20ELFFG12	1 1/4	3/4	50	20	32	400	5801
ARMG24ELFFG08	1 1/2	1/2	55	22	36	315	4568
ARMG24ELFFG12	1 1/2	3/4	55	22	36	315	4568
ARMG24ELFFG16	1 1/2	1	55	22	36	630	9137

DIN CONNECTOR BSPP MALE - BSPP FEMALE

PROLUNGA MASCHIO GAS CILINDRICO FORMA E DIN 3852 - F. FISSA GAS CILINDRICA

F1 - BSPP
F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	L1 mm	L2 mm	PN bar	PN psi
APMG02ELFFG04	1/8	1/4	19	8	31	630	9137
APMG02ELFFG06	1/8	3/8	24	8	32	630	9137
APMG04ELFFG02	1/4	1/8	19	12	28	630	9137
APMG04ELFFG06	1/4	3/8	24	12	36	630	9137
APMG04ELFFG08	1/4	1/2	30	12	40	630	9137
APMG04ELFFG12	1/4	3/4	36	12	43	630	9137
APMG06ELFFG04	3/8	1/4	22	12	36	630	9137
APMG06ELFFG08	3/8	1/2	30	12	41	630	9137
APMG06ELFFG12	3/8	3/4	36	12	44	400	5801
APMG08ELFFG06	1/2	3/8	27	14	36	630	9137
APMG08ELFFG12	1/2	3/4	36	14	46	400	5801
APMG08ELFFG16	1/2	1	41	14	49	400	5801
APMG08ELFFG20	1/2	1 1/4	55	14	53	400	5801
APMG12ELFFG08	3/4	1/2	32	16	42	400	5801
APMG12ELFFG16	3/4	1	41	16	51	400	5801
APMG12ELFFG20	3/4	1 1/4	55	16	55	400	5801
APMG12ELFFG24	3/4	1 1/2	60	16	57	315	4568
APMG16ELFFG12	1	3/4	41	18	47	400	5801
APMG16ELFFG20	1	1 1/4	55	18	57	400	5801
APMG16ELFFG24	1	1 1/2	60	18	59	315	4568
APMG20ELFFG16	1 1/4	1	50	20	51	400	5801
APMG20ELFFG24	1 1/4	1 1/2	60	20	60	315	4568
APMG24ELFFG20	1 1/2	1 1/4	55	22	58	315	4568
APMG32ELFFG24	2	1 1/2	70	-	-	-	-

DIN 24° BLACKING PLUG

TAPPO FEMMINA GIREVOLE CONO A 24°

F1 - DIN
F2 - None




Code	L1 mm	D mm	D1 mm	PN bar	PN psi
ATFGE06L	18,5	6	3	500	7251
ATFGE08L	18,5	8	4	500	7251
ATFGE10L	20	10	5,5	500	7251
ATFGE12L	20,5	12	7	400	5801
ATFGE15L	20,5	15	9,5	400	5801
ATFGE18L	22,5	18	12	400	5801
ATFGE22L	25	22	14,5	250	3626
ATFGE28L	25,5	28	22	250	3626
ATFGE35L	30	35	25,5	250	3626
ATFGE42L	30	42	32,5	250	3626
ATFGE06S	18,5	6	3	800	11603
ATFGE08S	18,5	8	4	800	11603
ATFGE10S	20	10	5,5	800	11603
ATFGE12S	20,5	12	7	630	9137
ATFGE14S	22,5	14	9,5	630	9137
ATFGE16S	23,65	16	9,5	630	9137
ATFGE20S	28,5	20	14	420	6091
ATFGE25S	29	25	14,5	420	6091
ATFGE30S	30,5	30	22	420	6091
ATFGE38S	33	38	32,5	420	6091

DIN 24° PIPE PLUG

TAPPO MASCHIO A 24°

F1 - DIN
F2 - None




Code	F1 mm	H1 mm	L1 mm	L2 mm	T1 mm	PN bar	PN psi
ATME06L.1	12x1,5	12	7	14	6	500	7251
ATME08L.1	14x1,5	14	8	15	8	500	7251
ATME10L.1	16x1,5	17	9	16	10	500	7251
ATME12L.1	18x1,5	19	10	17	12	400	5801
ATME15L.1	22x1,5	24	11	18	15	400	5801
ATME18L.1	26x1,5	27	11,5	19	18	400	5801
ATME22L.1	30x2	32	13,5	21	22	250	3626
ATME28L.1	36x2	41	14,5	22	28	250	3626
ATME35L.1	45x2	46	14,5	25	35	250	3626
ATME42L.1	52x2	55	16	27	42	250	3626
ATME06S.1	14x1,5	14	11	18	6	800	11603
ATME08S.1	16x1,5	17	13	20	8	800	11603
ATME10S.1	18x1,5	19	12,5	20	10	800	11603
ATME12S.1	20x1,5	22	14,5	22	12	630	9137
ATME14S.1	22x1,5	24	16	24	14	630	9137
ATME16S.1	24x1,5	27	15,5	24	16	630	9137
ATME20S.1	30x2	32	17,5	28	20	420	6091
ATME25S.1	36x2	41	20	32	25	420	6091
ATME30S.1	42x2	46	20,5	34	30	420	6091
ATME38S.1	52x2	55	23	39	38	420	6091

DIN INNER HEXAGON PLUG BSPP FORM E DIN 3852

TAPPO MASCHIO GAS FORMA E DIN 3852 CON ESAGONO INCASSATO

F1 - BSPP

F2 - None




Code	F1 inch	H1 mm	L1 mm	L2 mm	D mm	PN bar	PN psi
ATMG02ELX	1/8	EX 5	8	4	14	400	5801
ATMG04ELX	1/4	EX 6	12	5	19	400	5801
ATMG06ELX	3/8	EX 8	12	5	22	400	5801
ATMG08ELX	1/2	EX 10	14	5	27	400	5801
ATMG12ELX	3/4	EX 12	16	5	32	400	5801
ATMG16ELX	1	EX 17	16	6,5	40	400	5801
ATMG20ELX	1 1/4	EX 22	16	6,5	50	400	3626
ATMG24ELX	1 1/2	EX 27	16	6,5	55	400	3626
ATMG32ELX	2	EX 32	20	5	68	400	3626

DIN INNER HEXAGON PLUG METRIC FORM E DIN 3852

TAPPO MASCHIO METRICO FORMA E DIN 3852 CON ESAGONO INCASSATO

F1 - METRIC

F2 - None




Code	F1 mm	H1 mm	L1 mm	L2 mm	D mm	PN bar	PN psi
ATMM10ELX	10x1	EX 5	8	4	14	400	5801
ATMM12ELX	12x1,5	EX 6	12	5	17	400	5801
ATMM14ELX	14x1,5	EX 6	12	5	19	400	5801
ATMM16ELX	16x1,5	EX 8	12	5	22	400	5801
ATMM18ELX	18x1,5	EX 8	12	5	24	400	5801
ATMM20ELX	20x1,5	EX 10	14	5	26	400	5801
ATMM22ELX	22x1,5	EX 10	14	5	27	400	5801
ATMM26ELX	26x1,5	EX 12	16	5	32	400	5801
ATMM27ELX	27x2	EX 12	16	5	32	400	5801
ATMM33ELX	33x2	EX 17	16	6,5	40	400	5801
ATMM42ELX	42x2	EX 22	16	6,5	50	250	3626
ATMM48ELX	48x2	EX 24	16	6,5	55	250	3626

BUSH FOR JIC

BUSSOLA

F1 - JIC 37°

F2 - None




Code	L mm	D mm	D inch fraction	D1 mm	PN bar	PN psi
ABJ06	10,4	9,7	1/4	6	345	5003
ABJ08	11,2	11,3	5/16	8	345	5003
ABJ3/8	12,7	12,7	3/8		345	5003
ABJ10	12,7	12,7		10	345	5003
ABJ1/2	14,2	17,3	1/2		310	4495
ABJ12	14,2	17,3		12	310	4495
ABJ14	16,8	20,2		14	240	3480
ABJ15	16,8	20,2		15	240	3480
ABJ16	16,8	20,2	5/8	16	240	3480
ABJ18	17,3	24,7		18	240	3480
ABJ20	17,3	24,7	3/4	20	210	3045
ABJ22	19,3	27,8		22	210	3045
ABJ25	19,8	31	1	25	210	3045
ABJ30	23,1	38,9		30	170	2465
ABJ32	23,1	38,9	1 1/4	32	170	2465
ABJ38	28,4	45,3	1 1/2	38	140	2030

JIC NUT

DADO JIC PER BUSSOLA

F1 - JIC 37°

F2 - None




Code	F1 inch	H1 mm	L mm	PN bar	PN psi
DBJ04	7/16	14	15,8	345	5003
DBJ05	1/2	17	17,3	345	5003
DBJ06	9/16	19	18,5	345	5003
DBJ08	3/4	22	21,6	310	4495
DBJ10	7/8	27	24,9	240	3480
DBJ12	1 1/16	32	26,2	240	3480
DBJ14	1 3/16	36	27,7	240	3480
DBJ16	1 5/16	41	28,7	210	3045
DBJ20	1 5/8	50	31,2	170	2465
DBJ24	1 7/8	60	36,1	105	1523

ADAPTOR MALE JIC - MALE JIC

ADATTATORE DIRITTO - MASCHIO JIC - MASCHIO JIC

F1 - JIC 37°

F2 - JIC 37°




Code	F1 inch	H1 mm	L mm	L1 mm	PN bar	PN psi
AMJ0404	7/16	12	34,5	14	500	7251
AMJ0505	1/2	14	34,5	14	420	6091
AMJ0606	9/16	17	36	14,1	420	6091
AMJ0808	3/4	22	41	16,7	420	6091
AMJ1010	7/8	24	48	19,3	350	5076
AMJ1212	1 1/16	30	55	21,9	350	5076
AMJ1616	1 5/16	36	57	23,1	280	4061
AMJ2020	1 5/8	46	61,7	25	280	4061
AMJ2424	1 7/8	50	70	27,5	210	3045

90° ADAPTOR MALE JIC - MALE JIC

GOMITO 90° - MASCHIO JIC - MASCHIO JIC

F1 - JIC 37°

F2 - JIC 37°




Code	F1 inch	L1 mm	PN bar	PN psi
LMJ04	7/16	24	420	6091
LMJ05	1/2	32,5	420	6091
LMJ06	9/16	26,9	420	6091
LMJ08	3/4	33,5	420	6091
LMJ10	7/8	36,8	350	5076
LMJ12	1 1/16	56,5	350	5076
LMJ16	1 5/16	65,2	280	4061
LMJ20	1 5/8	57	280	4061

TEE MALE ADAPTOR JIC

ADATTATORE T - MASCHIO JIC

F1 - JIC 37°

F2 - JIC 37°




Code	F1 inch	H1 mm	L1 mm	PN bar	PN psi
TMJ04	7/16	14	24,5	420	6091
TMJ05	1/2	14	25	420	6091
TMJ06	9/16	14	26,9	420	6091
TMJ08	3/4	19	32,5	420	6091
TMJ10	7/8	22	36,8	350	5076
TMJ12	1 1/16	27	42	350	5076
TMJ16	1 5/16	33	47	280	4061
TMJ20	1 5/8	41	58	280	4061
TMJ24	1 7/8	48	60	210	3045

STRAIGHT BULKHEAD ADAPTOR MALE JIC - MALE JIC

ADATTATORE DIRITTO - PASSAPARETE - MASCHIO JIC - MASCHIO JIC

F1 - JIC 37°

F2 - JIC 37°




Code	F1 inch	H1 mm	H2 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
APPMJ04	7/16	17	17	52,6	14	30,5	500	7251
APPMJ05	1/2	19	19	52,6	14	30,5	420	6091
APPMJ06	9/16	22	22	55,6	14,1	32,5	420	6091
APPMJ08	3/4	24	24	62	16,7	36,6	420	6091
APPMJ10	7/8	30	30	69,6	19,3	40,1	350	5076
APPMJ12	1 1/16	36	36	78,5	21,9	44,4	350	5076
APPMJ16	1 5/16	41	41	79,8	23,1	44,4	280	4061
APPMJ20	1 5/8	50	50	84,1	24,3	45,7	280	4061
APPMJ24	1 7/8	55	55	89,4	27,5	46	210	3045

90° BULKHEAD ADAPTOR MALE JIC - MALE JIC

GOMITO 90° PASSAPARETE - MASCHIO JIC - MASCHIO JIC

F1 - JIC 37°

F2 - JIC 37°




Code	F1 inch	H1 mm	H2 mm	L1 mm	L2 mm	PN bar	PN psi
LPPMJ04	7/16	14	17	25	41,5	420	6091
LPPMJ05	1/2	14	19	26,9	43,7	420	6091
LPPMJ06	9/16	14	22	27,7	46	420	6091
LPPMJ08	3/4	19	24	31,5	50	420	6091
LPPMJ10	7/8	22	30	39,6	60,5	350	5076
LPPMJ12	1 1/16	27	36	45,2	67,8	350	5076
LPPMJ16	1 5/16	33	41	49,3	71,1	280	4061
LPPMJ20	1 5/8	41	50	53	81,2	280	4061
LPPMJ24	1 7/8	50	55	58	86,9	210	3045

45° BULKHEAD ADAPTOR MALE JIC - MALE JIC

GOMITO 45° PASSAPARETE - MASCHIO JIC - MASCHIO JIC

F1 - JIC 37°

F2 - JIC 37°




Code	F1 inch	H1 mm	H2 mm	L1 mm	L2 mm	PN bar	PN psi
QPPMJ04	7/16	14	17	25	41,5	420	6091
QPPMJ05	1/2	14	19	27	43,7	420	6091
QPPMJ06	9/16	14	22	27,7	46	420	6091
QPPMJ08	3/4	19	24	31,5	50	420	6091
QPPMJ10	7/8	22	30	39,6	60,5	350	5076
QPPMJ12	1 1/16	27	36	45,2	67,8	350	5076
QPPMJ16	1 5/16	33	41	49,3	71,1	280	4061
QPPMJ20	1 5/8	41	50	53	81,2	280	4061

ADAPTOR FEMALE JIC - MALE JIC

ADATTATORE DIRITTO - FEMMINA JIC - MASCHIO JIC

F1 - JIC 37°

F2 - JIC 37°



	Code	F1 inch	F2 inch	H1 mm	L mm	L1 mm	PN bar	PN psi
Y	AFGJ06MJ04	9/16	7/16	19	35,6	24,6	420	6091
X	AFGJ06MJ05	9/16	1/2	19	31,5	19,8	420	6091
Y	AFGJ08MJ04	3/4	7/16	22	38,2	25,4	420	6091
Y	AFGJ08MJ05	3/4	1/2	22	38,2	25,4	420	6091
Y	AFGJ08MJ06	3/4	9/16	22	38,2	25,4	420	6091
Y	AFGJ10MJ04	7/8	7/16	27	40,6	26,2	350	5076
Y	AFGJ10MJ06	7/8	9/16	27	40,7	26,2	350	5076
X	AFGJ10MJ08	7/8	3/4	27	41	25	350	5076
Y	AFGJ12MJ04	1 1/16	7/16	32	42,8	27,7	350	5076
Y	AFGJ12MJ06	1 1/16	9/16	32	42,8	27,7	350	5076
Y	AFGJ12MJ08	1 1/16	3/4	32	42,8	27,7	350	5076
Y	AFGJ12MJ10	1 1/16	7/8	32	45,4	30,3	350	5076
Y	AFGJ16MJ10	1 5/16	7/8	41	52	34,7	310	4495
Y	AFGJ16MJ12	1 5/16	1 1/16	41	54,6	37,3	310	4495
Y	AFGJ20MJ12	1 5/8	1 1/16	50	53,6	37,6	280	4061
Y	AFGJ20MJ16	1 5/8	1 5/16	50	54,8	38,8	280	4061
Y	AFGJ24MJ16	1 7/8	1 5/16	60	62,8	46,1	210	3045
Y	AFGJ24MJ20	1 1/16	1 5/8	-	-	-	210	3045


- Y: Swivel nut version
Versione con dado girevole
- X: Fixed nut version
Versione con dado fisso

90° ADAPTOR MALE JIC - SWIVEL FEMALE JIC

GOMITO 90° - MASCHIO JIC - FEMMINA GIREVOLE JIC

F1 - JIC 37°

F2 - JIC 37°




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
LMJ04FGJ04	7/16	7/16	14	15	24,5	28,3	20,5	420	6091
LMJ05FGJ05	1/2	1/2	14	17	26	28,5	20,5	420	6091
LMJ06FGJ06	9/16	9/16	14	19	26,9	36,1	22,8	350	5076
LMJ08FGJ08	3/4	3/4	19	24	31,8	43,7	26,3	350	5076
LMJ10FGJ10	7/8	7/8	22	27	36,8	49	28,5	350	5076
* LMJ12FGJ12	1 1/16	1 1/16	27	32	42	56,5	34	350	5076
* LMJ16FGJ16	1 5/16	1 5/16	33	41	49	63,5	41,5	250	3626
* LMJ20FGJ20	1 5/8	1 5/8	41	50	57	68	54	250	3626
LMJ24FGJ24	1 7/8	1 7/8	48	55	60	71	53	170	2466

45° ADAPTOR MALE JIC - SWIVEL FEMALE JIC

GOMITO 45° - MASCHIO JIC - FEMMINA GIREVOLE JIC

F1 - JIC 37°

F2 - JIC 37°




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
QMJO4FGJ04	7/16	7/16	-	-	24,5	28,3	20,5	420	6091
QMJO5FGJ05	1/2	1/2	14	17	20	25,5	20,5	420	6091
QMJO6FGJ06	9/16	9/16	14	19	21,5	27,3	22,8	350	5076
QMJO8FGJ08	3/4	3/4	19	24	25,5	23,1	26,3	350	5076
QMJO10FGJ10	7/8	7/8	22	27	29	36,6	28,5	350	5076
* QMJ12FGJ12	1 1/16	1 1/16	27	32	33	37,2	34	350	5076
* QMJ16FGJ16	1 5/16	1 5/16	33	41	38	45,4	41,5	250	3626
* QMJ20FGJ20	1 5/8	1 5/8	41	50	40	51,3	54	250	3626
QMJO24FGJ24	1 7/8	1 7/8	48	55	60	71	53	250	3626

RUN TEE MALE JIC - SWIVEL FEMALE JIC

ADATTATORE T - MASCHIO JIC - FEMMINA GIREVOLE JIC AL BRACCIO

F1 - JIC 37°

F2 - JIC 37°



Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
TMJ04FGJ04B	7/16	7/16	14	15	26,9	28,3	22,8	420	6091
TMJ05FGJ05B	1/2	1/2	14	17	25	29	20,5	420	6091
TMJ06FGJ06B	9/16	9/16	14	19	26,9	29,3	22,8	350	5076
TMJ08FGJ08B	3/4	3/4	19	24	31,8	36,5	26,3	350	5076
TMJ10FGJ10B	7/8	7/8	22	27	36,8	40,5	28,5	350	5076
* TMJ16FGJ16B	1 5/16	1 5/16	33	41	46	57,5	41,5	250	3626
* TMJ20FGJ20B	1 5/8	1 5/8	41	50	57	68	54	250	3626
TMJ24FGJ24B	1 7/8	1 7/8	48	55	60	-	53		

* Thrust-wire nut


Dado spinato

BRANCH TEE MALE JIC - SWIVEL FEMALE JIC

ADATTATORE T - MASCHIO JIC - FEMMINA GIREVOLE JIC AL PIEDE

F1 - JIC 37°

F2 - JIC 37°



Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
TMJ04FGJ04P	7/16	7/16	14	15	24,5	28,5	20,5	420	6091
TMJ05FGJ05P	1/2	1/2	14	17	25	29	20,5	420	6091
TMJ06FGJ06P	9/16	9/16	14	19	26,9	30,9	22,8	350	5076
TMJ08FGJ08P	3/4	3/4	19	24	32,5	36,5	26,3	350	5076
TMJ10FGJ10P	7/8	7/8	22	27	36,8	40,5	28,5	350	5076
* TMJ12FGJ12P	1 1/16	1 1/16	27	32	42,5	47,1	34,5	350	5076
* TMJ16FGJ16P	1 5/16	1 5/16	33	41	46	57,5	41,5	250	3626
* TMJ20FGJ20P	1 5/8	1 5/8	41	50	57	68	54	250	3626
TMJ24FGJ24P	1 7/8	1 7/8	48	55	60	-	53	250	3626


* Thrust-wire nut

Dado spinato

ADAPTOR MALE JIC - MALE BSPP FORM G

ADATTATORE DIRITTO - MASCHIO JIC . MASCHIO GAS CILINDRICO FORMA G ISO
1179-3

F1 - JIC 37°
F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	L mm	L1 mm	PN bar	PN psi
AMJ04MOG04	7/16	1/4	19	32,2	22,8	420	6091
AMJ04MOG08	7/16	1/2	30	39	26,3	420	6091
AMJ06MOG04	9/16	1/4	19	32,8	23,4	420	6091
AMJ06MOG06	9/16	3/8	22	32,8	23,4	420	6091
AMJ06MOG08	9/16	1/2	30	38,1	25,4	350	5076
AMJ08MOG04	3/4	1/4	19	34,9	25,5	420	6091
AMJ08MOG06	3/4	3/8	22	35,9	26,5	420	6091
AMJ08MOG08	3/4	1/2	30	41,2	28,5	350	5076
AMJ08MOG12	3/4	3/4	36	42	29,3	350	5076
AMJ10MOG06	7/8	3/8	24	39	29,6	350	5076
AMJ10MOG08	7/8	1/2	30	42,8	30,1	350	5076
AMJ12MOG08	1 1/16	1/2	30	46,9	34,2	350	5076
AMJ12MOG12	1 1/16	3/4	30	47,9	35,2	350	5076
AMJ16MOG12	1 5/16	3/4	36	49,1	36,4	280	4061

ADAPTOR MALE JIC - MALE BSPP FORM E (1)

ADATTATORE DIRITTO - MASCHIO JIC . MASCHIO GAS CILINDRICO FORMA E DIN 3852

F1 - JIC 37°

F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
AMJ04MG02R	7/16	1/8	14	30,5	14	8	500	7251
AMJ04MG04R	7/16	1/4	19	34,5	14	12	420	6091
AMJ04MG06R	7/16	3/8	22	36	14	12	420	6091
AMJ04MG08R	7/16	1/2	27	39,5	14	14	350	5076
AMJ05MG02R	1/2	1/8	14	30,5	14	8	420	6091
AMJ05MG04R	1/2	1/4	19	34,5	14	12	420	6091
AMJ05MG06R	1/2	3/8	22	36	14	12	420	6091
AMJ05MG08R	1/2	1/2	27	40	14	14	420	6091
AMJ06MG02R	9/16	1/8	17	30,5	14,1	8	420	6091
AMJ06MG04R	9/16	1/4	19	34,5	14,1	12	420	6091
AMJ06MG06R	9/16	3/8	22	36	14,1	12	420	6091
AMJ06MG08R	9/16	1/2	27	40	14,1	14	350	5076
AMJ08MG04R	3/4	1/4	22	38	16,7	12	420	6091
AMJ08MG06R	3/4	3/8	22	38,5	16,7	12	420	6091
AMJ08MG08R	3/4	1/2	27	42,5	16,7	14	350	5076
AMJ08MG12R	3/4	3/4	32	46	16,7	16	350	5076
AMJ10MG06R	7/8	3/8	24	42,5	19,3	12	350	5076
AMJ10MG08R	7/8	1/2	27	45	19,3	14	350	5076
AMJ10MG12R	7/8	3/4	32	48,5	19,3	16	350	5076
AMJ10MG16R	7/8	1	41	51,9	19,3	18	280	4061
AMJ12MG06R	1 1/16	3/8	30	46,5	21,9	12	350	5076
AMJ12MG08R	1 1/16	1/2	30	49	21,9	14	350	5076
AMJ12MG12R	1 1/16	3/4	32	51	21,9	16	350	5076
AMJ12MG16R	1 1/16	1	41	54,5	21,9	18	280	4061
AMJ12MG20R	1 1/16	1 1/4	50	62	21,9	20	280	4061
AMJ16MG12R	1 5/16	3/4	36	53,5	23,1	16	280	4061

ADAPTOR MALE JIC - MALE BSPP FORM E (2)

ADATTATORE DIRITTO - MASCHIO JIC . MASCHIO GAS CILINDRICO FORMA E DIN 3852

F1 - JIC 37°
F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
AMJ16MG16R	1 5/16	1	41	55,5	23,1	18	280	4061
AMJ16MG20R	1 5/16	1 1/4	50	60	23,1	20	280	4061
AMJ20MG16R	1 5/8	1	46	62	24,3	18	280	4061
AMJ20MG20R	1 5/8	1 1/4	50	61	24,3	20	280	4061
AMJ20MG24R	1 5/8	1 1/2	55	64	24,3	22	210	3045
AMJ24MG16R	1 7/8	1	50	62	27,5	18	210	3045
AMJ24MG20R	1 7/8	1 1/4	50	64	27,5	20	210	3045
AMJ24MG24R	1 7/8	1 1/2	55	67	27,5	22	210	3045

ADAPTOR MALE JIC - MALE BSPP 60° CONE (1)

ADATTATORE DIRITTO - MASCHIO JIC - MASCHIO GAS CILINDRICO SV 60°

F1 - JIC 37°

F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
AMJ04MG02SV	7/16	1/8	14	29	14	8	500	7251
AMJ04MG04SV	7/16	1/4	19	34,5	14	12	420	6091
AMJ04MG06SV	7/16	3/8	22	34,5	14	12	420	6091
AMJ04MG08SV	7/16	1/2	27	38	14	14	350	5076
AMJ05MG02SV	1/2	1/8	14	29	14	8	420	6091
AMJ05MG04SV	1/2	1/4	19	34,5	14	12	420	6091
AMJ05MG06SV	1/2	3/8	22	34,5	14	12	420	6091
AMJ05MG08SV	1/2	1/2	27	38	14	14	420	6091
AMJ06MG02SV	9/16	1/8	17	30,5	14	8	420	6091
AMJ06MG04SV	9/16	1/4	19	34,6	14,1	12	420	6091
AMJ06MG06SV	9/16	3/8	22	34,5	14,1	12	420	6091
AMJ06MG08SV	9/16	1/2	27	38	14,1	14	350	5076
AMJ08MG04SV	3/4	1/4	22	37,5	16,7	12	420	6091
AMJ08MG06SV	3/4	3/8	22	36	16,7	12	420	6091
AMJ08MG08SV	3/4	1/2	27	41	16,7	14	350	5076
AMJ08MG12SV	3/4	3/4	32	44,7	16,7	16	350	5076
AMJ10MG06SV	7/8	3/8	24	45	19,3	12	350	5076
AMJ10MG08SV	7/8	1/2	27	43,3	19,3	14	350	5076
AMJ10MG12SV	7/8	3/4	32	47,5	19,3	16	350	5076
AMJ10MG16SV	7/8	1	41	49,8	19,3	18	280	4061
AMJ12MG06SV	1 1/16	3/8	30	45	21,9	12	350	5076
AMJ12MG08SV	1 1/16	1/2	30	47	21,9	14	350	5076
AMJ12MG12SV	1 1/16	3/4	32	49,9	21,9	16	350	5076
AMJ12MG16SV	1 1/16	1	41	52,4	21,9	18	280	4061
AMJ12MG20SV	1 1/16	1 1/4	50	55,9	21,9	20	280	4061
AMJ16MG12SV	1 5/16	3/4	36	51,1	23,1	16	280	4061

ADAPTOR MALE JIC - MALE BSPP 60° CONE (2)

ADATTATORE DIRITTO - MASCHIO JIC - MASCHIO GAS CILINDRICO SV 60°

F1 - JIC 37°

F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
AMJ16MG16SV	1 5/16	1	41	53,6	23,1	18	280	4061
AMJ16MG20SV	1 5/16	1 1/4	50	57,1	23,1	20	280	4061
AMJ16MG24SV	1 5/16	1 1/2	55	59,1	23,1	22	280	4061
AMJ20MG16SV	1 5/8	1	46	55,3	24,3	18	280	4061
AMJ20MG20SV	1 5/8	1 1/4	50	58,3	24,3	20	210	3045
AMJ20MG24SV	1 5/8	1 1/2	55	60,3	24,3	22	210	3045
AMJ24MG16SV	1 7/8	1	50	59,5	27,5	18	210	3045
AMJ24MG20SV	1 7/8	1 1/4	50	61,5	27,5	20	210	3045
AMJ24MG24SV	1 7/8	1 1/2	55	63,5	27,5	22	210	3045
AMJ24MG32SV	1 7/8	2	70	68,5	27,5	25	210	3045

LONG CONNECTOR MALE JIC-MALE BSPP FORM E

PROLUNGA DIRITTA - MASCHIO JIC - MASCHIO GAS CILINDRICO FORMA E

F1 - JIC 37°

F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
AMJ04MG02L	7/16	1/8	14	50	35	8	500	7251
AMJ04MG04L	7/16	1/4	19	54	35	12	420	6091
AMJ05MG02L	1/2	1/8	14	52	37	8	420	6091
AMJ05MG04L	1/2	1/4	19	56	37	12	420	6091
AMJ05MG06L	1/2	3/8	22	57	37	12	420	6091
AMJ06MG04L	9/16	1/4	19	58	39	12	420	6091
AMJ06MG06L	9/16	3/8	22	59	39	12	420	6091
AMJ06MG08L	9/16	1/2	27	63	39	14	350	5076
AMJ08MG04L	3/4	1/4	22	68	48	12	420	6091
AMJ08MG06L	3/4	3/8	22	68	48	12	420	6091
AMJ08MG08L	3/4	1/2	27	72	48	14	350	5076
AMJ10MG06L	7/8	3/8	24	74	53	12	350	5076
AMJ10MG08L	7/8	1/2	27	78,7	53	14	350	5076
AMJ10MG12L	7/8	3/4	36	80	53	16	350	5076
AMJ12MG08L	1 1/16	1/2	30	88	63	14	350	5076
AMJ12MG12L	1 1/16	3/4	36	90	63	16	350	5076
AMJ12MG16L	1 1/16	1	41	93	63	18	280	4061
AMJ16MG12L	1 5/16	3/4	36	99	72	16	280	4061
AMJ16MG16L	1 5/16	1	41	102	72	18	280	4061
AMJ16MG20L	1 5/16	1 1/4	50	106	72	20	280	4061
AMJ20MG16L	1 5/8	1	46	119	88	18	280	4061
AMJ20MG20L	1 5/8	1 1/4	50	122	88	20	280	4061
AMJ24MG20L	1 7/8	1 1/4	50	132	98	20	210	3045
AMJ24MG24L	1 7/8	1 1/2	55	137,5	98	22	210	3045

ADAPTOR MALE JIC – FEMALE BSPP

ADATTATORE DIRITTO - MASCHIO JIC - FEMMINA FISSA GAS CILINDRICA

F1 - JIC 37°

F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	L mm	L1 mm	PN bar	PN psi
AMJ04FFG02	7/16	1/8	14	30	14	345	5003
AMJ04FFG04	7/16	1/4	19	35	14	345	5003
AMJ05FFG02	1/2	1/8	14	30	14	345	5003
AMJ05FFG04	1/2	1/4	19	35	14	345	5003
AMJ06FFG04	9/16	1/4	19	35	14,1	345	5003
AMJ06FFG06	9/16	3/8	22	36	14,1	310	4495
AMJ08FFG04	3/4	1/4	22	39	16,7	310	4495
AMJ08FFG06	3/4	3/8	22	39	16,7	310	4495
AMJ08FFG08	3/4	1/2	30	43	16,7	240	3480
AMJ10FFG08	7/8	1/2	30	45,5	19,3	240	3480
AMJ12FFG08	1 1/16	1/2	30	48	21,9	240	3480
AMJ12FFG12	1 1/16	3/4	36	51	21,9	240	3480
AMJ16FFG16	1 5/16	1	41	54	23,1	210	3045
AMJ20FFG16	1 5/8	1	46	55,5	24,3	170	2465
AMJ20FFG20	1 5/8	1 1/4	50	60,5	24,3	170	2465
AMJ24FFG20	1 7/8	1 1/4	50	64	27,5	140	2030
AMJ24FFG24	1 7/8	1 1/2	60	65,5	27,5	140	2030

90° ADAPTOR MALE JIC - FEMALE BSPP

GOMITO 90° - MASCHIO JIC - FEMMINA FISSA GAS CILINDRICA

F1 - JIC 37°

F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	L1 mm	L2 mm	PN bar	PN psi
LMJ04FFG02	7/16	1/8	14	27,5	18	345	5003
LMJ04FFG04	7/16	1/4	19	29	23	345	5003
LMJ05FFG02	1/2	1/8	14	28	18	345	5003
LMJ05FFG04	1/2	1/4	19	29	23	345	5003
LMJ06FFG02	9/16	1/8	14	27,5	18	345	5003
LMJ06FFG04	9/16	1/4	19	31	23	345	5003
LMJ06FFG06	9/16	3/8	22	31,5	26	310	4495
LMJ08FFG04	3/4	1/4	19	32,2	23	310	4495
LMJ08FFG06	3/4	3/8	22	36	26	310	4495
LMJ10FFG08	7/8	1/2	27	42	31	240	3480
LMJ12FFG08	1 1/16	1/2	27	42	31	240	3480
LMJ12FFG12	1 1/16	3/4	33	48	34,5	240	3480
LMJ16FFG16	1 5/16	1	41	55	43	210	3045
LMJ20FFG16	1 5/8	1	41	57	43	170	2465
LMJ20FFG20	1 5/8	1 1/4	48	61	48	170	2465

RUN TEE MALE JIC - FEMALE BSPP

ADATTATORE T - MASCHIO JIC - FEMMINA FISSA - GAS CILINDRICA AL BRACCIO

F1 - JIC 37°

F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	L1 mm	L2 mm	PN bar	PN psi
TMJ04FFG02B	7/16	1/8	14	27,5	18	345	5003
TMJ04FFG04B	7/16	1/4	19	29	23	345	5003
TMJ04FFG06B	7/16	3/8	22	29	26	310	4495
TMJ05FFG02B	1/2	1/8	14	28	18	310	4495
TMJ05FFG04B	1/2	1/4	19	29	23	345	5003
TMJ06FFG04B	9/16	1/4	19	31	23	345	5003
TMJ06FFG06B	9/16	3/8	22	31,5	26	345	5003
TMJ06FFG08B	9/16	1/2	27	36	31	310	4495
TMJ08FFG04B	3/4	1/4	19	32,2	23	310	4495
TMJ08FFG06B	3/4	3/8	22	36	26	310	4495
TMJ08FFG08B	3/4	1/2	27	32,2	31	240	3480
TMJ10FFG08B	7/8	1/2	27	42	31	240	3480
TMJ12FFG08B	1 1/16	1/2	27	42	31	240	3480
TMJ12FFG12B	1 1/16	3/4	33	47	34,5	240	3480
TMJ16FFG16B	1 5/16	1	41	55	43	210	3045
TMJ20FFG16B	1 5/8	1	41	57	43	170	2465

BRANCH TEE MALE JIC - FEMALE BSPP

ADATTATORE T - MASCHIO JIC - FEMMINA FISSA - GAS CILINDRICA AL PIEDE

F1 - JIC 37°

F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	L1 mm	L2 mm	PN bar	PN psi
TMJ04FFG02P	7/16	1/8	14	27,5	18	345	5003
TMJ04FFG04P	7/16	1/4	19	29	23	345	5003
TMJ04FFG06P	7/16	3/8	22	29	26	310	4495
TMJ05FFG02P	1/2	1/8	14	28	18	345	5003
TMJ05FFG04P	1/2	1/4	19	29	23	345	5003
TMJ06FFG04P	9/16	1/4	19	31	23	345	5003
TMJ06FFG06P	9/16	3/8	22	31,5	26	310	4495
TMJ06FFG08P	9/16	1/2	27	36	31	310	4495
TMJ08FFG04P	3/4	1/4	19	32,2	23	310	4495
TMJ08FFG06P	3/4	3/8	22	36	26	310	4495
TMJ08FFG08P	3/4	1/2	27	32,2	31	240	3480
TMJ10FFG08P	7/8	1/2	27	42	31	240	3480
TMJ12FFG08P	1 1/16	1/2	27	42	31	240	3480
TMJ12FFG12P	1 1/16	3/4	33	47	34,5	240	3480
TMJ16FFG16P	1 5/16	1	41	55	43	210	3045
TMJ20FFG16P	1 5/8	1	41	57	43	170	2465

ADAPTOR SWIVEL FEMALE JIC - MALE BSPP FORM G

ADATTATORE DIRITTO - FEMMINA GIREVOLE JIC - MASCHIO GAS CILINDRICO
FORMA G ISO 1179-3

F1 - JIC 37°
F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	H2 mm	L mm	L1 mm	PN bar	PN psi
AFGJ06MOG04	9/16	9/16	19	19	38,8	18	275	3988
AFGJ06MOG04	9/16	9/16	19	22	39,8	19	275	3988
AFGJ08EX22MOG06	7/16	9/16	22	22	41,3	21	275	3988

ADAPTOR SWIVEL FEMALE JIC - MALE BSPP FORM E

ADATTATORE DIRITTO - FEMMINA GIREVOLE JIC - MASCHIO GAS CILINDRICO
FORMA E DIN 3852

F1 - JIC 37°

F2 - BSPP



Code	F1 inch	F2 inch	H1 mm	H2 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
AFGJ04MG02R	7/16	1/8	14	15	34	8	25,5	310	4495
AFGJ04MG04R	7/16	1/4	19	15	37,5	12	29	275	3988
AFGJ04MG06R	7/16	3/8	22	15	39,5	12	31	275	3988
AFGJ05MG02R	1/2	1/8	14	17	32,5	8	23	275	3988
AFGJ05MG04R	1/2	1/4	19	17	39	12	29,5	275	3988
AFGJ05MG06R	1/2	3/8	22	17	41,1	12	31,6	210	3045
AFGJ06MG04R	9/16	1/4	19	19	39,8	12	30,8	275	3988
AFGJ06MG06R	9/16	3/8	22	19	41,8	12	32,8	210	3045
AFGJ06MG08R	9/16	1/2	27	19	45,3	14	36,3	210	3045
AFGJ08MG04R	3/4	1/4	19	24	42,1	12	31,1	275	3988
AFGJ08MG06R	3/4	3/8	22	24	44,1	12	33,1	275	3988
AFGJ08MG08R	3/4	1/2	27	24	47,6	14	36,6	210	3045
AFGJ10MG06R	7/8	3/8	22	27	48,1	12	34,9	210	3045
AFGJ10MG08R	7/8	1/2	27	27	51,6	14	38,4	210	3045
AFGJ10MG12R	7/8	3/4	32	27	55,1	16	41,9	210	3045
* AFGJ12MG08R	1 1/16	1/2	27	32	55	14	43	210	3045
* AFGJ12MG12R	1 1/16	3/4	32	32	55	16	43	210	3045
* AFGJ12MG16R	1 1/16	1	41	32	59	18	47	170	2465
* AFGJ16MG12R	1 5/16	3/4	32	41	58	16	42	170	2465
* AFGJ16MG16R	1 5/16	1	41	41	63	18	47	170	2465
* AFGJ16MG20R	1 5/16	1 1/4	50	41	66,5	20	50,5	170	2465
* AFGJ20MG16R	1 5/8	1	41	50	63	18	49	140	2030
* AFGJ20MG20R	1 5/8	1 1/4	50	50	67,5	20	53,5	140	2030
* AFGJ24MG20R	1 7/8	1 1/4	50	55	72,5	20	54,5	105	1523
* AFGJ24MG24R	1 7/8	1 1/2	55	55	74,9	22	56,9	105	1523

* Thrust-wire nut


Dado spinato

ADAPTER JIC FOR PRESSURE CONNECTION

CONNESSIONE PER PRESA DI PRESSIONE JIC-BSPP

F1 - JIC 37°

F2 - BSPP




Code		F1 inch	F2 inch	H1 mm	L mm	PN bar	PN psi
X	AFFG04FJ04	7/16	1/4	19	31	310	4495
X	AFFG04FJ05	1/2	1/4	19	31	275	3988
X	AFFG04FJ06	9/16	1/4	19	31	275	3988
X	AFFG04FJ08	3/4	1/4	22	33	275	3988
Y	AFFG04FJ10	7/8	1/4	27	24,9	210	3045
Y	AFFG04FJ12	1 1/16	1/4	32	26,2	210	3045
Y	AFFG04FJ16	1 5/16	1/4	41	28,7	170	2465
Y	AFFG04FJ20	1 5/8	1/4	50	31,2	140	2030
Y	AFFG04FJ24	1 7/8	1/4	60	36,1	105	1523

ADAPTOR MALE JIC - METRIC MALE FORM E

ADATTATORE DIRITTO MASCHIO JIC - MASCHIO METRICO FORMA E DIN 3852

F1 - JIC 37°

F2 - METRIC




Code	F1 inch	F2 mm	H mm	L mm	L1 mm	L2 mm	PN bar	PN psi
AMJ04MM10R	7/16	10x1	14	29	14	8	345	5003
AMJ04MM12R	7/16	12x1,5	17	33	14	12	345	5003
AMJ05MM10R	1/2	10x1	14	29	14	8	345	5003
AMJ05MM12R	1/2	12x1,5	17	33	14	12	345	5003
AMJ05MM14R	1/2	14x1,5	19	33	14	12	310	4495
AMJ06MM14R	9/16	14x1,5	19	33	14,1	12	310	4495
AMJ06MM16R	9/16	16x1,5	22	33,5	14,1	12	240	3480
AMJ08MM14R	3/4	14x1,5	19	36	16,7	12	310	4495
AMJ08MM16R	3/4	16x1,5	22	36	16,7	12	240	3480
AMJ08MM18R	3/4	18x1,5	24	37,5	16,7	12	240	3480
AMJ10MM18R	7/8	18x1,5	24	40	19,3	12	240	3480
AMJ10MM20R	7/8	20x1,5	27	43	19,3	14	240	3480
AMJ10MM22R	7/8	22x1,5	27	43,5	19,3	14	240	3480
AMJ12MM22R	1 1/16	22x1,5	30	46,5	21,9	14	240	3480
AMJ12MM27R	1 1/16	27x2	32	48,5	21,9	16	240	3480
AMJ16MM27R	1 5/16	27x2	36	50,5	23,1	16	210	3045
AMJ16MM33R	1 5/16	33x2	41	52,5	23,1	18	210	3045
AMJ20MM42R	1 5/8	42x2	50	58	25	20	170	2465
AMJ24MM48R	1 7/8	48x2	55	63,5	27,5	22	140	2030

ADAPTOR MALE JIC - METRIC MALE 60° CONE

ADATTATORE DIRITTO - MASCHIO JIC - MASCHIO METRICO SV 60

F1 - JIC 37°

F2 - METRIC




Code	F1 inch	F2 mm	H1 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
AMJ04MM10	7/16	10x1	14	30	14	9,5	345	5003
AMJ04MM12	7/16	12x1,5	17	33	14	11	345	5003
AMJ05MM10	1/2	10x1	14	30,5	14	9,5	345	5003
AMJ05MM12	1/2	12x1,5	17	33	14	11	345	5003
AMJ05MM14	1/2	14x1,5	19	34	14	11	310	4495
AMJ06MM14	9/16	14x1,5	19	34,1	14,1	11	310	4495
AMJ06MM16	9/16	16x1,5	22	35,1	14,1	12,5	240	3480
AMJ08MM14	3/4	14x1,5	19	38	16,7	11	310	4495
AMJ08MM16	3/4	16x1,5	22	38	16,7	12,5	240	3480
AMJ08MM18	3/4	18x1,5	24	40	16,7	14	240	3480
AMJ10MM18	7/8	18x1,5	24	42	19,3	14	240	3480
AMJ10MM20	7/8	20x1,5	27	44,5	19,3	14	240	3480
AMJ10MM22	7/8	22x1,5	27	44,3	19,3	15	240	3480
AMJ12MM22	1 1/16	22x1,5	30	48	21,9	15	240	3480
AMJ12MM27	1 1/16	27x2	32	52	21,9	16	240	3480
AMJ16MM27	1 5/16	27x2	36	51	23,1	18	210	3045
AMJ16MM33	1 5/16	33x2	41	53	23,1	18	210	3045
AMJ20MM42	1 5/8	42x2	50	58	24,3	20	170	2465
AMJ24MM48	1 7/8	48x2	55	65,5	27,5	22	140	2030

LONG CONNECTOR MALE JIC - METRIC MALE 60° CONE

PROLUNGA DIRITTA - MASCHIO JIC - MASCHIO METRICO SV 60°

F1 - JIC 37°

F2 - METRIC




Code	F1 inch	F2 mm	H1 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
AMJ04MM10L	7/16	10x1	14	51	35	9,5	350	5075
AMJ05MM10L	1/2	10x1	14	53,5	37	9,5	350	5075
AMJ05MM12L	1/2	12x1,5	17	55,5	37	11	350	5075
AMJ05MM14L	1/2	14x1,5	19	57	37	11	350	5075
AMJ06MM14L	9/16	14x1,5	19	59	39	11	350	5075
AMJ06MM16L	9/16	16x1,5	22	60	39	12,5	350	5075
AMJ08MM16L	3/4	16x1,5	22	69	48	12,5	350	5075
AMJ08MM18L	3/4	18x1,5	24	70,5	48	14	350	5075
AMJ10MM18L	7/8	18x1,5	24	75,5	53	14	350	5075
AMJ10MM22L	7/8	22x1,5	27	78	53	15	315	4568
AMJ12MM22L	1 1/16	22x1,5	30	89	63	15	315	4568
AMJ12MM27L	1 1/16	27x2	32	92,5	63	16	315	4568
AMJ16MM27L	1 5/16	27x2	36	102	72	16	280	4060
AMJ16MM33L	1 5/16	33x2	41	102,5	72	18	280	4060
AMJ20MM42L	1 5/8	42x2	50	121	88	20	240	3480
AMJ24MM48L	1 7/8	48x2	55	136	98	22	240	3480

LONG CONNECTOR MALE JIC - METRIC MALE FORM E

PROLUNGA DIRITTA - MASCHIO JIC - MASCHIO METRICO FORMA E DIN 3852

F1 - JIC 37°

F2 - METRIC




Code	F1 inch	F2 mm	H1 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
AMJ04MM10RL	7/16	10x1	14	50,5	35	8	350	5075
AMJ05MM10RL	1/2	10x1	14	53	37	8	350	5075
AMJ05MM12RL	1/2	12x1,5	17	56	37	12	350	5075
AMJ05MM14RL	1/2	14x1,5	19	56	37	12	350	5075
AMJ06MM14RL	9/16	14x1,5	19	58	39	12	350	5075
AMJ06MM16RL	9/16	16x1,5	22	60	39	12	350	5075
AMJ08MM16RL	3/4	16x1,5	22	69	48	12	350	5075
AMJ08MM18RL	3/4	18x1,5	24	71	48	12	350	5075
AMJ10MM18RL	7/8	18x1,5	24	76	53	12	350	5075
AMJ10MM22RL	7/8	22x1,5	27	78	53	14	315	4568
AMJ12MM22RL	1 1/16	22x1,5	30	88	63	14	315	4568
AMJ12MM27RL	1 1/16	27x2	32	92	63	16	315	4568
AMJ16MM27RL	1 5/16	27x2	36	101	72	16	280	4060
AMJ16MM33RL	1 5/16	33x2	41	102	72	18	280	4060
AMJ20MM42RL	1 5/8	42x2	50	121	88	20	240	3480
AMJ24MM48RL	1 7/8	48x2	55	134	98	22	240	3480

ADAPTOR SWIVEL FEMALE JIC - METRIC MALE FORM E

ADATTATORE DIRITTO - FEMMINA GIREVOLE JIC - MASCHIO METRICO FORMA E
DIN 3852

F1 - JIC 37°
F2 - METRIC



Code	F1 inch	F2 mm	H1 mm	H2 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
AFGJ04MM10R	7/16	10x1	14	15	34	8	25,5	310	4495
AFGJ04MM12R	7/16	12x1,5	17	15	37,5	8	29	275	3988
AFGJ05MM10R	1/2	10x1	14	17	32,5	8	23	275	3988
AFGJ05MM12R	1/2	12x1,5	17	17	38	12	28,5	275	3988
AFGJ05MM14R	1/2	14x1,5	19	17	38	12	28,5	275	3988
AFGJ06MM14R	9/16	14x1,5	19	19	38,8	12	29,8	275	3988
AFGJ06MM16R	9/16	16x1,5	22	19	39,3	12	30,3	210	3045
AFGJ08MM16R	3/4	16x1,5	22	24	44,6	12	33,6	275	3988
AFGJ08MM18R	3/4	18x1,5	24	24	42,6	12	31,6	275	3988
AFGJ10MM18R	7/8	18x1,5	24	27	46,6	12	33,4	210	3045
AFGJ10MM20R	7/8	20x1,5	27	27	49,6	14	36,4	210	3045
AFGJ10MM22R	7/8	22x1,5	27	27	50,1	14	36,9	210	3045
* AFGJ12MM22R	1 1/16	22x1,5	27	32	51	14	39	210	3045
* AFGJ12MM27R	1 1/16	27x2	32	32	55	16	43	210	3045
* AFGJ16MM27R	1 5/16	27x2	32	41	57	16	41	170	2465
* AFGJ16MM33R	1 5/16	33x2	41	41	63	18	47	170	2465
* AFGJ20MM42R	1 5/8	42x2	50	50	67,5	20	53,5	140	2030
* AFGJ24MM48R	1 7/8	48x2	55	55	74,9	22	56,9	105	1523

* Thrust-wire nut


Dado spinato

ADAPTOR SWIVEL FEMALE JIC - METRIC MALE 60° CONE

ADATTATORE DIRITTO - FEMMINA GIREVOLE JIC - MASCHIO METRICO SV 60°

F1 - JIC 37°

F2 - METRIC



Code	F1 inch	F2 mm	H1 mm	H2 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
AFGJ04MM10	7/16	10x1	14	15	35	9,5	26,5	310	4495
AFGJ04MM12	7/16	12x1,5	17	15	36,5	11	28	275	3988
AFGJ05MM10	1/2	10x1	14	17	36	9,5	26,5	275	3988
AFGJ05MM12	1/2	12x1,5	17	17	39	11	29,5	275	3988
AFGJ05MM14	1/2	14x1,5	19	17	40	11	30,5	275	3988
AFGJ06MM14	9/16	14x1,5	19	19	41	11	32	275	3988
AFGJ06MM16	9/16	16x1,5	22	19	42,5	12,5	33,5	210	3045
AFGJ08MM16	3/4	16x1,5	22	24	44	12,5	33	275	3988
AFGJ08MM18	3/4	18x1,5	24	24	45,5	14	34,5	275	3988
AFGJ10MM18	7/8	18x1,5	24	27	48,2	14	35	210	3045
AFGJ10MM20	7/8	20x1,5	27	27	51	14	37,8	210	3045
AFGJ10MM22	7/8	22x1,5	27	27	51	15	37,8	210	3045
* AFGJ12MM22	1 1/16	22x1,5	27	32	52,7	15	40,7	210	3045
* AFGJ12MM27	1 1/16	27x2	32	32	53	16	41	210	3045
* AFGJ16MM27	1 5/16	27x2	32	41	55	16	39	170	2465
* AFGJ16MM33	1 5/16	33x2	41	41	61	18	45	170	2465
* AFGJ20MM42	1 5/8	42x2	50	50	67,5	20	51,5	140	2030
* AFGJ24MM48	1 7/8	48x2	55	55	73,5	20	55	105	1523

* Thrust-wire nut


Dado spinato

ADAPTOR MALE JIC - MALE UNF (1)

ADATTATORE DIRITTO - MASCHIO JIC - MACHIO UNF

F1 - JIC 37°

F2 - UNF




Code	F1 inch	F2 inch	H1 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
AMJ04MU04	7/16	7/16	14	31	14	9,1	500	7251
AMJ04MU05	7/16	1/2	17	31	14,1	9,1	420	6091
AMJ04MU06	7/16	9/16	17	33	14	10	420	6091
AMJ04MU08	7/16	3/4	22	35	14	11,1	420	6091
AMJ05MU05	1/2	1/2	17	31,2	14	9,1	420	6091
AMJ05MU06	1/2	9/16	17	33	14	10	420	6091
AMJ06MU04	9/16	7/16	17	32	14,1	9,1	420	6091
AMJ06MU05	9/16	1/2	17	32	14,1	9,1	420	6091
AMJ06MU06	9/16	9/16	17	33	14,1	10	420	6091
AMJ06MU08	9/16	3/4	22	35	14,1	11,1	420	6091
AMJ06MU10	9/16	7/8	27	38	14,1	12,7	350	5076
AMJ08MU06	3/4	9/16	22	36,5	16,7	10	420	6091
AMJ08MU08	3/4	3/4	22	37,6	16,7	11,1	420	6091
AMJ08MU10	3/4	7/8	27	40,5	16,7	12,7	350	5076
AMJ08MU12	3/4	1 1/16	32	45	16,7	15,1	350	5076
AMJ10MU08	7/8	3/4	24	41,5	19,3	11,1	350	5076
AMJ10MU10	7/8	7/8	27	43	19,3	12,7	350	5076
AMJ10MU12	7/8	1 1/16	32	47,5	19,3	15,1	350	5076
AMJ12MU08	1 1/16	3/4	30	45	21,9	11,1	350	5076
AMJ12MU10	1 1/16	7/8	30	46,5	21,9	12,7	350	5076
AMJ12MU12	1 1/16	1 1/16	32	50	21,9	15,1	350	5076
AMJ12MU16	1 1/16	1 5/16	41	50,5	21,9	15,1	310	4495
AMJ16MU10	1 5/16	7/8	36	49	23,1	12,7	280	4061
AMJ16MU12	1 5/16	1 1/16	36	51,5	23,1	15,1	280	4061
AMJ16MU16	1 5/16	1 5/16	41	51,5	23,1	15,1	280	4061
AMJ16MU20	1 5/16	1 5/8	50	54	23,1	15,1	280	4061

ADAPTOR MALE JIC - MALE UNF (2)

ADATTATORE DIRITTO - MASCHIO JIC - MACHIO UNF

F1 - JIC 37°

F2 - UNF




Code	F1 inch	F2 inch	H1 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
AMJ20MU16	1 5/8	1 5/16	46	54	24,3	15,1	280	4061
AMJ20MU20	1 5/8	1 5/8	50	55	24,3	15,1	280	4061
AMJ24MU20	1 7/8	1 5/8	50	58	27,5	15,1	210	3045
AMJ24MU24	1 7/8	1 7/8	55	60	27,5	15,1	210	3045

LONG CONNECTOR MALE JIC - MALE UNF

PROLUNGA DIRITTA - MASCHIO JIC - MASCHIO UNF

F1 - JIC 37°

F2 - UNF




Code	F1 inch	F2 inch	H1 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
AMJ04MU04L	7/16	7/16	14	52,1	35	9,1	345	5003
AMJ04MU05L	7/16	1/2	17	52,1	35	9,1	345	5003
AMJ04MU06L	7/16	9/16	17	53	35	10	345	5003
AMJ05MU05L	1/2	1/2	17	54,1	37	9,1	345	5003
AMJ06MU06L	9/16	9/16	17	58	39	10	345	5003
AMJ06MU08L	9/16	3/4	22	60	39	11,1	310	4495
AMJ08MU08L	3/4	3/4	22	69,1	48	11,1	310	4495
AMJ08MU10L	3/4	7/8	27	72	48	12,7	240	3480
AMJ08MU12L	3/4	1 1/16	32	76,1	48	15,1	240	3480
AMJ10MU08L	7/8	3/4	24	75,1	53	11,1	240	3480
AMJ10MU10L	7/8	7/8	27	79	53	12,7	240	3480
AMJ10MU12L	7/8	1 1/16	32	81,1	53	15,1	240	3480
AMJ12MU08L	1 1/16	3/4	30	86,4	63	11,1	240	3480
AMJ12MU10L	1 1/16	7/8	30	88	63	12,7	240	3480
AMJ12MU12L	1 1/16	1 1/16	32	91,1	63	15,1	240	3480
AMJ12MU16L	1 1/16	1 5/16	41	92	63	15,1	210	3045
AMJ16MU12L	1 5/16	1 1/16	36	100	72	15,1	210	3045
AMJ16MU16L	1 5/16	1 5/16	41	100,5	72	15,1	210	3045
AMJ16MU20L	1 5/16	1 5/8	50	103	72	15,1	170	2465
AMJ20MU20L	1 5/8	1 5/8	50	119	88	15,1	170	2465
AMJ24MU24L	1 7/8	1 7/8	55	130	98	15,1	140	2030

ADAPTOR SWIVEL FEMALE JIC - MALE UNF

ADATTATORE DIRITTO - FEMMINA GIREVOLE JIC - MASCHIO UNF

F1 - JIC 37°

F2 - UNF



Code	F1 inch	F2 inch	H1 mm	H2 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
AFGJ04MU04	7/16	7/16	14	15	34,5	9,1	26	310	4495
AFGJ04MU05	7/16	1/2	17	15	34,5	9,1	26	275	3988
AFGJ04MU06	7/16	9/16	17	15	36,5	10	28	275	3988
AFGJ05MU05	1/2	1/2	17	17	36,5	9,1	27	275	3988
AFGJ06MU06	9/16	9/16	17	19	39,3	10	30,3	275	3988
AFGJ06MU08	9/16	3/4	22	19	41,5	11,1	32,5	275	3988
AFGJ08MU08	3/4	3/4	22	24	43,1	11,1	32,1	275	3988
AFGJ08MU10	3/4	7/8	27	24	46,2	12,7	35,2	210	3045
AFGJ08MU12	3/4	1 1/16	32	24	50,1	15,1	39,1	210	3045
AFGJ10MU08	7/8	3/4	22	27	47,1	11,1	33,9	210	3045
AFGJ10MU10	7/8	7/8	27	27	50,1	12,7	36,9	210	3045
AFGJ10MU12	7/8	1 1/16	32	27	54,1	15,1	40,9	210	3045
* AFGJ12MU08	1 1/16	3/4	27	32	48	11,1	36	210	3045
* AFGJ12MU10	1 1/16	7/8	27	32	49,5	12,7	37,5	210	3045
* AFGJ12MU12	1 1/16	1 1/16	32	32	53,5	15,1	41,5	210	3045
* AFGJ12MU16	1 1/16	1 5/16	41	32	54,3	15,1	42,5	170	2465
* AFGJ16MU12	1 5/16	1 1/16	32	41	61,5	15,1	45,5	170	2465
* AFGJ16MU16	1 5/16	1 5/16	41	41	57,3	15,1	41,3	170	2465
* AFGJ16MU20	1 5/16	1 5/8	50	41	60,1	15,1	44,1	140	2030
* AFGJ20MU20	1 5/8	1 5/8	50	50	60,1	15,1	46,1	140	2030
* AFGJ24MU24	1 7/8	1 7/8	55	55	68,1	15,1	50,1	105	1523

* Thrust-wire nut


Dado spinato

ADAPTOR MALE JIC - MALE BSPT

ADATTATORE DIRITTO - MASCHIO JIC - MASCHIO GAS CONICO

F1 - JIC 37°

F2 - BSPT




Code	F1 inch	F2 inch	H1 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
AMJ04MGK02	7/16	1/8	14	31	14	10	345	5003
AMJ04MGK04	7/16	1/4	14	35,5	14	14,5	345	5003
AMJ05MGK02	1/2	1/8	14	31	14	10	345	5003
AMJ05MGK04	1/2	1/4	14	35,5	14	14,5	345	5003
AMJ05MGK06	1/2	3/8	19	36,5	14	14,5	345	5003
AMJ06MGK02	9/16	1/8	17	32	14	10	345	5003
AMJ06MGK04	9/16	1/4	17	36,5	14	14,5	345	5003
AMJ06MGK06	9/16	3/8	17	36,5	14,1	14,5	310	4495
AMJ06MGK08	9/16	1/2	22	41	14,1	19	240	3480
AMJ08MGK04	3/4	1/4	22	39	16,7	14,5	310	4495
AMJ08MGK06	3/4	3/8	22	39	16,7	14,5	310	4495
AMJ08MGK08	3/4	1/2	22	43,5	16,7	19	240	3480
AMJ08MGK12	3/4	3/4	27	46	16,7	19	240	3480
AMJ10MGK06	7/8	3/8	24	43,5	19,3	14,5	240	3480
AMJ10MGK08	7/8	1/2	24	48	19,3	19	240	3480
AMJ10MGK12	7/8	3/4	27	48,5	19,3	19	240	3480
AMJ12MGK08	1 1/16	1/2	30	52,5	21,9	19	240	3480
AMJ12MGK12	1 1/16	3/4	30	52,5	21,9	19	240	3480
AMJ12MGK16	1 1/16	1	36	57,4	21,9	23,9	210	3045
AMJ16MGK12	1 5/16	3/4	36	53,5	23,1	19	210	3045
AMJ16MGK16	1 5/16	1	36	58,4	23,1	23,9	210	3045
AMJ20MGK16	1 5/8	1	46	61,5	25	23,9	170	2465
AMJ20MGK20	1 5/8	1 1/4	46	62	25	25	170	2465
AMJ24MGK20	1 7/8	1 1/4	50	67,5	27,5	25	140	2030
AMJ24MGK24	1 7/8	1 1/2	50	68	27,5	26	140	2030

90° ADAPTOR MALE JIC - MALE BSPT

GOMITO 90° - MASCHIO JIC - MASCHIO GAS CONICO

F1 - JIC 37°

F2 - BSPT




Code	F1 inch	F2 inch	H1 mm	L1 mm	L2 mm	PN bar	PN psi
LMJ04MGK02	7/16	1/8	14	24,5	21	345	5003
LMJ04MGK04	7/16	1/4	14	24,5	28	345	5003
LMJ05MGK02	1/2	1/8	14	25	20	345	5003
LMJ05MGK04	1/2	1/4	14	25	28	345	5003
LMJ06MGK02	9/16	1/8	14	26,9	21	345	5003
LMJ06MGK04	9/16	1/4	14	26,9	28	345	5003
LMJ06MGK06	9/16	3/8	19	31,1	31	310	4495
LMJ06MGK08	9/16	1/2	22	32	37,5	240	3480
LMJ08MGK04	3/4	1/4	19	33,5	31	310	4495
LMJ08MGK06	3/4	3/8	19	33,5	31	310	4495
LMJ08MGK08	3/4	1/2	22	31,8	37,5	240	3480
LMJ08MGK12	3/4	3/4	27	37	42	240	3480
LMJ10MGK06	7/8	3/8	22	36,8	31	240	3480
LMJ10MGK08	7/8	1/2	22	38,5	37,5	240	3480
LMJ10MGK12	7/8	3/4	27	39	42	240	3480
LMJ12MGK08	1 1/16	1/2	27	42	40	240	3480
LMJ12MGK12	1 1/16	3/4	27	42	42	240	3480
LMJ12MGK16	1 1/16	1	33	45,5	52	210	3045
LMJ16MGK12	1 5/16	3/4	33	46	44,5	210	3045
LMJ16MGK16	1 5/16	1	33	46	50	210	3045
LMJ20MGK16	1 5/8	1	41	57	60	170	2465
LMJ20MGK20	1 5/8	1 1/4	41	57	60	170	2465

90° LONG CONNECTOR MALE JIC - MALE BSPT

GOMITO 90° - MASCHIO JIC - MASCHIO GAS CONICO LUNGO

F1 - JIC 37°

F2 - BSPT




Code	F1 inch	F2 inch	H1 mm	L1 mm	L2 mm	PN bar	PN psi
LMJ04MGK02L	7/16	1/8	14	23,5	39,5	345	5003
LMJ04MGK04L	7/16	1/4	19	24	52,5	345	5003
LMJ05MGK02L	1/2	1/8	14	25	41,5	345	5003
LMJ05MGK04L	1/2	1/4	19	25	52,5	345	5003
LMJ06MGK02L	9/16	1/8	19	27,5	48,5	345	5003
LMJ06MGK04L	9/16	1/4	19	26,9	52	345	5003
LMJ06MGK06L	9/16	3/8	19	29,5	48	310	4495
LMJ08MGK04L	3/4	1/4	19	32	61	310	4495
LMJ08MGK06L	3/4	3/8	14	32	61	310	4495
LMJ08MGK08L	3/4	1/2	22	34	73	240	3480
LMJ10MGK06L	7/8	3/8	22	37	68,5	240	3480
LMJ10MGK08L	7/8	1/2	22	37	73	240	3480
LMJ10MGK12L	7/8	3/4	27	39	82,5	240	3480
LMJ12MGK08L	1 1/16	1/2	27	42	82,5	240	3480
LMJ12MGK12L	1 1/16	3/4	33	42	82,5	240	3480
LMJ16MGK12L	1 5/16	3/4	33	46	98	240	3480
LMJ16MGK16L	1 5/16	1	33	46	103	210	3045
LMJ20MGK16L	1 5/8	1	41	57	127	170	2465
LMJ20MGK20L	1 5/8	1 1/4	41	52,5	127	170	2465

45° ADAPTOR MALE JIC - MALE BSPT

GOMITO 45° - MASCHIO JIC - MASCHIO GAS CONICO

F1 - JIC 37°

F2 - BSPT




Code	F1 inch	F2 inch	H1 mm	L1 mm	L2 mm	PN bar	PN psi
QMJO4MGK02	7/16	1/8	14	24,5	21	-	-
QMJO4MGK04	7/16	1/4	14	24,5	28	345	5003
QMJO5MGK02	1/2	1/8	14	25	21	345	5003
QMJO5MGK04	1/2	1/4	14	25	28	345	5003
QMJO6MGK02	9/16	1/8	14	26,9	21	345	5003
QMJO6MGK04	9/16	1/4	14	26,9	28	345	5003
QMJO6MGK06	9/16	3/8	19	31,1	31	310	4495
QMJO6MGK08	9/16	1/2	22	32	37,5	240	3480
QMJO8MGK04	3/4	1/4	19	33,5	31	310	4495
QMJO8MGK06	3/4	3/8	19	33,5	31	310	4495
QMJO8MGK08	3/4	1/2	22	32,5	37,5	240	3480
QMJO8MGK12	3/4	3/4	27	37	42	240	3480
QMJO10MGK06	7/8	3/8	22	36,8	31	240	3480
QMJO10MGK08	7/8	1/2	22	38,5	37,5	240	3480
QMJO10MGK12	7/8	3/4	27	39	40	240	3480
QMJO12MGK08	1 1/16	1/2	27	42	40	240	3480
QMJO12MGK12	1 1/16	3/4	27	42	42	240	3480
QMJO12MGK16	1 1/16	1	33	45,5	52	210	3045
QMJO16MGK12	1 5/16	3/4	33	46	44,5	210	3045
QMJO16MGK16	1 5/16	1	33	46	50	210	3045
QMJO20MGK16	1 5/8	1	41	57	60	170	2465
QMJO20MGK20	1 5/8	1 1/4	41	57	60	170	2465

RUN TEE MALE JIC - MALE BSPT

ADATTATORE T - MASCHIO JIC - MASCHIO GAS CONICO AL BRACCIO

F1 - JIC 37°

F2 - BSPT




Code	F1 inch	F2 inch	H1 mm	L1 mm	L2 mm	PN bar	PN psi
TMJ04MGK02B	7/16	1/8	14	24,5	21	345	5003
TMJ04MGK04B	7/16	1/4	14	24,5	28	345	5003
TMJ05MGK02B	1/2	1/8	14	25	21	345	5003
TMJ05MGK04B	1/2	1/4	14	25	28	345	5003
TMJ06MGK04B	9/16	1/4	14	26,9	28	345	5003
TMJ06MGK06B	9/16	3/8	19	31,1	31	310	4495
TMJ08MGK06B	3/4	3/8	19	31,8	31	310	4495
TMJ08MGK08B	3/4	1/2	22	31,8	37,5	240	3480
TMJ10MGK06B	7/8	3/8	22	37	31	240	3480
TMJ10MGK08B	7/8	1/2	22	39	40	240	3480
TMJ10MGK12B	7/8	3/4	27	39	40	240	3480
TMJ12MGK08B	1 1/16	1/2	27	42	40	240	3480
TMJ12MGK12B	1 1/16	3/4	27	42	42	240	3480
TMJ16MGK12B	1 5/16	3/4	33	46	44,5	210	3045
TMJ16MGK16B	1 5/16	1	33	46	50	210	3045
TMJ20MGK16B	1 5/8	1	41	57	60	170	2465
TMJ20MGK20B	1 5/8	1 1/4	41	57	60	170	2465

BRANCH TEE MALE JIC - MALE BSPT

ADATTATORE T - MASCHIO JIC - MASCHIO GAS CONICO AL PIEDE

F1 - JIC 37°

F2 - BSPT




Code	F1 inch	F2 inch	H1 mm	L1 mm	L2 mm	PN bar	PN psi
TMJ04MGK02P	7/16	1/8	14	24,5	21	345	5003
TMJ04MGK04P	7/16	1/4	14	24,5	28	345	5003
TMJ05MGK02P	1/2	1/8	14	25	21	345	5003
TMJ05MGK04P	1/2	1/4	14	25	28	345	5003
TMJ06MGK04P	9/16	1/4	14	26,9	28	345	5003
TMJ06MGK06P	9/16	3/8	19	31,1	31	310	4495
TMJ08MGK06P	3/4	3/8	19	31,8	31	310	4495
TMJ08MGK08P	3/4	1/2	22	31,8	37,5	240	3480
TMJ10MGK06P	7/8	3/8	22	37	31,5	240	3480
TMJ10MGK08P	7/8	1/2	22	39	37,5	240	3480
TMJ10MGK12P	7/8	3/4	27	39	40	240	3480
TMJ12MGK08P	1 1/16	1/2	27	42	40	240	3480
TMJ12MGK12P	1 1/16	3/4	27	42	42	240	3480
TMJ16MGK12P	1 5/16	3/4	33	46	44,5	210	3045
TMJ16MGK16P	1 5/16	1	33	46	50	210	3045
TMJ20MGK16P	1 5/8	1	41	57	60	170	2465
TMJ20MGK20P	1 5/8	1 1/4	41	57	60	170	2465

ADAPTOR SWIVEL FEMALE JIC - MALE BSPT

ADATTATORE DIRITTO - FEMMINA GIREVOLE JIC - MASCHIO GAS CONICO

F1 - JIC 37°

F2 - BSPT




Code	F1 inch	F2 inch	H1 mm	H2 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
AFGJ04MGK02	7/16	1/8	12	15	34,5	10	26	310	4495
AFGJ04MGK04	7/16	1/4	14	15	39	14,5	30,5	275	3988
AFGJ05MGK02	1/2	1/8	12	17	36	10	26,5	275	3988
AFGJ05MGK04	1/2	1/4	14	17	40,5	14,5	31	275	3988
AFGJ06MGK04	9/16	1/4	14	19	41,3	14,5	32,3	275	3988
AFGJ06MGK06	9/16	3/8	17	19	42,3	14,5	33,3	210	3045
AFGJ08MGK04	3/4	1/4	19	24	44,6	14,5	33,6	275	3988
AFGJ08MGK06	3/4	3/8	19	24	44,9	14,5	33,9	275	3988
AFGJ08MGK08	3/4	1/2	22	24	49,1	19	38,1	210	3045
AFGJ10MGK06	7/8	3/8	22	27	48,7	14,5	35,5	210	3045
AFGJ10MGK08	7/8	1/2	22	27	53,2	19	40	210	3045
AFGJ10MGK12	7/8	3/4	27	27	56,2	19	43	210	3045
* AFGJ12MGK08	1 1/16	1/2	27	32	55,7	19	43,7	210	3045
* AFGJ12MGK12	1 1/16	3/4	27	32	55,7	19	43,7	210	3045
* AFGJ12MGK16	1 1/16	1	36	32	61,9	23,9	49,9	170	2465
* AFGJ16MGK12	1 5/16	3/4	32	41	59,1	19	43,1	170	2465
* AFGJ16MGK16	1 5/16	1	36	41	65,3	23,9	49,3	170	2465
* AFGJ20MGK20	1 5/8	1 1/4	46	50	67,3	25	53,3	140	2030
* AFGJ24MGK20	1 7/8	1 1/4	46	55	74,9	25	56,9	105	1523
* AFGJ24MGK24	1 7/8	1 1/2	50	55	75,9	26	57,9	105	1523

ADAPTOR MALE JIC - MALE NPT

ADATTATORE DIRITTO - MASCHIO JIC - MASCHIO NPT

F1 - JIC 37°

F2 - NPT




Code	F1 inch	F2 inch	H1 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
AMJ04MN02	7/16	1/8	14	31	14	10	345	5003
AMJ04MN04	7/16	1/4	14	35,2	14	14,2	345	5003
AMJ05MN02	1/2	1/8	14	31	14	10	345	5003
AMJ05MN04	1/2	1/4	14	35,5	14	14,2	345	5003
AMJ06MN02	9/16	1/8	17	31	14,1	10	345	5003
AMJ06MN04	9/16	1/4	17	36,2	14,1	14,2	345	5003
AMJ06MN06	9/16	3/8	17	36,3	14,1	14,2	310	4495
AMJ06MN08	9/16	1/2	22	41	14,1	19	240	3480
AMJ08MN04	3/4	1/4	22	38,7	16,7	14,2	310	4495
AMJ08MN06	3/4	3/8	22	38,7	16,7	14,2	310	4495
AMJ08MN08	3/4	1/2	22	43,5	16,7	19	240	3480
AMJ08MN12	3/4	3/4	27	46	16,7	19	240	3480
AMJ10MN06	7/8	3/8	24	43,2	19,3	14,2	240	3480
AMJ10MN08	7/8	1/2	24	48	19,3	19	240	3480
AMJ10MN12	7/8	3/4	27	48,5	19,3	19	240	3480
AMJ12MN08	1 1/16	1/2	30	52,5	21,9	19	240	3480
AMJ12MN12	1 1/16	3/4	30	52,5	21,9	19	240	3480
AMJ12MN16	1 1/16	1	36	57,4	21,9	23,9	210	3045
AMJ16MN12	1 5/16	3/4	36	53,5	23,1	19	210	3045
AMJ16MN16	1 5/16	1	36	58,4	23,1	23,9	210	3045
AMJ20MN16	1 5/8	1	46	60,9	24,3	23,9	170	2465
AMJ20MN20	1 5/8	1 1/4	46	61,6	24,3	24,6	170	2465
AMJ24MN20	1 7/8	1 1/4	50	67,1	27,5	24,6	140	2030
AMJ24MN24	1 7/8	1 1/2	50	67,4	27,5	25,4	140	2030

90° ADAPTOR MALE JIC - MALE NPT

GOMITO 90° - MASCHIO JIC - MASCHIO NPT

F1 - JIC 37°

F2 - NPT




Code	F1 inch	F2 inch	H1 mm	L1 mm	L2 mm	PN bar	PN psi
LMJ04MNO2	7/16	1/8	14	24,5	21	345	5003
LMJ04MNO4	7/16	1/4	14	24,5	28	345	5003
LMJ05MNO2	1/2	1/8	14	26	21	345	5003
LMJ05MNO4	1/2	1/4	14	26	28	345	5003
LMJ06MNO2	9/16	1/8	14	26,9	21	345	5003
LMJ06MNO4	9/16	1/4	14	27,5	28	345	5003
LMJ06MNO6	9/16	3/8	19	31,1	31	310	4495
LMJ06MNO8	9/16	1/2	22	32	37,5	240	3480
LMJ08MNO4	3/4	1/4	19	33,5	31	310	4495
LMJ08MNO6	3/4	3/8	19	33,5	31	310	4495
LMJ08MNO8	3/4	1/2	22	32,5	37,5	240	3480
LMJ08MN12	3/4	3/4	27	36	40	240	3480
LMJ10MNO6	7/8	3/8	22	36,8	31	240	3480
LMJ10MNO8	7/8	1/2	22	39	40	240	3480
LMJ10MN12	7/8	3/4	27	39	42	240	3480
LMJ12MNO8	1 1/16	1/2	27	42	40	240	3480
LMJ12MN12	1 1/16	3/4	27	42	42	240	3480
LMJ16MN12	1 5/16	3/4	33	49	45,5	210	3045
LMJ16MN16	1 5/16	1	33	49	52	210	3045
LMJ20MN16	1 5/8	1	41	53,5	59	170	2465
LMJ20MN20	1 5/8	1 1/4	41	57	60	170	2465

90° LONG CONNECTOR MALE JIC - MALE NPT

GOMITO 90° - MASCHIO JIC - MASCHIO NPT LUNGO

F1 - JIC 37°

F2 - NPT




Code	F1 inch	F2 inch	H1 mm	L1 mm	L2 mm	PN bar	PN psi
LMJ04MNO2L	7/16	1/8	14	23,5	39,5	345	5003
LMJ04MNO4L	7/16	1/4	19	28	52,5	345	5003
LMJ05MNO2L	1/2	1/8	19	25	41,5	345	5003
LMJ05MNO4L	1/2	1/4	14	25	52,5	345	5003
LMJ06MNO2L	9/16	1/8	19	27,5	48,5	345	5003
LMJ06MNO4L	9/16	1/4	19	27,5	52,5	345	5003
LMJ06MNO6L	9/16	3/8	19	29,5	61	310	4495
LMJ08MNO4L	3/4	1/4	19	32	61	310	4495
LMJ08MNO6L	3/4	3/8	14	32	61	310	4495
LMJ08MNO8L	3/4	1/2	22	34	73	240	3480
LMJ10MNO6L	7/8	3/8	22	37	68,5	240	3480
LMJ10MNO8L	7/8	1/2	22	37	73	240	3480
LMJ10MN12L	7/8	3/4	27	39	82,5	240	3480
LMJ12MNO8L	1 1/16	1/2	27	42	82,5	240	3480
LMJ12MN12L	1 1/16	3/4	33	42	82,5	240	3480
LMJ16MN12L	1 5/16	3/4	33	46	98	210	3045
LMJ16MN16L	1 5/16	1	33	46	103	210	3045
LMJ20MN16L	1 5/8	1	41	52,5	127	170	2465
LMJ20MN20L	1 5/8	1 1/4	41	52,5	127	170	2465

45° ADJUSTABLE ADAPTOR MALE JIC - MALE NPT

GOMITO 45° - MASCHIO JIC - MASCHIO NPT

F1 - JIC 37°

F2 - NPT




Code	F1 inch	F2 inch	H1 mm	L1 mm	L2 mm	PN bar	PN psi
QMJ04MN02	7/16	1/8	14	24,5	21	210	3045
QMJ04MN04	7/16	1/4	14	24,5	28	210	3045
QMJ05MN02	1/2	1/8	14	26	21	170	2465
QMJ05MN04	1/2	1/4	14	26	28	170	2465
QMJ06MN02	9/16	1/8	14	26,9	21	345	5002.5
QMJ06MN04	9/16	1/4	14	27,5	28	345	5002.5
QMJ06MN06	9/16	3/8	19	31,1	31	345	5002.5
QMJ06MN08	9/16	1/2	22	32	37,5	345	5002.5
QMJ08MN04	3/4	1/4	19	33,5	31	310	4495
QMJ08MN06	3/4	3/8	19	33,5	31	310	4495
QMJ08MN08	3/4	1/2	22	32,5	37,5	310	4495
QMJ08MN12	3/4	3/4	27	36	40	310	4495
QMJ10MN06	7/8	3/8	19	36,8	31	240	3480
QMJ10MN08	7/8	1/2	22	39	40	240	3480
QMJ10MN12	7/8	3/4	27	39	42	240	3480
QMJ12MN08	1 1/16	1/2	27	42	40	240	3480
QMJ12MN12	1 1/16	3/4	27	42	42	240	3480
QMJ16MN12	1 5/16	3/4	33	49	45,5	210	3045
QMJ16MN16	1 5/16	1	33	49	52	210	3045
QMJ20MN16	1 5/8	1	33	53,5	59	170	2465
QMJ20MN20	1 5/8	1 1/4	41	57	60	170	2465
QMJ24MN20	1 7/8	1 1/4	41	40	42	140	2030

BRANCH TEE MALE JIC - MALE NPT

ADATTATORE T - MASCHIO JIC - MASCHIO NPT AL PIEDE

F1 - JIC 37°

F2 - NPT




Code	F1 inch	F2 inch	H1 mm	L1 mm	L2 mm	PN bar	PN psi
TMJ04MNO2P	7/16	1/8	14	24,5	21	345	5003
TMJ04MNO4P	7/16	1/4	14	24,5	28	345	5003
TMJ05MNO2P	1/2	1/8	14	26	21	345	5003
TMJ05MNO4P	1/2	1/4	14	26	28	345	5003
TMJ06MNO4P	9/16	1/4	14	27,5	28	345	5003
TMJ06MNO6P	9/16	3/8	19	31,1	31	310	4495
TMJ08MNO6P	3/4	3/8	19	31,8	31	310	4495
TMJ08MNO8P	3/4	1/2	22	31,8	37,5	240	3480
TMJ10MNO6P	7/8	3/8	22	37	31	240	3480
TMJ10MNO8P	7/8	1/2	22	39	40	240	3480
TMJ10MN12P	7/8	3/4	27	39	41	240	3480
TMJ12MNO8P	1 1/16	1/2	27	42	40	240	3480
TMJ12MN12P	1 1/16	3/4	27	42	40	240	3480
TMJ16MN12P	1 5/16	3/4	33	49	45,5	210	3045
TMJ16MN16P	1 5/16	1	33	46	50	210	3045
TMJ20MN16P	1 5/8	1	41	53,5	59	170	2465
TMJ20MN20P	1 5/8	1 1/4	41	57	60	170	2465

RUN TEE MALE JIC - MALE NPT

ADATTATORE T - MASCHIO JIC - MASCHIO NPT AL BRACCIO

F1 - JIC 37°

F2 - NPT




Code	F1 inch	F2 inch	H1 mm	L1 mm	L2 mm	PN bar	PN psi
TMJ04MNO2B	7/16	1/8	14	24,5	21	345	5003
TMJ04MNO4B	7/16	1/4	14	24,5	28	345	5003
TMJ05MNO2B	1/2	1/8	14	26	21	345	5003
TMJ05MNO4B	1/2	1/4	14	26	28	345	5003
TMJ06MNO4B	9/16	1/4	14	27,5	28	345	5003
TMJ06MNO6B	9/16	3/8	19	31,1	31	310	4495
TMJ08MNO6B	3/4	3/8	19	31,8	31	310	4495
TMJ08MNO8B	3/4	1/2	22	31,8	37,5	240	3480
TMJ10MN06B	7/8	3/8	22	37	31	240	3480
TMJ10MN08B	7/8	1/2	22	39	40	240	3480
TMJ10MN12B	7/8	3/4	27	37	41	240	3480
TMJ12MN08B	1 1/16	1/2	27	42	40	240	3480
TMJ12MN12B	1 1/16	3/4	27	42	40	240	3480
TMJ16MN12B	1 5/16	3/4	33	49	45,5	210	3045
TMJ16MN16B	1 5/16	1	33	46	50	210	3045
TMJ20MN16B	1 5/8	1	41	53,5	59	170	2465
TMJ20MN20B	1 5/8	1 1/4	41	57	60	170	2465

ADAPTOR SWIVEL FEMALE JIC - MALE NPT

ADATTATORE DIRITTO - FEMMINA GIREVOLE JIC - MASCHIO NPT

F1 - JIC 37°

F2 - NPT




Code	F1 inch	F2 inch	H1 mm	H2 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
AFGJ04MN02	7/16	1/8	12	15	34,5	10	26	310	4495
AFGJ04MN04	7/16	1/4	14	15	39	14,5	30,5	275	3988
AFGJ05MN02	1/2	1/8	12	17	36	10	26,5	275	3988
AFGJ05MN04	1/2	1/4	14	17	40,5	14,5	31	275	3988
AFGJ06MN04	9/16	1/4	14	19	41,3	14,5	32,4	275	3988
AFGJ06MN06	9/16	3/8	17	19	42,3	14,5	33,3	210	3045
AFGJ08MN04	3/4	1/4	19	24	44,6	14,5	33,6	275	3988
AFGJ08MN06	3/4	3/8	19	24	44,6	14,7	33,6	275	3988
AFGJ08MN08	3/4	1/2	22	24	49,1	19	38,1	210	3045
AFGJ10MN06	7/8	3/8	22	27	48,6	14,2	35,4	210	3045
AFGJ10MN08	7/8	1/2	22	27	53,2	19	40	210	3045
AFGJ10MN12	7/8	3/4	27	27	52,2	19	43	210	3045
* AFGJ12MN08	1 1/16	1/2	27	32	55,7	19	43,7	210	3045
* AFGJ12MN12	1 1/16	3/4	27	32	55,7	19	43,7	210	3045
* AFGJ12MN16	1 1/16	1	36	32	61	23,9	49	170	2465
* AFGJ16MN12	1 5/16	3/4	32	41	58,4	19	42,4	170	2465
* AFGJ16MN16	1 5/16	1	36	41	64,4	23,9	48,4	170	2465
* AFGJ20MN20	1 5/8	1 1/4	46	50	66,9	24,6	52,9	140	2030
* AFGJ24MN20	1 7/8	1 1/4	46	55	72,9	24,6	54,9	105	1523
* AFGJ24MN24	1 7/8	1 1/2	50	55	75,3	25,4	57,3	105	1523

LONG ADAPTOR MALE JIC - FEMALE NPT

ADATTATORE DIRITTO - MASCHIO JIC - FEMMINA FISSA NPT

F1 - JIC 37°

F2 - NPT




Code	F1 inch	F2 inch	H1 mm	L mm	L1 mm	PN bar	PN psi
AMJ04FFN02	7/16	1/8	14	30	14	345	5003
AMJ04FFN04	7/16	1/4	19	35,5	14	345	5003
AMJ05FFN02	1/2	1/8	14	30	14	345	5003
AMJ05FFN04	1/2	1/4	19	35,5	14	345	5003
AMJ06FFN04	9/16	1/4	19	35,5	14,1	345	5003
AMJ06FFN06	9/16	3/8	22	37	14,1	310	4495
AMJ08FFN04	3/4	1/4	22	39,5	16,7	310	4495
AMJ08FFN06	3/4	3/8	22	39,5	16,7	310	4495
AMJ08FFN08	3/4	1/2	30	45,5	16,7	240	3480
AMJ10FFN08	7/8	1/2	30	48	19,3	240	3480
AMJ12FFN08	1 1/16	1/2	30	51	21,9	240	3480
AMJ12FFN12	1 1/16	3/4	36	52	21,9	240	3480
AMJ16FFN16	1 5/16	1	41	59,5	23,1	210	3045
AMJ20FFN20	1 5/8	1 1/4	50	63,5	25	210	3045
AMJ24FFN24	1 7/8	1 1/2	60	66,5	27,5	140	2030

STRAIGHT BULKHEAD ADAPTOR MALE JIC - FEMALE NPT

ADATTATORE DIRITTO PASSAPARETE MASCHIO JIC - FEMMINA FISSA NPT

F1 - JIC 37°

F2 - NPT




Code	F1 inch	F2 inch	H1 mm	H2 mm	L mm	L1 mm	PN bar	PN psi
APPMJ04FFN02	7/16	1/8	17	17	47,5	30,5	345	5003
APPMJ04FFN04	7/16	1/4	19	17	52,5	30,5	345	5003
APPMJ05FFN02	1/2	1/8	19	19	47,5	30,5	345	5003
APPMJ05FFN04	1/2	1/4	19	19	52,5	30,5	345	5003
APPMJ06FFN02	9/16	1/8	17	22	49,5	32,5	345	5003
APPMJ06FFN04	9/16	1/4	22	22	54,5	32,5	345	5003
APPMJ06FFN06	9/16	3/8	22	22	56	32,5	310	4495
APPMJ08FFN04	3/4	1/4	22	24	59,1	36,6	310	4495
APPMJ08FFN06	3/4	3/8	24	24	60,1	36,6	310	4495
APPMJ08FFN08	3/4	1/2	30	24	64,1	36,6	240	3480
APPMJ10FFN08	7/8	1/2	30	30	67,6	40,1	240	3480
APPMJ12FFN08	1 1/16	1/2	30	36	72	44,4	240	3480
APPMJ12FFN12	1 1/16	3/4	36	36	74,5	44,4	240	3480
APPMJ16FFN16	1 5/16	1	41	41	76,5	44,4	210	3045
APPMJ20FFN20	1 5/8	1 1/4	50	50	83	45,7	170	2465
APPMJ24FFN24	1 7/8	1 1/2	60	55	85	47	140	2030

90° ADAPTOR MALE JIC - FEMALE NPT

GOMITO 90° - MASCHIO JIC - FEMMINA FISSA NPT

F1 - JIC 37°

F2 - NPT




Code	F1 inch	F2 inch	H1 mm	L1 mm	L2 mm	PN bar	PN psi
LMJ04FFN02	7/16	1/8	14	27,5	18	345	5003
LMJ04FFN04	7/16	1/4	19	29	22,5	345	5003
LMJ05FFN02	1/2	1/8	14	27,5	20	345	5003
LMJ05FFN04	1/2	1/4	19	29	22,5	345	5003
LMJ06FFN02	9/16	1/8	14	27,5	18	345	5003
LMJ06FFN04	9/16	1/4	19	31	22,5	345	5003
LMJ06FFN06	9/16	3/8	22	31,5	26	310	4495
LMJ08FFN04	3/4	1/4	19	32,2	22,5	310	4495
LMJ08FFN06	3/4	3/8	22	36	36	310	4495
LMJ10FFN08	7/8	1/2	27	42	31	240	3480
LMJ12FFN08	1 1/16	1/2	27	42	31	240	3480
LMJ12FFN12	1 1/16	3/4	33	48	34,5	240	3480
LMJ16FFN16	1 5/16	1	41	55	41	210	3045

BRANCH TEE MALE JIC - FEMALE NPT

ADATTATORE T - MASCHIO JIC - FEMMINA FISSA NPT AL PIEDE

F1 - JIC 37°

F2 - NPT




Code	F1 inch	F2 inch	H1 mm	L1 mm	L2 mm	PN bar	PN psi
TMJ04FFN02P	7/16	1/8	14	27,5	18	345	5003
TMJ04FFN04P	7/16	1/4	19	29	22,5	345	5003
TMJ05FFN02P	1/2	1/8	14	28	20	345	5003
TMJ05FFN04P	1/2	1/4	19	29	22,5	345	5003
TMJ06FFN02P	9/16	1/8	14	27,5	20	345	5003
TMJ06FFN04P	9/16	1/4	19	31	22,5	345	5003
TMJ06FFN06P	9/16	3/8	22	31,5	26	310	4495
TMJ08FFN04P	3/4	1/4	19	32,2	22,5	310	4495
TMJ08FFN06P	3/4	3/8	22	36	36	310	4495
TMJ08FFN08P	3/4	1/2	27	36	31,5	240	3480
TMJ10FFN08P	7/8	1/2	27	42	31,5	240	3480
TMJ12FFN08P	1 1/16	1/2	27	42	31,5	240	3480
TMJ12FFN12P	1 1/16	3/4	33	48	34,5	240	3480
TMJ16FFN16P	1 5/16	1	41	55	41	210	3045

RUN TEE MALE JIC - FEMALE NPT

ADATTATORE T - MASCHIO JIC - FEMMINA FISSA NPT AL BRACCIO

F1 - JIC 37°

F2 - NPT




Code	F1 inch	F2 inch	H1 mm	L1 mm	L2 mm	PN bar	PN psi
TMJ04FFN02B	7/16	1/8	14	27,5	18	345	5003
TMJ04FFN04B	7/16	1/4	19	29	22,5	345	5003
TMJ05FFN02B	1/2	1/8	14	28	20	345	5003
TMJ05FFN04B	1/2	1/4	19	29	22,5	345	5003
TMJ06FFN02B	9/16	1/8	14	27,5	20	345	5003
TMJ06FFN04B	9/16	1/4	19	31	22,5	345	5003
TMJ06FFN06B	9/16	3/8	22	31,5	26	310	4495
TMJ08FFN04B	3/4	1/4	19	32,2	22,5	310	4495
TMJ08FFN06B	3/4	3/8	22	36	36	310	4495
TMJ08FFN08B	3/4	1/2	27	36	31,5	240	3480
TMJ10FFN08B	7/8	1/2	27	42	31,5	240	3480
TMJ12FFN08B	1 1/16	1/2	27	42	31,5	240	3480
TMJ12FFN12B	1 1/16	3/4	33	48	34,5	240	3480
TMJ16FFN16B	1 5/16	1	41	55	41	210	3045

ADAPTOR MALE JIC TO WELD

ADATTATORE DIRITTO - MASCHIO JIC CON TASCA

F1 - JIC 37°

F2 - None



Code	F1 inch	H1 mm	L mm	L1 mm	D mm	PN bar	PN psi
AMNJ04T06	7/16	12	26	14	6	345	5003
AMNJ05T08	1/2	14	26	14	8	345	5003
AMNJ06T10	9/16	17	27,5	14,1	10	345	5003
AMNJ08T12	3/4	22	29	16,7	12	310	4495
AMNJ10T16	7/8	24	31,5	19,5	16	240	3480
AMNJ12T20	1 1/16	30	40	21,9	20	240	3480
AMNJ16T25	1 5/16	36	42	23,1	25	210	3045
AMNJ20T32	1 5/8	46	45	24,3	32	170	2465
AMNJ24T38	1 7/8	50	50	27,5	38	140	2030

N.b.: No zinc-plated Parts


Elementi non sottoposti al trattamento di zincatura

90° WELDING ADAPTOR MALE JIC

GOMITO 90° - MASCHIO JIC - SEDE A SALDARE

F1 - JIC 37°

F2 - None



Code	F1 inch	H1 mm	L1 mm	L2 mm	D mm	PN bar	PN psi
LMJ04T06	7/16	14	31	16	6	345	5003
LMJ05T10	1/2	14	27	16	10	345	5003
LMJ06T10	9/16	14	27,5	16	10	345	5003
LMJ06T12	9/16	19	30,5	18	12	345	5003
LMJ08T12	3/4	19	32	18	12	310	4495
LMJ08T16	3/4	22	34	20	16	310	4495
LMJ10T14	7/8	22	36,8	20	14	240	3480
LMJ10T16	7/8	22	36,8	20	16	240	3480
LMJ10T18	7/8	27	40	23	18	240	3480
LMJ10T22	7/8	27	40	23	22	240	3480
LMJ12T18	1 1/16	27	42	23	18	240	3480
LMJ12T20	1 1/16	27	42	23	20	240	3480
LMJ12T25	1 1/16	33	47	26	25	240	3480
LMJ16T25	1 5/16	33	48	26	25	210	3045
LMJ16T32	1 5/16	41	52	33	32	210	3045
LMJ20T30	1 5/8	41	57	33	30	170	2465
LMJ20T32	1 5/8	41	57	33	32	170	2465

N.b.: No zinc-plated Parts


Elementi non sottoposti al trattamento di zincatura

90° ADAPTOR MALE JIC - BUTTWELD

GOMITO 90° - MASCHIO JIC - CODOLO A SALDARE

F1 - JIC 37°

F2 - None



Code	F1 inch	H1 mm	L1 mm	L2 mm	D mm	PN bar	PN psi
LMJ04W	7/16	14	31	22,5	15	345	5003
LMJ05W	1/2	14	31	22,5	15	345	5003
LMJ06W	9/16	14	31	22,5	15	345	5003
LMJ08W	3/4	19	36	28	19,4	310	4495
LMJ10W	7/8	22	41,5	31	23	240	3480
LMJ12W	1 1/16	27	48	34,5	28	240	3480
LMJ16W	1 5/16	33	52	42,5	35	310	4495
LMJ20W	1 5/8	41	57	48	42	170	2465


N.b.: No zinc-plated Parts
Elementi non sottoposti al trattamento di zincatura

MALE PLUG JIC

TAPPO MASCHIO JIC

F1 - JIC 37°

F2 - None




Code	F1 inch	H1 mm	L mm	PN bar	PN psi
ATMJ04	7/16	14	20,3	345	5003
ATMJ05	1/2	14	20,3	345	5003
ATMJ06	9/16	17	21,3	345	5003
ATMJ08	3/4	22	23,9	310	4495
ATMJ10	7/8	24	27,9	240	3480
ATMJ12	1 1/16	30	32,5	240	3480
ATMJ16	1 5/16	36	33,8	210	3045
ATMJ20	1 5/8	46	36,8	170	2465
ATMJ24	1 7/8	50	41,9	140	2030

SWIVEL FEMALE PLUG JIC

TAPPO FEMMINA GIREVOLE JIC

F1 - JIC 37°

F2 - None




Code	F1 inch	H1 mm	L mm	L1 mm	PN bar	PN psi
ATFGJ04	7/16	15	20,3	12,5	310	4495
ATFGJ05	1/2	17	20,5	12	275	3988
ATFGJ06	9/16	19	21,3	13,2	275	3988
ATFGJ08	3/4	24	24,1	14	275	3988
ATFGJ10	7/8	27	28	16	210	3045
ATFGJ12	1 1/16	32	33	19	210	3045
ATFGJ16	1 5/16	41	32,5	20	170	2465
ATFGJ20	1 5/8	50	38,1	24	140	2030
ATFGJ24	1 7/8	55	43	26	105	1523

90° ADJUSTABLE ADAPTOR MALE JIC - MALE BSPP / O-RING AND RETAINING SEAL

GOMITO 90° - MASCHIO JIC - MASCHIO GAS CILINDRICO ORIENTABILE CON O-RING E RITEGNO

F1 - JIC 37°

F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
LMJ04MOG02	7/16	1/8	14	14	24,5	26	6,3	310	4495
LMJ04MOG04	7/16	1/4	14	19	24,5	34	10,04	275	3988
LMJ04MOG06	7/16	3/8	19	22	29	37	10,64	275	3988
LMJ04MOG08	7/16	1/2	22	27	31	45	12,7	210	3045
LMJ05MOG02	1/2	1/8	14	14	25	26	6,3	275	3988
LMJ05MOG04	1/2	1/4	14	19	24,5	34	10,04	275	3988
LMJ05MOG06	1/2	3/8	19	22	29	37	10,34	210	3045
LMJ06MOG04	9/16	1/4	14	19	26,9	34	10,04	275	3988
LMJ06MOG06	9/16	3/8	19	22	32	37	10,34	210	3045
LMJ06MOG08	9/16	1/2	22	27	31	45	12,7	210	3045
LMJ08MOG04	3/4	1/4	19	19	32	38	10,04	275	3988
LMJ08MOG06	3/4	3/8	19	22	32,5	37	10,34	275	3988
LMJ08MOG08	3/4	1/2	22	27	34	45	12,7	210	3045
LMJ08MOG12	3/4	3/4	27	36	37	49	15,5	210	3045
LMJ10MOG06	7/8	3/8	22	22	36,8	37	10,14	210	3045
LMJ10MOG08	7/8	1/2	22	27	37,7	45	12,7	210	3045
LMJ10MOG12	7/8	3/4	27	36	39,8	48,5	15,5	210	3045
LMJ12MOG08	1 1/16	1/2	27	27	42	47	12,7	210	3045
LMJ12MOG12	1 1/16	3/4	27	36	42	49	15,5	210	3045
LMJ12MOG16	1 1/16	1	33	41	46,5	54	15,3	210	3045
LMJ16MOG12	1 5/16	3/4	33	36	47	53	15,5	170	2465
LMJ16MOG16	1 5/16	1	33	41	48	54	15,3	170	2465
LMJ16MOG20	1 5/16	1 1/4	41	50	53,5	60	15,8	170	2465
LMJ20MOG16	1 5/8	1	41	41	57	60	15,3	140	2030
LMJ20MOG20	1 5/8	1 1/4	41	50	56	60	15,8	140	2030

90° ADJUSTABLE ADAPTOR MALE JIC - METRIC MALE / O-RING
AND RETAINING SEAL

GOMITO 90° - METRICO JIC - MASCHIO METRICO ORIENTABILE CON O-RING E
RITEGNO

F1 - JIC 37°

F2 - METRIC




Code	F1 inch	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
LMJ04MOM10R	7/16	10x1	14	14	23,5	30	7,8	310	4495
LMJ04MOM12R	7/16	12x1,5	14	17	27	33	9,3	275	3988
LMJ05MOM10R	1/2	10x1	14	14	25	30,5	7,8	275	3988
LMJ05MOM12R	1/2	12x1,5	14	17	27	33	9,3	275	3988
LMJ05MOM14R	1/2	14x1,5	14	19	27	35,5	9,3	275	3988
LMJ06MOM14R	9/16	14x1,5	14	19	27,5	35,5	9,3	275	3988
LMJ06MOM16R	9/16	16x1,5	19	22	30,5	39	10,8	210	3045
LMJ08MOM16R	3/4	16x1,5	19	22	32	39	10,8	275	3988
LMJ08MOM18R	3/4	18x1,5	19	24	32	41	12,3	275	3988
LMJ10MOM18R	7/8	18x1,5	22	24	37	42	12,3	210	3045
LMJ10MOM22R	7/8	22x1,5	22	27	37	43,3	13	210	3045
LMJ12MOM22R	1 1/16	22x1,5	27	27	42	45,5	13	210	3045
LMJ12MOM27R	1 1/16	27x2	27	32	42	52,5	16,5	210	3045
LMJ16MOM27R	1 5/16	27x2	33	32	49	55	16,5	170	2465
LMJ16MOM33R	1 5/16	33x2	33	41	47	54,2	16,5	170	2465
LMJ20MOM42R	1 5/8	42x2	41	50	52,5	60		140	2030

90° ADJUSTABLE ADAPTOR MALE JIC - METRIC MALE WITH O-
RING

GOMITO 90° - MASCHIO JIC - MASCHIO ORIENTABILE METRICO CON O-RING

F1 - JIC 37°

F2 - METRIC




Code	F1 inch	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
LMJ04MOM10	7/16	10x1	14	14	23,5	30	9,5	310	4495
LMJ04MOM12	7/16	12x1,5	14	17	27	32,5	11	275	3988
LMJ05MOM10	1/2	10x1	14	14	25	27,5	9,5	275	3988
LMJ05MOM12	1/2	12x1,5	14	17	27	32,5	11	275	3988
LMJ05MOM14	1/2	14x1,5	14	19	27	35,5	11	275	3988
LMJ06MOM14	9/16	14x1,5	14	19	27,5	35,5	11	275	3988
LMJ06MOM16	9/16	16x1,5	19	22	28,5	39	12,5	210	3045
LMJ08MOM16	3/4	16x1,5	19	22	32	39	12,5	275	3988
LMJ08MOM18	3/4	18x1,5	19	24	32	41	14	275	3988
LMJ10MOM18	7/8	18x1,5	22	24	37	41,5	14	210	3045
LMJ10MOM22	7/8	22x1,5	22	27	37	43	14,8	210	3045
LMJ12MOM22	1 1/16	22x1,5	27	27	42	45,5	14,8	210	3045
LMJ12MOM27	1 1/16	27x2	27	32	42	51,5	17,7	210	3045
LMJ16MOM27	1 5/16	27x2	33	32	46	55	17,7	170	2465
LMJ16MOM33	1 5/16	33x2	33	41	46	55	18,3	170	2465
LMJ20MOM42	1 5/8	42x2	41	50	52,5	60		140	2030

90° ADJUSTABLE ADAPTOR MALE JIC - MALE UNF

GOMITO 90° - MASCHIO JIC - MASCHIO ORIENTABILE UNF

F1 - JIC 37°

F2 - UNF




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
LMJ04MOU04	7/16	7/16	14	14	24,5	29,5	9,7	310	4495
LMJ04MOU05	7/16	1/2	14	17	24,5	29,5	9,7	275	3988
LMJ04MOU06	7/16	9/16	14	17	27	32	10,9	275	3988
LMJ05MOU05	1/2	1/2	14	17	25	29,5	9,7	275	3988
LMJ06MOU06	9/16	9/16	14	17	26,9	32	10,9	275	3988
LMJ06MOU08	9/16	3/4	19	22	30,5	37	12,5	275	3988
LMJ08MOU08	3/4	3/4	19	22	32	37	12,5	275	3988
LMJ08MOU10	3/4	7/8	22	27	33,8	43	14,3	210	3045
LMJ08MOU12	3/4	1 1/16	27	32	37	49	16,6	210	3045
LMJ10MOU08	7/8	3/4	22	22	37	39,5	12,5	210	3045
LMJ10MOU10	7/8	7/8	22	27	37	43,5	14,3	210	3045
LMJ10MOU12	7/8	1 1/16	27	32	39,5	49	16,6	210	3045
LMJ12MOU08	1 1/16	3/4	27	22	42	42	12,3	210	3045
LMJ12MOU10	1 1/16	7/8	27	27	42	45,5	14,3	210	3045
LMJ12MOU12	1 1/16	1 1/16	27	32	42	49,5	16,6	210	3045
LMJ12MOU16	1 1/16	1 5/16	33	41	47,5	53	16,6	170	2465
LMJ16MOU12	1 5/16	1 1/16	33	32	48	53	16,6	170	2465
LMJ16MOU16	1 5/16	1 5/16	33	41	49	53	16,6	170	2465
LMJ16MOU20	1 5/16	1 5/8	41	50	53,5	58	16,6	140	2030
LMJ20MOU20	1 5/8	1 5/8	41	50	55	58	16,6	140	2030

45° ADJUSTABLE ADAPTOR MALE JIC - MALE BSPP / O-RING AND RETAINING SEAL

GOMITO 45° - MASCHIO JIC - MASCHIO GAS CILINDRICO ORIENTABILE CON O-RING E RITEGNO

F1 - JIC 37°

F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
QMJ04MOG02	7/16	1/8	14	14	24,5	26	6,3	310	4495
QMJ04MOG04	7/16	1/4	14	19	24,5	34	10,04	275	3988
QMJ04MOG06	7/16	3/8	19	22	29,5	37	10,34	275	3988
QMJ04MOG08	7/16	1/2	22	27	23	38,5		210	3045
QMJ05MOG02	1/2	1/8	14	14	25	26	6,3	275	3988
QMJ05MOG04	1/2	1/4	14	19	24,5	34	10,04	275	3988
QMJ05MOG06	1/2	3/8	19	22	29	37	10,34	210	3045
QMJ06MOG04	9/16	1/4	14	19	26,9	34	10,04	275	3988
QMJ06MOG06	9/16	3/8	19	22	32	37	10,34	210	3045
QMJ06MOG08	9/16	1/2	22	27	34	45	12,7	210	3045
QMJ08MOG04	3/4	1/4	19	19	32	38	10,04	275	3988
QMJ08MOG06	3/4	3/8	19	22	32	37	10,34	275	3988
QMJ08MOG08	3/4	1/2	22	27	34	45	12,7	210	3045
QMJ08MOG12	3/4	3/4	27	36	37,1	49	15,5	210	3045
QMJ10MOG06	7/8	3/8	22	22	37,6	37	10,34	210	3045
QMJ10MOG08	7/8	1/2	22	27	37,7	45	12,7	210	3045
QMJ10MOG12	7/8	3/4	27	36	39,8	48,5	15,5	210	3045
QMJ12MOG08	1 1/16	1/2	27	27	42	47	12,7	210	3045
QMJ12MOG12	1 1/16	3/4	27	36	42	49	15,5	210	3045
QMJ12MOG16	1 1/16	1	33	41	46,5	54	15,3	170	2465
QMJ16MOG12	1 5/16	3/4	33	36	48	53	15,5	170	2465
QMJ16MOG16	1 5/16	1	33	41	48	54	15,3	170	2465
QMJ16MOG20	1 5/16	1 1/4	41	50	53,5	60	15,8	170	2465
QMJ20MOG16	1 5/8	1	41	41	57	60	15,3	140	2030
QMJ20MOG20	1 5/8	1 1/4	41	50	55	60	15,8	140	2030

45° ADJUSTABLE ADAPTOR MALE JIC - METRIC MALE / O-RING
AND RETAINING SEAL

GOMITO 45° - MASCHIO JIC - MASCHIO METRICO ORIENTABILE CON O-RING E
RITEGNO

F1 - JIC 37°

F2 - METRIC




Code	F1 inch	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
QMJ04MOM10R	7/16	10x1	14	14	19,5	27	7,8	310	4495
QMJ04MOM12R	7/16	12x1,5	14	17	20	27	9,3	275	3988
QMJ05MOM10R	1/2	10x1	14	14	20	24	7,8	275	3988
QMJ05MOM12R	1/2	12x1,5	14	17	20	27	9,3	275	3988
QMJ05MOM14R	1/2	14x1,5	14	19	20	28	9,3	275	3988
QMJ06MOM14R	9/16	14x1,5	14	19	21,5	28		275	3988
QMJ06MOM16R	9/16	16x1,5	19	22	23	33	9,3	210	3045
QMJ08MOM16R	3/4	16x1,5	19	22	25,5	33	10,8	275	3988
QMJ08MOM18R	3/4	18x1,5	19	24	25,5	33		275	3988
QMJ10MOM18R	7/8	18x1,5	22	24	29	34,5	10,8	210	3045
QMJ10MOM22R	7/8	22x1,5	22	27	29	38	12,3	210	3045
QMJ12MOM22R	1 1/16	22x1,5	27	27	33	41,5		210	3045
QMJ12MOM27R	1 1/16	27x2	27	32	33	46	12,3	210	3045
QMJ16MOM27R	1 5/16	27x2	33	32	38	46	13	170	2465
QMJ16MOM33R	1 5/16	33x2	33	41	38	46	13	170	2465
QMJ20MOM42R	1 5/8	42x2	41	50	40	40	16,5	140	2030

45° ADJUSTABLE ADAPTOR MALE JIC - METRIC MALE WITH O-RING

GOMITO 45° - MASCHIO JIC - MASCHIO METRICO ORIENTABILE CON O-RING

F1 - JIC 37°

F2 - METRIC




Code	F1 inch	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
QMJ04MOM10	7/16	10x1	14	14	24,5	30	16,5	310	4495
QMJ04MOM12	7/16	12x1,5	14	17	27	33	16,5	275	3988
QMJ05MOM10	1/2	10x1	14	14	25	30		275	3988
QMJ05MOM12	1/2	12x1,5	14	17	27	33	11	275	3988
QMJ05MOM14	1/2	14x1,5	14	19	27,5	33,5	11	275	3988
QMJ06MOM14	9/16	14x1,5	14	19	27,5	33,5	11	275	3988
QMJ06MOM16	9/16	16x1,5	19	22	30,5	39	12,5	210	3045
QMJ08MOM16	3/4	16x1,5	19	22	32	39	12,5	275	3988
QMJ08MOM18	3/4	18x1,5	19	24	32	42	14	275	3988
QMJ10MOM18	7/8	18x1,5	22	24	37	42	14	210	3045
QMJ10MOM22	7/8	22x1,5	22	27	37	43,3	14,8	210	3045
QMJ12MOM22	1 1/16	22x1,5	27	27	42	46	14,8	210	3045
QMJ12MOM27	1 1/16	27x2	27	32	42	52	18,3	210	3045
QMJ16MOM27	1 5/16	27x2	33	32	49	55	18,3	170	2465
QMJ16MOM33	1 5/16	33x2	33	41	46	55	18,3	170	2465
QMJ20MOM42	1 5/8	42x2	41	50	57	60	18,8	140	2030

45° ADJUSTABLE ADAPTOR MALE JIC - MALE UNF

GOMITO 45° - MASCHIO JIC - MASCHIO UNF ORIENTABILE

F1 - JIC 37°

F2 - UNF




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
QMJO4MOU04	7/16	7/16	14	14	24,5	29,5	9,7	310	4495
QMJO4MOU05	7/16	1/2	14	17	24,5	29,5	9,7	275	3988
QMJO4MOU06	7/16	9/16	14	17	27	32	10,9	275	3988
QMJO5MOU05	1/2	1/2	14	17	25	29,5	9,7	275	3988
QMJO6MOU06	9/16	9/16	14	17	26,9	32	10,9	275	3988
QMJO6MOU08	9/16	3/4	19	22	30,5	37	12,5	275	3988
QMJO8MOU08	3/4	3/4	19	22	32	37	12,5	275	3988
QMJO8MOU10	3/4	7/8	22	27	33,8	43	14,3	210	3045
QMJO8MOU12	3/4	1 1/16	27	32	37,1	49,5	16,6	210	3045
QMJO10MOU08	7/8	3/4	22	22	37	39,5	12,3	210	3045
QMJO10MOU10	7/8	7/8	22	27	37	39,5	14,3	210	3045
QMJO10MOU12	7/8	1 1/16	27	32	37,5	49,5	16,6	210	3045
QMJO12MOU08	1 1/16	3/4	27	22	42	42	12,5	210	3045
QMJO12MOU10	1 1/16	7/8	27	27	42	45,5	14,3	210	3045
QMJO12MOU12	1 1/16	1 1/16	27	32	42	49,5	16,6	210	3045
QMJO12MOU16	1 1/16	1 5/16	33	41	47,5	53	16,6	170	2465
QMJO16MOU12	1 5/16	1 1/16	33	32	48	53	16,6	170	2465
QMJO16MOU16	1 5/16	1 5/16	33	41	49	53	16,6	170	2465
QMJO16MOU20	1 5/16	1 5/8	41	50	53,5	58	17,9	140	2030
QMJO20MOU20	1 5/8	1 5/8	41	50	55	58	17,9	140	2030

ADJUSTABLE RUN TEE MALE JIC - MALE BSPP / O-RING AND
RETAINING SEAL

ADATTATORE T ORIENTABILE AL BRACCIO - MASCHIO JIC - MASCHIO GAS
CILINDRICO CON O-RING E RITEGNO

F1 - JIC 37°
F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
TMJ04MOG02B	7/16	1/8	14	14	24,5	26	6,3	310	4495
TMJ04MOG04B	7/16	1/4	14	19	24	34	10,04	275	3988
TMJ04MOG06B	7/16	3/8	19	22	29	37	10,44	275	3988
TMJ04MOG08B	7/16	1/2	22	27	31,6	45	12,7	210	3045
TMJ05MOG02B	1/2	1/8	14	14	25	26	6,3	275	3988
TMJ05MOG04B	1/2	1/4	14	19	25	34		275	3988
TMJ05MOG06B	1/2	3/8	19	22	29	37	10,44	210	3045
TMJ06MOG04B	9/16	1/4	14	19	26,9	34	10,04	275	3988
TMJ06MOG06B	9/16	3/8	19	22	32	36	10,34	210	3045
TMJ06MOG08B	9/16	1/2	22	27	31	45		210	3045
TMJ08MOG04B	3/4	1/4	19	19	32	38	9,7	275	3988
TMJ08MOG06B	3/4	3/8	19	22	32,5	36,2	10,34	275	3988
TMJ08MOG08B	3/4	1/2	22	27	34	45	12,7	210	3045
TMJ08MOG12B	3/4	3/4	27	36	36,1	49	15	210	3045
TMJ10MOG06B	7/8	3/8	22	22	36,8	37	10,44	210	3045
TMJ10MOG08B	7/8	1/2	22	27	37,7	44,5	12,7	210	3045
TMJ10MOG12B	7/8	3/4	27	36	39,8	48,5	15	210	3045
TMJ12MOG08B	1 1/16	1/2	27	27	42	47	12,7	210	3045
TMJ12MOG12B	1 1/16	3/4	27	36	42,5	48,5	15,5	210	3045
TMJ12MOG16B	1 1/16	1	33	41	47	53	13,7	170	2465
TMJ16MOG12B	1 5/16	3/4	33	36	47	53	15	170	2465
TMJ16MOG16B	1 5/16	1	33	41	47	53	13,8	170	2465
TMJ16MOG20B	1 5/16	1 1/4	41	50	54,5	60	15,8	170	2465
TMJ20MOG16B	1 5/8	1	41	41	53	58	13,8	140	2030
TMJ20MOG20B	1 5/8	1 1/4	41	50	55	60	15,8	140	2030

ADJUSTABLE RUN TEE MALE JIC - METRIC MALE / O-RING AND
RETAINING SEAL

T ORIENTABILE AL BRACCIO - MASCHIO JIC - MASCHIO METRICO CON O-RING E
RITEGNO

F1 - JIC 37°

F2 - METRIC




Code	F1 inch	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
TMJ04MOMR10B	7/16	10x1	14	14	23,5	30	7,8	310	4495
TMJ04MOMR12B	7/16	12x1,5	14	17	27	32,5	9,3	275	3988
TMJ05MOMR10B	1/2	10x1	14	14	25	27,5	7,8	275	3988
TMJ05MOMR12B	1/2	12x1,5	14	17	27	32,5	9,3	275	3988
TMJ05MOMR14B	1/2	14x1,5	14	19	27	35,5	9,3	275	3988
TMJ06MOMR14B	9/16	14x1,5	14	19	27,5	35,5		275	3988
TMJ06MOMR16B	9/16	16x1,5	19	22	28,5	39	9,3	210	3045
TMJ08MOMR16B	3/4	16x1,5	19	22	32	39	10,8	275	3988
TMJ08MOMR18B	3/4	18x1,5	19	24	32	37,5		275	3988
TMJ10MOMR18B	7/8	18x1,5	22	24	37	41,5	10,8	210	3045
TMJ10MOMR20B	7/8	20x1,5	22	27	37	42	12,3	210	3045
TMJ10MOMR22B	7/8	22x1,5	22	27	37	43		210	3045
TMJ12MOMR22B	1 1/16	22x1,5	27	27	42	45,5	12,3	210	3045
TMJ12MOMR27B	1 1/16	27x2	27	32	42	51,5	13	170	2465
TMJ16MOMR27B	1 5/16	27x2	33	32	46	55	13	170	2465
TMJ16MOMR33B	1 5/16	33x2	33	41	46	55	16,5	170	2465
TMJ20MOMR42B	1 5/8	42x2	41	50	57	60	16,5	140	2030

ADJUSTABLE RUN TEE MALE JIC - METRIC MALE WITH O-RING

T ORIENTABILE AL BRACCIO - M. JIC - MASCHIO METRICO CON O-RING

F1 - JIC 37°

F2 - METRIC




Code	F1 inch	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
TMJ04MOM10B	7/16	10x1	14	14	24,5	30	-	310	4495
TMJ04MOM12B	7/16	12x1,5	14	17	27	33	-	275	3988
TMJ05MOM10B	1/2	10x1	14	14	25	30	9,5	275	3988
TMJ05MOM12B	1/2	12x1,5	14	17	27	33	11	275	3988
TMJ05MOM14B	1/2	14x1,5	14	19	27	34	11	275	3988
TMJ06MOM14B	9/16	14x1,5	14	19	27,5	34	11	275	3988
TMJ06MOM16B	9/16	16x1,5	19	22	29,7	37,5	12,5	210	3045
TMJ08MOM16B	3/4	16x1,5	19	22	32	39	12,5	275	3988
TMJ08MOM18B	3/4	18x1,5	19	24	32	37	14	275	3988
TMJ10MOM18B	7/8	18x1,5	22	24	37	42	14	210	3045
TMJ10MOM20B	7/8	20x1,5	22	27	37	42,4	-	210	3045
TMJ10MOM22B	7/8	22x1,5	22	27	37	43,5	15	210	3045
TMJ12MOM22B	1 1/16	22x1,5	27	27	42	45,5	14,8	210	3045
TMJ12MOM27B	1 1/16	27x2	27	32	42	52,5	18,3	170	2465
TMJ16MOM27B	1 5/16	27x2	33	32	47	54	18,3	170	2465
TMJ16MOM33B	1 5/16	33x2	33	41	46	53,5	18,3	170	2465
TMJ20MOM42B	1 5/8	42x2	41	50	57	60	18,8	140	2030

ADJUSTABLE RUN TEE MALE JIC - MALE UNF

ADATTATORE T ORIENTABILE AL BRACCIO - MASCHIO JIC - MASCHIO UNF

F1 - JIC 37°

F2 - UNF




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
TMJ04MOU04B	7/16	7/16	14	14	24,5	29,5	9,7	310	4495
TMJ04MOU05B	7/16	1/2	14	17	24,5	29,5	9,7	275	3988
TMJ04MOU06B	7/16	9/16	14	17	27	32	10,9	275	3988
TMJ05MOU05B	1/2	1/2	14	17	25	29,5	9,7	275	3988
TMJ06MOU06B	9/16	9/16	14	17	27,5	32	10,9	275	3988
TMJ06MOU08B	9/16	3/4	19	22	30,5	37	12,5	275	3988
TMJ08MOU08B	3/4	3/4	19	22	32,7	36	12,5	275	3988
TMJ08MOU10B	3/4	7/8	22	27	33,8	43	14,3	210	3045
TMJ08MOU12B	3/4	1 1/16	27	32	37	49	16,6	210	3045
TMJ10MOU08B	7/8	3/4	22	22	37	39,5	12,5	210	3045
TMJ10MOU10B	7/8	7/8	22	27	37	43,5	14,3	210	3045
TMJ10MOU12B	7/8	1 1/16	27	32	39,5	49	16,6	210	3045
TMJ12MOU08B	1 1/16	3/4	27	22	42	42	12,5	210	3045
TMJ12MOU10B	1 1/16	7/8	27	27	42	45,5	14,3	210	3045
TMJ12MOU12B	1 1/16	1 1/16	27	32	43	49	16,6	210	3045
TMJ12MOU16B	1 1/16	1 5/16	33	41	45,5	53	16,6	210	3045
TMJ16MOU12B	1 5/16	1 1/16	33	32	47	53	16,6	170	2465
TMJ16MOU16B	1 5/16	1 5/16	33	41	47	53	16,6	170	2465
TMJ16MOU20B	1 5/16	1 5/8	41	50	53,5	58	16,6	140	2030
TMJ20MOU20B	1 5/8	1 5/8	41	50	56	58	16,6	140	2030

BRANCH TEE MALE JIC - MALE BSPP / O-RING AND RETAINING SEAL

ADATTATORE T ORIENTABILE AL PIEDE - MASCHIO JIC - MASCHIO GAS CILINDRICO CON O-RING E RITEGNO

F1 - JIC 37°
F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
TMJ04MOG02P	7/16	1/8	14	14	24,5	26	6,3	310	4495
TMJ04MOG04P	7/16	1/4	14	19	24	34	10,34	275	3988
TMJ04MOG06P	7/16	3/8	19	22	29	37	10,44	275	3988
TMJ04MOG08P	7/16	1/2	22	27	31,6	45	12,7	210	3045
TMJ05MOG02P	1/2	1/8	14	14	25	26	6,3	275	3988
TMJ05MOG04P	1/2	1/4	14	19	25	34	9,7	275	3988
TMJ05MOG06P	1/2	3/8	19	22	29	37	10,44	210	3045
TMJ06MOG04P	9/16	1/4	14	19	26,9	34	10,04	275	3988
TMJ06MOG06P	9/16	3/8	19	22	32	36	10,34	210	3045
TMJ06MOG08P	9/16	1/2	22	27	31	45		210	3045
TMJ08MOG04P	3/4	1/4	19	19	32	38	9,7	275	3988
TMJ08MOG06P	3/4	3/8	19	22	32,5	36,2	10,34	275	3988
TMJ08MOG08P	3/4	1/2	22	27	34	45	12,7	210	3045
TMJ08MOG12P	3/4	3/4	27	36	36,1	49	15	210	3045
TMJ10MOG06P	7/8	3/8	22	22	36,8	37	10,44	210	3045
TMJ10MOG08P	7/8	1/2	22	27	37,7	44,5	12,7	210	3045
TMJ10MOG12P	7/8	3/4	27	36	39,8	48,5	15	210	3045
TMJ12MOG08P	1 1/16	1/2	27	27	42	47	12,7	210	3045
TMJ12MOG12P	1 1/16	3/4	27	36	42,5	48,5	15	210	3045
TMJ12MOG16P	1 1/16	1	33	41	47	53	13,8	170	2465
TMJ16MOG12P	1 5/16	3/4	33	36	47	53	15,5	170	2465
TMJ16MOG16P	1 5/16	1	33	41	47	53	15,3	170	2465
TMJ16MOG20P	1 5/16	1 1/4	41	50	54,5	60	15,8	170	2465
TMJ20MOG16P	1 5/8	1	41	41	53	58	3,7	140	2030
TMJ20MOG20P	1 5/8	1 1/4	41	50	55	60	15,8	140	2030

ADJUSTABLE BRANCH TEE MALE JIC - METRIC MALE / O-RING
AND RETAINING SEAL

ADATTATORE T ORIENTABILE AL PIEDE - MASCHIO JIC - MASCHIO METRICO CON
O-RING E RITEGNO

F1 - JIC 37°

F2 - METRIC




Code	F1 inch	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
TMJ04MOMR10P	7/16	10x1	14	14	23,5	30	9,5	310	4495
TMJ04MOMR12P	7/16	12x1,5	14	17	27	32,5	11	275	3988
TMJ05MOMR10P	1/2	10x1	14	14	25	27,5	9,5	275	3988
TMJ05MOMR12P	1/2	12x1,5	14	17	27	32,5	11	275	3988
TMJ05MOMR14P	1/2	14x1,5	14	19	27	35,5	11	275	3988
TMJ06MOMR14P	9/16	14x1,5	14	19	27,5	35,5	11	275	3988
TMJ06MOMR16P	9/16	16x1,5	19	22	28,5	39	12,5	210	3045
TMJ08MOMR16P	3/4	16x1,5	19	22	32	39	12,5	275	3988
TMJ08MOMR18P	3/4	18x1,5	19	24	32	41	14	275	3988
TMJ10MOMR18P	7/8	18x1,5	22	24	37	41,5	14	210	3045
TMJ10MOMR20P	7/8	20x1,5	22	27	37	42	-	210	3045
TMJ10MOMR22P	7/8	22x1,5	22	27	37	43	15	210	3045
TMJ12MOMR22P	1 1/16	22x1,5	27	27	42	45,5	14,8	210	3045
TMJ12MOMR27P	1 1/16	27x2	27	32	42	51,5	18,3	170	2465
TMJ16MOMR27P	1 5/16	27x2	33	32	46	55	18,3	170	2465
TMJ16MOMR33P	1 5/16	33x2	33	41	46	55	18,3	170	2465
TMJ20MOMR42P	1 5/8	42x2	41	50	57	60	18,8	140	2030

ADJUSTABLE BRANCH TEE MALE JIC - METRIC MALE WITH O-RING

T ORIENTABILE AL PIEDE - MASCHIO JIC - M. METRICO CON O-RING

F1 - JIC 37°

F2 - METRIC




Code	F1 inch	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
TMJ04MOM10P	7/16	10x1	14	14	24,5	30	9,5	310	4495
TMJ04MOM12P	7/16	12x1,5	14	17	27	33	11	275	3988
TMJ05MOM10P	1/2	10x1	14	14	25	30	9,5	275	3988
TMJ05MOM12P	1/2	12x1,5	14	17	27	33	11	275	3988
TMJ05MOM14P	1/2	14x1,5	14	19	27	34	11	275	3988
TMJ06MOM14P	9/16	14x1,5	14	19	27,5	34	11	275	3988
TMJ06MOM16P	9/16	16x1,5	19	22	29,7	37,5	12,5	210	3045
TMJ08MOM16P	3/4	16x1,5	19	22	32	39	12,5	275	3988
TMJ08MOM18P	3/4	18x1,5	19	24	32	37	14	275	3988
TMJ10MOM18P	7/8	18x1,5	22	24	37	42	14	210	3045
TMJ10MOM20P	7/8	20x1,5	22	27	37	42	-	210	3045
TMJ10MOM22P	7/8	22x1,5	22	27	37	43,5	14,8	210	3045
TMJ12MOM22P	1 1/16	22x1,5	27	27	42	45,5	14,8	210	3045
TMJ12MOM27P	1 1/16	27x2	27	32	42	52,5	18,3	170	2465
TMJ16MOM27P	1 5/16	27x2	33	32	49	54	18,3	170	2465
TMJ16MOM33P	1 5/16	33x2	33	41	46	53,5	18,3	170	2465
TMJ20MOM42P	1 5/8	42x2	41	50	57	60	18,8	140	2030

ADJUSTABLE BRANCH TEE MALE JIC - MALE UNF

ADATTATORE T ORIENTABILE AL PIEDE - MASCHIO JIC - MASCHIO UNF

F1 - JIC 37°

F2 - UNF




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
TMJ04MOU04P	7/16	7/16	14	14	24,5	29,5	9,7	310	4495
TMJ04MOU05P	7/16	1/2	14	17	24,5	29,5	9,7	275	3988
TMJ04MOU06P	7/16	9/16	14	17	27	32	10,9	275	3988
TMJ05MOU05P	1/2	1/2	14	17	25	29,5	9,7	275	3988
TMJ06MOU06P	9/16	9/16	14	17	27,5	32	10,9	275	3988
TMJ06MOU08P	9/16	3/4	19	22	30,5	37	12,5	275	3988
TMJ08MOU08P	3/4	3/4	19	22	32,7	36	12,5	275	3988
TMJ08MOU10P	3/4	7/8	22	27	33,8	43	14,3	210	3045
TMJ08MOU12P	3/4	1 1/16	27	32	37	49	16,6	210	3045
TMJ10MOU08P	7/8	3/4	22	22	37	39,5	12,5	210	3045
TMJ10MOU10P	7/8	7/8	22	27	37	43,5	14,3	210	3045
TMJ10MOU12P	7/8	1 1/16	27	32	39,5	49	16,6	210	3045
TMJ12MOU08P	1 1/16	3/4	27	22	42	42	12,5	210	3045
TMJ12MOU10P	1 1/16	7/8	27	27	42	45,5	14,3	210	3045
TMJ12MOU12P	1 1/16	1 1/16	27	32	43	49	16,6	210	3045
TMJ12MOU16P	1 1/16	1 5/16	33	41	45,5	53	16,6	210	3045
TMJ16MOU12P	1 5/16	1 1/16	33	32	47	53	16,6	170	2465
TMJ16MOU16P	1 5/16	1 5/16	33	41	47	53	16,6	170	2465
TMJ16MOU20P	1 5/16	1 5/8	41	50	53,5	58	16,6	140	2030
TMJ20MOU20P	1 5/8	1 5/8	41	50	56	58	16,6	140	2030

BUSH FOR ORFS

BOCCOLA PER TUBO SVASATO

F1 - ORFS

F2 - None




Code	L mm	D mm	D inch fraction	D1 mm
AB006	9,5	12,75	1/4	6
AB008	9,5	15,75	5/16	8
AB010	9,5	15,75	3/8	10
AB012	9,5	18,9	1/2	12
AB014	10,5	23,4	-	14
AB015	10,5	23,4	-	15
AB016	10,5	23,4	5/8	16
AB018	14	27,85	-	18
AB020	14	27,85	3/4	20
AB022	15,5	34	7/8	22
AB025	15,5	34	1	25
AB028	15,5	40,55	-	28
AB030	15,5	40,55	1 1/4	30
AB032	15,5	40,55	-	32
AB035	15,5	48,5	-	35
AB038	15,5	48,5	1 1/2	38

ORFS NUT

DADO DI SERRAGGIO

F1 - ORFS
F2 - None




Code	F1 inch	H1 mm	L mm	A mm
DB006	9/16	17	15	3
DB009	11/16	22	17	3
DB011	13/16	24	20	4
DB013	1	30	23,5	4
DB014	1 3/16	36	26	5
DB015	1 7/16	41	27	6
DB021	1 11/16	50	27	6
DB032	2	60	27,5	7

ADAPTOR MALE ORFS - MALE ORFS

ADATTATORE DIRITTO MASCHIO ORFS MASCHIO ORFS

F1 - ORFS

F2 - ORFS




Code	F1 inch	F2 inch	H1 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
AMO0606	9/16	9/16	17	27,5	10	10	630	9137
AMO0906	11/16	9/16	19	30	11	10	630	9137
AMO0909	11/16	11/16	19	32	11	11	630	9137
AMO1109	13/16	11/16	22	33,5	13	11	630	9137
AMO1111	13/16	13/16	22	35,5	13	13	630	9137
AMO1311	1	13/16	27	40	16	13	420	6091
AMO1313	1	1	27	42,5	16	16	420	6091
AMO1409	1 3/16	11/16	32	41	17	11	420	6091
AMO1411	1 3/16	13/16	32	43	17	13	420	6091
AMO1413	1 3/16	1	32	45,5	17	16	420	6091
AMO1414	1 3/16	1 3/16	32	47	17	17	420	6091
AMO1514	1 7/16	1 3/16	41	49	17,5	17	420	6091
AMO1515	1 7/16	1 7/16	41	49,5	17,5	17,5	420	6091
AMO2115	1 11/16	1 7/16	46	51,5	17,5	17,5	420	6091
AMO2121	1 11/16	1 11/16	46	51	17,5	17,5	420	4060
AMO3232	2	2	55	53	17,5	17,5	350	5076

90° ADAPTOR MALE ORFS - MALE ORFS

GOMITO 90° MASCHIO ORFS MASCHIO ORFS

F1 - ORFS

F2 - ORFS




Code	F1 inch	F2 inch	H1 mm	L1 mm	L2 mm	PN bar	PN psi
LM00606	9/16	9/16	14	21,5	21,5	630	9137
LM00609	9/16	11/16	19	26	27	630	9137
LM00909	11/16	11/16	19	25	25	630	9137
LM00911	11/16	13/16	22	26	29	630	9137
LM00914	11/16	1 3/16	30	28	37,5	420	6091
LM01111	13/16	13/16	22	29	29	630	9137
LM01113	13/16	1	27	34	29	420	6091
LM01114	13/16	1 3/16	30	32	37,5	420	6091
LM01313	1	1	27	34	34	420	6091
LM01314	1	1 3/16	30	34	37,5	420	6091
LM01414	1 3/16	1 3/16	30	37,5	37,5	420	6091
LM01415	1 3/16	1 7/16	36	41,5	41	420	6091
LM01515	1 7/16	1 7/16	36	41,5	41,5	420	6091
LM01521	1 7/16	1 11/16	41	52	52	350	5076
LM02121	1 11/16	1 11/16	41	52	52	350	5076
LM03232	2	2	48	49	49	280	4060

45° ADAPTOR MALE ORFS - MALE ORFS

GOMITO 45° MASCHIO ORFS MASCHIO ORFS

F1 - ORFS

F2 - ORFS




Code	F1 inch	F2 inch	H1 mm	L1 mm	L2 mm	PN bar	PN psi
QMO0606	9/16	9/16	14	21,5	21,5	630	9137
QMO0909	11/16	11/16	19	25	25	630	9137
QMO1111	13/16	13/16	22	29	29	630	9137
QMO1313	1	1	27	34	34	420	6091
QMO1414	1 3/16	1 3/16	30	37,5	37,5	420	6091
QMO1515	1 7/16	1 7/16	36	41,5	41,5	420	6091
QMO2121	1 11/16	1 11/16	41	52	52	350	5076
QMO3232	2	2	48	49	49	280	4060

TEE ADAPTOR MALE ORFS

ADATTATORE A T MASCHIO ORFS MASCHIO ORFS

F1 - ORFS

F2 - ORFS




Code	F1 inch	H1 mm	L1 mm	PN bar	PN psi
TM00606	9/16	14	21,5	630	9137
TM00909	11/16	19	25	630	9137
TM01111	13/16	22	29	630	9137
TM01313	1	27	36	420	6091
TM01414	1 3/16	30	37,5	420	6091
TM01515	1 7/16	36	41,5	420	6091
TM02121	1 11/16	41	51	350	5076
TM03232	2	48	49	280	4060

STRAIGHT BULKHEAD ADAPTOR MALE ORFS

ADATTATORE PASSAPARETE MASCHIO ORFS

F1 - ORFS

F2 - ORFS




Code	F1 inch	F2 inch	H1 mm	H2 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
APPMO0606	9/16	9/16	22	22	48	31,5	10	630	9137
APPMO0909	11/16	11/16	27	27	53	34	11	630	9137
APPMO1111	13/16	13/16	30	30	58,5	36,5	13	630	9137
APPMO1313	1	1	36	36	66,5	40,5	16	420	6091
APPMO1414	1 3/16	1 3/16	41	41	69	41,5	17	420	6091
APPMO1515	1 7/16	1 7/16	46	46	70	42	17,5	420	6091
APPMO2121	1 11/16	1 11/16	50	50	70	42	17,5	420	6091
APPMO3232	2	2	60	60	70	42	17,5	350	5076

90° BULKHEAD ADAPTOR MALE ORFS - MALE ORFS

GOMITO 90° PASSAPARETE MASCHIO ORFS MASCHIO ORFS

F1 - ORFS

F2 - ORFS




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
LPPMO0606	9/16	9/16	14	22	22	47	32	630	9137
LPPMO0909	11/16	11/16	19	27	25	52	34,5	630	9137
LPPMO1111	13/16	13/16	22	30	30	55,5	36,5	630	9137
LPPMO1313	1	1	27	36	34	63	40,5	420	6091
LPPMO1414	1 3/16	1 3/16	33	41	42	67	43	420	6091
LPPMO1515	1 7/16	1 7/16	36	46	45,5	80	43	420	6091
LPPMO2121	1 11/16	1 11/16	41	50	52	76,5	42	350	5076
LPPMO3232	2	2	48	60	49,5	82,5	42	280	4060

45° BULKHEAD ADAPTOR MALE ORFS - MALE ORFS

GOMITO 45° PASSAPARETE MASCHIO ORFS MASCHIO ORFS

F1 - ORFS

F2 - ORFS




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
QPPMO0606	9/16	9/16	14	22	22	46,7	32	630	9137
QPPMO0909	11/16	11/16	19	27	25	52	34,5	630	9137
QPPMO1111	13/16	13/16	22	30	30	55,5	36,5	630	9137
QPPMO1313	1	1	27	36	34	65,5	40,5	420	6091
QPPMO1414	1 3/16	1 3/16	33	41	42	67	43	420	6091
QPPMO1515	1 7/16	1 7/16	36	46	45,5	75	43	420	6091
QPPMO2121	1 11/16	1 11/16	41	50	52	76,5	42	350	5076
QPPMO3232	2	2	48	60	49,5	82,5	42	280	4060

RUN TEE BULKHEAD ADAPTOR MALE ORFS - MALE ORFS

T PASSAPARETE AL BRACCIO MASCHIO ORFS MASCHIO ORFS

F1 - ORFS

F2 - ORFS




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
TPPMO0606B	9/16	9/16	14	22	21,5	47	31,5	630	9137
TPPMO0909B	11/16	11/16	19	27	25	52	34	630	9137
TPPMO1111B	13/16	13/16	22	30	28	55,5	36,5	630	9137
TPPMO1313B	1	1	27	36	33,5	63	40,5	420	6091
TPPMO1414B	1 3/16	1 3/16	30	41	37,5	67	41,5	420	6091
TPPMO1515B	1 7/16	1 7/16	36	46	41,5	71	42	420	6091
TPPMO2121B	1 11/16	1 11/16	41	50	44,5	75,5	42	350	5076
TPPMO3232B	2	2	48	60	49	79,5	42	280	4060

BRANCH TEE BULKHEAD ADAPTOR MALE ORFS - MALE ORFS

T PASSAPARETE AL PIEDE MASCHIO ORFS MASCHIO ORFS

F1 - ORFS

F2 - ORFS




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
TPPMO0606P	9/16	9/16	14	22	21,5	47	31,5	630	9137
TPPMO0909P	11/16	11/16	19	27	25	52	34	630	9137
TPPMO1111P	13/16	13/16	22	30	28	55,5	36,5	630	9137
TPPMO1313P	1	1	27	36	33,5	63	40,5	420	6091
TPPMO1414P	1 3/16	1 3/16	30	41	37,5	67	41,5	420	6091
TPPMO1515P	1 7/16	1 7/16	36	46	41,5	71	42	420	6091
TPPMO2121P	1 11/16	1 11/16	41	50	44,5	75,5	42	350	5076
TPPMO3232P	2	2	48	60	49	79,5	42	280	4060

ADAPTOR SWIVEL FEMALE ORFS - MALE ORFS (1)

RIDUZIONE DIRITTA FEMMINA GIREVOLE ORFS MASCHIO ORFS

F1 - ORFS

F2 - ORFS



	Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	PN bar	PN psi
X	AFGO06M009	9/16	11/16	19	19	38,5	11	630	9137
Y	AFGO09M006	11/16	9/16	22	-	19,5	10	630	9137
X	AFGO09M011	11/16	13/16	22	22	42,5	13	630	9137
Y	AFGO11M006	13/16	9/16	24	-	22	10	630	9137
X	AFGO11M009	13/16	11/16	24	-	22,5	11	630	9137
Y	AFGO13M006	1	9/16	30	-	23	10	420	6091
Y	AFGO13M009	1	11/16	30	-	24	11	420	6091
Y	AFGO13M011	1	13/16	30	-	25,5	13	420	6091
Y	AFGO14M006	1 3/16	9/16	36	-	25	10	420	6091
Y	AFGO14M009	1 3/16	11/16	36	-	26	11	420	6091
Y	AFGO14M011	1 3/16	13/16	36	-	27,5	13	420	6091
Y	AFGO14M013	1 3/16	1	36	-	29,5	16	420	6091
X	AFGO14M015	1 3/16	1 7/16	41	41	58,5	17,5	420	6091
Y	AFGO15M006	1 7/16	9/16	41	-	26	10	420	6091
Y	AFGO15M009	1 7/16	11/16	41	-	27	11	420	6091
Y	AFGO15M011	1 7/16	13/16	41	-	29	13	420	6091
Y	AFGO15M013	1 7/16	1	41	-	32	16	420	6091
Y	AFGO15M014	1 7/16	1 3/16	41	-	33	17	420	6091
X	AFGO15M021	1 7/16	1 11/16	41	46	33,5	17,5	420	6091
Y	AFGO21M006	1 11/16	9/16	50	-	26,5	10	420	6091
Y	AFGO21M009	1 11/16	11/16	50	-	27,5	11	420	6091
Y	AFGO21M011	1 11/16	13/16	50	-	29,5	13	420	6091
Y	AFGO21M013	1 11/16	1	50	-	32,5	16	420	6091
Y	AFGO21M014	1 11/16	1 3/16	50	-	33,5	17	420	6091
Y	AFGO21M015	1 11/16	1 7/16	50	-	38,5	17,5	420	6091
Y	AFGO32M006	2	9/16	60	-	26,5	10	350	5076

X: Version with crimped nut

Versione con dado pressato

Y: Version with slip back nut


Versione con dado sfilabile

ADAPTOR SWIVEL FEMALE ORFS - MALE ORFS (2)

RIDUZIONE DIRITTA FEMMINA GIREVOLE ORFS MASCHIO ORFS

F1 - ORFS

F2 - ORFS



Code		F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	PN bar	PN psi
Y	AFGO32M009	2	11/16	60	-	27,5	11	350	5076
Y	AFGO32M011	2	13/16	60	-	29,5	13	350	5076
Y	AFGO32M013	2	1	60	-	32,5	16	350	5076
Y	AFGO32M014	2	1 3/16	60	-	33,5	17	350	5076
Y	AFGO32M015	2	1 7/16	60	-	34	17,5	350	5076
Y	AFGO32M021	2	1 11/16	60	-	34	17,5	350	5076


- X: Version with crimped nut
Versione con dado pressato
- Y: Version with slip back nut
Versione con dado sfilabile

90° ADAPTOR FEMALE ORFS - MALE ORFS

GOMITO A 90° FEMMINA ORFS DADO PRESSATO MASCHIO ORFS

F1 - ORFS

F2 - ORFS




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	PN bar	PN psi
LM006FG006	9/16	9/16	14	19	27,5	21,5	630	9137
LM009FG009	11/16	11/16	19	22	31	26	630	9137
LM011FG011	13/16	13/16	22	24	38	29	630	9137
LM013FG013	1	1	27	30	42,5	35,5	420	6091
LM014FG014	1 3/16	1 3/16	30	36	46,5	37,5	420	6091
LM015FG015	1 7/16	1 7/16	36	41	53,5	42,5	420	6091
LM021FG021	1 11/16	1 11/16	41	50	58	52	350	5076
LM032FG032	2	2	48	60	61	49	280	4060

45° ADAPTOR FEMALE ORFS - MALE ORFS

GOMITO A 45° FEMMINA ORFS DADO PRESSATO MASCHIO ORFS

F1 - ORFS

F2 - ORFS




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	PN bar	PN psi
QMO06FG006	9/16	9/16	14	19	21,5	27,5	630	9137
QMO09FG009	11/16	11/16	19	22	26	31	630	9137
QMO11FG011	13/16	13/16	22	24	29	38	630	9137
QMO13FG013	1	1	27	30	35,5	42,5	420	6091
QMO14FG014	1 3/16	1 3/16	30	36	37,5	46,5	420	6091
QMO15FG015	1 7/16	1 7/16	36	41	41,5	53,5	420	6091
QMO21FG021	1 11/16	1 11/16	41	50	52	58	350	5076
QMO32FG032	2	2	48	60	49	61	280	4060

RUN FEMALE ORFS-TEE MALE ORFS - TEE MALE ORFS

RACCORDO A T MASCHIO ORFS FEMMINA ORFS AL BRACCIO

F1 - ORFS

F2 - ORFS




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	PN bar	PN psi
TM006FGO06B	9/16	9/16	14	19	21,5	27,5	630	9137
TM009FGO09B	11/16	11/16	19	22	25	30	630	9137
TM011FGO11B	13/16	13/16	22	24	29	38	630	9137
TM013FGO13B	1	1	27	30	36	43,5	420	6091
TM014FGO14B	1 3/16	1 3/16	30	36	38,5	46,5	420	6091
TM015FGO15B	1 7/16	1 7/16	36	41	42,5	53,5	420	6091
TM021FGO21B	1 11/16	1 11/16	41	50	51	58	350	5076
TM032FGO32B	2	2	48	60	49	61	280	4060

BRANCH TEE MALE ORFS - TEE MALE ORFS - FEMALE ORFS

RACCORDO A T - MASCHIO ORFS FEMMINA ORFS AL PIEDE

F1 - ORFS

F2 - ORFS




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	PN bar	PN psi
TM006FGO06P	9/16	9/16	14	19	21,5	27,5	630	9137
TM009FGO09P	11/16	11/16	19	22	25	30	630	9137
TM011FGO11P	13/16	13/16	22	24	29	38	630	9137
TM013FGO13P	1	1	27	30	36	43,5	420	6091
TM014FGO14P	1 3/16	1 3/16	30	36	38,5	46,5	420	6091
TM015FGO15P	1 7/16	1 7/16	36	41	41,5	53,5	420	6091
TM021FGO21P	1 11/16	1 11/16	41	50	51	58	350	5076
TM032FGO32P	2	2	48	60	49	61	280	4060

ADAPTOR FEMALE ORFS - FEMALE ORFS

ADATTATORE DIRITTO FEMMINA ORFS FEMMINA ORFS DADO PRESSATO

F1 - ORFS

F2 - ORFS




Code	F1 inch	F2 inch	H1 mm	H2 mm	L mm	PN bar	PN psi
AFGO06	9/16	9/16	17	19	41	630	9137
AFGO09	11/16	11/16	19	22	45	630	9137
AFGO11	13/16	13/16	22	24	58	630	9137
AFGO13	1	1	27	30	61,5	420	6091
AFGO14	1 3/16	1 3/16	32	36	68	420	6091
AFGO15	1 7/16	1 7/16	41	41	71,5	420	6091
AFGO21	1 11/16	1 11/16	46	50	73,5	420	6091
AFGO32	2	2	55	60	75	350	5076

ADAPTOR MALE ORFS - MALE BSPP FORM E (1)

ADATTATORE DIRITTO MASCHIO ORFS MASCHIO GAS CILINDRICO FORMA E

F1 - ORFS

F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
AMO06MG02R	9/16	1/8	17	25,5	10	8	630	9137
AMO06MG04R	9/16	1/4	19	31	10	12	630	9137
AMO06MG06R	9/16	3/8	22	31,5	10	12	630	9137
AMO06MG08R	9/16	1/2	27	35,5	10	14	420	6091
AMO09MG02R	11/16	1/8	19	27,5	11	8	630	9137
AMO09MG04R	11/16	1/4	19	32	11	12	630	9137
AMO09MG06R	11/16	3/8	22	32,5	11	12	630	9137
AMO09MG08R	11/16	1/2	27	36,5	11	14	420	6091
AMO09MG12R	11/16	3/4	32	40	11	16	420	6091
AMO11MG04R	13/16	1/4	22	35	13	12	630	9137
AMO11MG06R	13/16	3/8	22	34,5	13	12	630	9137
AMO11MG08R	13/16	1/2	27	44	13	14	420	6091
AMO11MG12R	13/16	3/4	32	42	13	16	420	6091
AMO13MG04R	1	1/4	27	38	16	12	420	6091
AMO13MG06R	1	3/8	27	38,5	16	12	420	6091
AMO13MG08R	1	1/2	27	41	16	14	420	6091
AMO13MG12R	1	3/4	32	44,5	16	16	420	6091
AMO13MG16R	1	1	41	48	16	18	420	6091
AMO14MG04R	1 3/16	1/4	32	41	17	12	420	6091
AMO14MG08R	1 3/16	1/2	32	44	17	14	420	6091
AMO14MG12R	1 3/16	3/4	32	46	17	16	420	6091
AMO14MG16R	1 3/16	1	41	49,5	17	18	420	6091
AMO14MG20R	1 3/16	1 1/4	50	53,5	17	20	420	6091
AMO15MG04R	1 7/16	1/4	41	43	17,5	12	420	6091
AMO15MG06R	1 7/16	3/8	41	43,5	17,5	12	420	6091
AMO15MG08R	1 7/16	1/2	41	46	17,5	14	420	6091

ADAPTOR MALE ORFS - MALE BSPP FORM E (2)

ADATTATORE DIRITTO MASCHIO ORFS MASCHIO GAS CILINDRICO FORMA E

F1 - ORFS

F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
AM015MG12R	1 7/16	3/4	41	48	17,5	16	420	6091
AM015MG16R	1 7/16	1	41	50	17,5	18	420	6091
AM015MG20R	1 7/16	1 1/4	50	54	17,5	20	420	6091
AM015MG24R	1 7/16	1 1/2	55	57,5	17,5	22	350	5076
AM021MG16R	1 11/16	1	46	52	17,5	18	350	5076
AM021MG20R	1 11/16	1 1/4	50	54	17,5	20	350	5076
AM021MG24R	1 11/16	1 1/2	55	57,5	17,5	22	350	5076
AM032MG24R	2	1 1/2	55	57,5	17,5	22	350	5076

ADAPTOR MALE ORFS - MALE BSPP WITH 60° CONE

ADATTATORE DIRITTO MASCHIO ORFS MASCHIO BSPP SVASATO 60°

F1 - ORFS

F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
AMO06MG02SV	9/16	1/8	17	25,5	8	10	400	5801
AMO06MG04SV	9/16	1/4	19	31,5	12	10	400	5801
AMO06MG06SV	9/16	3/8	22	31,5	12	10	400	5801
AMO09MG04SV	11/16	1/4	19	32	12	11	400	5801
AMO09MG06SV	11/16	3/8	22	32,5	12	11	400	5801
AMO09MG08SV	11/16	1/2	27	36,5	14	11	350	5076
AMO11MG04SV	13/16	1/4	22	35	12	13	400	5801
AMO11MG06SV	13/16	3/8	22	34,5	12	13	400	5801
AMO11MG08SV	13/16	1/2	27	38,5	14	13	350	5076
AMO11MG12SV	13/16	3/4	32	42	16	13	315	4568
AMO13MG06SV	1	3/8	27	38,5	12	16	400	5801
AMO13MG08SV	1	1/2	27	41	14	16	350	5076
AMO13MG10SV	1	5/8	30	43	16	16	350	5076
AMO13MG12SV	1	3/4	32	44,5	16	16	315	4568
AMO14MG08SV	1 3/16	1/2	32	44	14	17	350	5076
AMO14MG12SV	1 3/16	3/4	32	46	16	17	315	4568
AMO14MG16SV	1 3/16	1	41	50,5	18	17	250	3626
AMO15MG12SV	1 7/16	3/4	41	51	16	17,5	315	4568
AMO15MG16SV	1 7/16	1	41	51	18	17,5	250	3626
AMO15MG20SV	1 7/16	1 1/4	50	54	20	17,5	200	2900
AMO21MG20SV	1 11/16	1 1/4	50	54	20	17,5	200	2900
AMO32MG24SV	2	1 1/2	55	57,5	22	17,5	160	2320

ADAPTOR MALE ORFS - Female BSPP

ADATTATORE DIRITTO MASCHIO ORFS FEMMINA FISSA BSPP

F1 - ORFS

F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	L mm	L1 mm	PN bar	PN psi
AMO06FFG04	9/16	1/4	19	31	10	630	9137
AMO09FFG04	11/16	1/4	19	32	11	630	9137
AMO11FFG04	13/16	1/4	22	34	13	630	9137
AMO11FFG06	13/16	3/8	24	35	13	630	9137
AMO13FFG08	1	1/2	30	42	16	420	6091
AMO14FFG08	1 3/16	1/2	32	43	17	420	6091
AMO14FFG12	1 3/16	3/4	36	46	17	420	6091
AMO15FFG16	1 7/16	1	41	48,5	17,5	420	6091
AMO21FFG20	1 11/16	1 1/4	55	53,5	17,5	350	5076
AMO32FFG24	2	1 1/2	60	55,5	17,5	280	4060

STRAIGHT BULKHEAD ADAPTOR MALE ORFS - FEMALE BSPP

ADATTATORE PASSAPARETE MASCHIO ORFS FEMMINA BSPP

F1 - ORFS

F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	H2 mm	L mm	L1 mm	PN bar	PN psi
APPMO06FFG04	9/16	1/4	22	22	52,5	31,5	630	9137
APPMO09FFG04	11/16	1/4	27	27	55	34	630	9137
APPMO11FFG06	13/16	3/8	30	30	58,5	36,5	630	9137
APPMO13FFG08	1	1/2	36	36	66,5	40,5	420	6091
APPMO14FFG12	1 3/16	3/4	41	41	70,5	41,5	420	6091
APPMO15FFG16	1 7/16	1	46	46	73	42	420	6091
APPMO21FFG20	1 11/16	1 1/4	50	50	78	42	350	5076
APPMO32FFG24	2	1 1/2	60	60	80	42	280	4060

ORFS SWIVEL NUT - BSPP FEMALE

PRESA DI PRESSIONE CON DADO GIREVOLE ORFS FEMMINA BSPP

F1 - ORFS

F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	H2 mm	L mm	PN bar	PN psi
AFGO06FFG04	9/16	1/4	19	19	39	630	9137
AFGO09FFG04	11/16	1/4	19	22	41	630	9137
AFGO11FFG04	13/16	1/4	19	24	43	630	9137
AFGO13FFG04	1	1/4	24	30	46	420	6091
AFGO14FFG04	1 3/16	1/4	30	36	47,5	420	6091
AFGO15FFG04	1 7/16	1/4	36	41	48	420	6091
AFGO21FFG04	1 11/16	1/4	46	50	50	350	5076
AFGO32FFG04	2	1/4	50	60	50	280	4060

ADAPTOR FEMALE ORFS - MALE BSPP WITH 60° CONE

ADATTATORE DIRITTO FEMMINA ORFS MASCHIO BSPP SVASATO 60°

F1 - ORFS

F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	PN bar	PN psi
AFGO06MG02SV	9/16	1/8	14	19	25	8	400	5801
AFGO06MG04SV	9/16	1/4	19	19	25,5	12	400	5801
AFGO06MG06SV	9/16	3/8	22	19	27,5	12	400	5801
AFGO09MG04SV	11/16	1/4	19	22	29	12	400	5801
AFGO09MG06SV	11/16	3/8	22	22	29,5	12	400	5801
AFGO09MG08SV	11/16	1/2	27	22	30,5	14	350	5076
AFGO11MG04SV	13/16	1/4	19	24	32,5	12	400	5801
AFGO11MG06SV	13/16	3/8	22	24	35,5	12	400	5801
AFGO11MG08SV	13/16	1/2	27	24	37	14	350	5076
AFGO11MG12SV	13/16	3/4	32	24	40,5	16	315	4568
AFGO13MG06SV	1	3/8	24	30	39	12	400	5801
AFGO13MG08SV	1	1/2	27	30	39,5	14	350	5076
AFGO13MG10SV	1	5/8	30	30	39	16	350	5076
AFGO13MG12SV	1	3/4	32	30	41	16	315	4568
AFGO14MG08SV	1 3/16	1/2	30	36	43,5	14	350	5076
AFGO14MG12SV	1 3/16	3/4	32	36	41,5	16	315	4568
AFGO14MG16SV	1 3/16	1	41	36	45	18	250	3626
AFGO15MG12SV	1 7/16	3/4	36	41	46	16	315	4568
AFGO15MG16SV	1 7/16	1	41	41	46	18	250	3626
AFGO15MG20SV	1 7/16	1 1/4	50	41	47,5	20	200	2900
AFGO21MG20SV	1 11/16	1 1/4	50	50	44,5	20	200	2900
AFGO32MG24SV	2	1 1/2	55	60	49,5	22	160	2320

ADAPTOR FEMALE ORFS - MALE BSPP FORM E

ADATTATORE DIRITTO FEMMINA ORFS MASCHIO BSPP FORMA E

F1 - ORFS

F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	PN bar	PN psi
AFGO06MG02R	9/16	1/8	17	19	26,5	8	500	7251
AFGO06MG04R	9/16	1/4	19	19	26,5	12	500	7251
AFGO09MG04R	11/16	1/4	19	22	28,5	12	630	9137
AFGO09MG06R	11/16	3/8	22	22	32,5	12	630	9137
AFGO11MG06R	13/16	3/8	22	24	35	12	630	9137
AFGO11MG08R	13/16	1/2	27	24	37	14	420	6091
AFGO13MG08R	1	1/2	27	30	36,5	14	420	6091
AFGO14MG12R	1 3/16	3/4	32	36	41,5	16	420	6091
AFGO14MG20R	1 3/16	1 1/4	50	36	48	20	420	6091
AFGO15MG16R	1 7/16	1	41	41	46	18	420	6091
AFGO21MG20R	1 11/16	1 1/4	50	50	44,5	20	350	5076
AFGO32MG24R	2	1 1/2	55	60	49,5	22	280	4060

ADAPTOR MALE ORFS - METRIC MALE FORM E

ADATTATORE DIRITTO MASCHIO ORFS MASCHIO METRICO FORMA E

F1 - ORFS

F2 - METRIC




Code	F1 inch	F2 mm	H1 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
AMO06MM10R	9/16	10x1	17	25,5	10	8	630	9137
AMO06MM12R	9/16	12x1,5	17	30	10	12	630	9137
AMO06MM14R	9/16	14x1,5	19	31	10	12	630	9137
AMO09MM12R	11/16	12x1,5	19	32	11	12	630	9137
AMO09MM14R	11/16	14x1,5	19	32	11	12	630	9137
AMO09MM16R	11/16	16x1,5	22	34	11	12	630	9137
AMO09MM18R	11/16	18x1,5	24	32,5	11	12	630	9137
AMO11MM14R	13/16	14x1,5	22	35	13	12	630	9137
AMO11MM16R	13/16	16x1,5	22	34,5	13	12	630	9137
AMO11MM18R	13/16	18x1,5	24	34,5	13	12	630	9137
AMO11MM22R	13/16	22x1,5	27	38,5	13	14	630	9137
AMO13MM14R	1	14x1,5	27	38	16	12	420	6091
AMO13MM18R	1	18x1,5	27	38,5	16	12	420	6091
AMO13MM22R	1	22x1,5	27	41	16	14	420	6091
AMO13MM27R	1	27x2	32	44,5	16	16	420	6091
AMO14MM22R	1 3/16	22x1,5	32	44	17	14	420	6091
AMO14MM27R	1 3/16	27x2	32	46	17	16	420	6091
AMO14MM33R	1 3/16	33x2	41	49,5	17	18	420	6091
AMO15MM27R	1 7/16	27x2	41	48	17,5	16	420	6091
AMO15MM33R	1 7/16	33x2	41	50	17,5	18	420	6091
AMO15MM42R	1 7/16	42x2	50	54	17,5	20	420	6091
AMO21MM33R	1 11/16	33x2	46	52	17,5	18	420	6091
AMO21MM42R	1 11/16	42x2	50	54	17,5	20	420	6091
AMO21MM48R	1 11/16	48x2	55	57,5	17,5	22	350	5076
AMO32MM48R	2	48x1,5	55	57,5	17,5	22	350	5076

ADAPTOR MALE ORFS - METRIC MALE

ADATTATORE DIRITTO MASCHIO ORFS MASCHIO METRICO CON O-RING

F1 - ORFS
F2 - METRIC




Code	F1 inch	F2 mm	H1 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
AMO06MM12	9/16	12x1,5	17	28	9,8	11	630	9137
AMO09MM12	11/16	12x1,5	19	32	11	11	630	9137
AMO09MM14	11/16	14x1,5	19	35	11	13,5	630	9137
AMO11MM22	13/16	22x1,5	27	38,5	13	14	630	9137
AMO14MM22	1 3/16	22x1,5	32	44	17	14	420	6091
AMO15MM27	1 7/16	27x2	41	48	17,5	16	420	6091
AMO15MM33	1 7/16	33x2	41	50	17,5	18	420	6091
AMO21MM42	1 11/16	42x2	50	53	17,5	19	420	6091

ORFS SWIVEL NUT - METRIC FEMALE

PRESA DI PRESSIONE CON DADO GIREVOLE ORFS FEMMINA METRICA

F1 - ORFS
F2 - METRIC




Code	F1 inch	F2 mm	H1 mm	H2 mm	L mm	PN bar	PN psi
AFGO06FFM10	9/16	10x1	19	19	39	630	9137
AFGO09FFM10	11/16	10x1	19	22	41	630	9137
AFGO11FFM10	13/16	10x1	19	24	43	630	9137
AFGO13FFM10	1	10x1	24	30	40	420	6091
AFGO14FFM10	1 3/16	10x1		36		420	6091
AFGO15FFM10	1 7/16	10x1		41		420	6091
AFGO21FFM10	1 11/16	10x1	46	50	50	420	6091
AFGO32FFM10	2	10x1	50	60	50	350	5076

ADAPTOR FEMALE ORFS - MALE METRIC FORM E

ADATTATORE DIRITTO FEMMINA ORFS MASCHIO METRICO FORMA E

F1 - ORFS
F2 - METRIC




Code	F1 inch	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	PN bar	PN psi
AFGO06MM10R	9/16	10x1	17	19	26,5	8	500	7251
AFGO06MM12R	9/16	12x1,5	17	19	26,5	12	500	7251
AFGO09MM14R	11/16	14x1,5	19	22	28,5	12	630	9137
AFGO09MM16R	11/16	16x1,5	22	22	28,5	12	630	9137
AFGO11MM16R	13/16	16x1,5	22	24	34,5	12	630	9137
AFGO11MM18R	13/16	18x1,5	24	24	35	12	630	9137
AFGO13MM18R	1	18x1,5	27	30	38	12	420	6091
AFGO13MM22R	1	22x1,5	27	30	38	14	420	6091
AFGO14MM22R	1 3/16	22x1,5	32	36	41,5	14	420	6091
AFGO14MM27R	1 3/16	27x2	32	36	41,5	16	420	6091
AFGO15MM27R	1 7/16	27x2	36	41	46	16	420	6091
AFGO15MM33R	1 7/16	33x2	41	41	46	18	420	6091
AFGO21MM42R	1 11/16	42x2	50	50	44,5	20	350	5076
AFGO32MM48R	2	48x2	55	60	49,5	22	280	4060

ADAPTOR MALE ORFS - MALE UNF (1)

ADATTATORE DIRITTO MASCHIO ORFS MASCHIO UNF

F1 - ORFS

F2 - UNF




Code	F1 inch	F2 inch	H1 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
AMO06MU04	9/16	7/16	17	29	10	11	630	9137
AMO06MU05	9/16	1/2	17	29	10	11	630	9137
AMO06MU06	9/16	9/16	19	31	10	12	630	9137
AMO06MU08	9/16	3/4	22	33,5	10	14	630	9137
AMO09MU04	11/16	7/16	19	31	11	11	630	9137
AMO09MU05	11/16	1/2	19	31	11	11	630	9137
AMO09MU06	11/16	9/16	19	32	11	12	630	9137
AMO09MU08	11/16	3/4	22	34,5	11	14	630	9137
AMO09MU10	11/16	7/8	27	38,5	11	16	420	6091
AMO09MU12	11/16	1 1/16	32	42,5	11	18,5	420	6091
AMO11MU06	13/16	9/16	22	34,5	13	12	630	9137
AMO11MU08	13/16	3/4	22	36,5	13	14	630	9137
AMO11MU10	13/16	7/8	27	40,5	13	16	420	6091
AMO11MU12	13/16	1 1/16	32	44,5	13	18,5	420	6091
AMO11MU16	13/16	1 5/16	41	45,5	13	18	420	6091
AMO13MU06	1	9/16	27	42	16	16	420	6091
AMO13MU08	1	3/4	27	41	16	14	420	6091
AMO13MU10	1	7/8	27	43	16	16	420	6091
AMO13MU12	1	1 1/16	32	47,5	16	18,5	420	6091
AMO14MU08	1 3/16	3/4	32	44	17	14	420	6091
AMO14MU10	1 3/16	7/8	32	46	17	16	420	6091
AMO14MU12	1 3/16	1 1/16	32	48,5	17	18,5	420	6091
AMO14MU16	1 3/16	1 5/16	41	50	17	18	420	6091
AMO15MU10	1 7/16	7/8	41	48	17,5	16	420	6091
AMO15MU12	1 7/16	1 1/16	41	50,5	17,5	18,5	420	6091
AMO15MU16	1 7/16	1 5/16	41	50	17,5	18	420	6091

ADAPTOR MALE ORFS - MALE UNF (2)

ADATTATORE DIRITTO MASCHIO ORFS MASCHIO UNF

F1 - ORFS

F2 - UNF




Code	F1 inch	F2 inch	H1 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
AMO15MU20	1 7/16	1 5/8	46	52	17,5	18,5	420	6091
AMO15MU24	1 7/16	1 7/8	55	54	17,5	18,5	350	5076
AMO21MU16	1 11/16	1 5/16	46	52	17,5	18	420	6091
AMO21MU20	1 11/16	1 5/8	46	52	17,5	18,5	420	6091
AMO21MU24	1 11/16	1 7/8	55	54	17,5	18,5	350	5076
AMO32MU16	2	1 5/16	55	53,5	17,5	18	350	5076
AMO32MU20	2	1 5/8	55	54	17,5	18,5	350	5076
AMO32MU24	2	1 7/8	55	54	17,5	18,5	350	5076

ADAPTOR FEMALE ORFS - MALE UNF

ADATTATORE DIRITTO FEMMINA ORFS DADO PRESSATO MASCHIO UNF

F1 - ORFS

F2 - UNF




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	PN bar	PN psi
AFGO06MU04	9/16	7/16	17	19	26,5	11	630	9137
AFGO09MU04	11/16	7/16	19	22	28,5	11	630	9137
AFGO09MU06	11/16	9/16	19	22	28,5	12	630	9137
AFGO09MU08	11/16	3/4	22	22	32,5	14	630	9137
AFGO11MU08	13/16	3/4	22	24	35,5	14	630	9137
AFGO11MU10	13/16	7/8	27	24	34	16	630	9137
AFGO13MU08	1	3/4	27	30	38	14	420	6091
AFGO13MU10	1	7/8	27	30	38	16	420	6091
AFGO13MU12	1	1 1/16	32	30	39	18,5	420	6091
AFGO14MU10	1 3/16	7/8	32	36	41,5	16	420	6091
AFGO14MU12	1 3/16	1 1/16	32	36	38,5	18,5	420	6091
AFGO14MU16	1 3/16	1 5/16	41	36	48	18	420	6091
AFGO15MU16	1 7/16	1 5/16	41	41	49,5	18	420	6091
AFGO21MU20	1 11/16	1 5/8	46	50	49	18,5	350	5076
AFGO32MU24	2	1 7/8	55	60	49	18,5	280	4060

ADAPTOR MALE ORFS - MALE NPT

ADATTATORE DIRITTO MASCHIO ORFS MASCHIO NPT

F1 - ORFS

F2 - NPT




Code	F1 inch	F2 inch	H1 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
AMO06MN02	9/16	1/8	17	27,5	10	10	420	6091
AMO06MN04	9/16	1/4	17	32	10	14,2	420	6091
AMO06MN06	9/16	3/8	17	32	10	14,5	420	6091
AMO06MN08	9/16	1/2	22	38,5	10	19	420	6091
AMO09MN04	11/16	1/4	19	34,5	11	14,5	420	6091
AMO09MN06	11/16	3/8	19	35	11	15	420	6091
AMO09MN08	11/16	1/2	22	39,5	11	19	420	6091
AMO11MN04	13/16	1/4	22	36,7	13	14,2	420	6091
AMO11MN06	13/16	3/8	22	37	13	15	420	6091
AMO11MN08	13/16	1/2	22	41,5	13	19	420	6091
AMO11MN12	13/16	3/4	27	43,5	13	19	380	5511
AMO13MN06	1	3/8	27	42	16	14,5	420	6091
AMO13MN08	1	1/2	27	46,5	16	19	420	6091
AMO13MN12	1	3/4	27	46,5	16	19	380	5511
AMO14MN08	1 3/16	1/2	32	49	17	19	420	6091
AMO14MN12	1 3/16	3/4	32	49	17	19	380	5511
AMO14MN16	1 3/16	1	36	54	17	24	310	4496
AMO15MN12	1 7/16	3/4	41	51	17,5	19	420	6091
AMO15MN16	1 7/16	1	41	56	17,5	24	310	4496
AMO21MN16	1 11/16	1	46	58	17,5	24	310	4496
AMO21MN20	1 11/16	1 1/4	46	59	17,5	25	210	3045
AMO32MN20	2	1 1/4	55	60,5	17,5	25	210	3045
AMO32MN24	2	1 1/2	55	61,5	17,5	26	210	3045

90° ADAPTOR MALE ORFS - MALE NPT

GOMITO 90° MASCHIO ORFS MASCHIO NPT

F1 - ORFS

F2 - NPT




Code	F1 inch	F2 inch	H1 mm	L1 mm	L2 mm	PN bar	PN psi
LMO06MN02	9/16	1/8	14	21,5	21	420	6091
LMO06MN04	9/16	1/4	14	21,5	28	420	6091
LMO06MN06	9/16	3/8	19	24	31	420	6091
LMO09MN04	11/16	1/4	19	27	31	420	6091
LMO09MN06	11/16	3/8	19	27	31	420	6091
LMO09MN08	11/16	1/2	22	28	37,5	420	6091
LMO11MN04	13/16	1/4	22	30,5	31	420	6091
LMO11MN06	13/16	3/8	22	30,5	31	630	9137
LMO11MN08	13/16	1/2	22	30,5	37,5	420	6091
LMO11MN12	13/16	3/4	27	31,5	40	280	4060
LMO13MN06	1	3/8	27	34	34	420	6091
LMO13MN08	1	1/2	27	34	38	420	6091
LMO13MN12	1	3/4	27	34	42	280	4060
LMO14MN08	1 3/16	1/2	30	37,5	40	420	6091
LMO14MN12	1 3/16	3/4	30	37,5	41	280	4060
LMO14MN16	1 3/16	1	33	41,5	52,5	210	3045
LMO15MN12	1 7/16	3/4	36	41,5	45,5	280	4060
LMO15MN16	1 7/16	1	36	41,5	50	210	3045
LMO21MN16	1 11/16	1	41	52	59	175	2538
LMO21MN20	1 11/16	1 1/4	41	52	60	175	2538
LMO32MN20	2	1 1/4	48	49	66	175	2538
LMO32MN24	2	1 1/2	48	49,5	67	175	2538

45° ADAPTOR MALE ORFS - MALE NPT

GOMITO 45° MASCHIO ORFS MASCHIO NPT

F1 - ORFS

F2 - NPT




Code	F1 inch	F2 inch	H1 mm	L1 mm	L2 mm	PN bar	PN psi
QMO06MN02	9/16	1/8	14	21,5	21	420	6091
QMO06MN04	9/16	1/4	14	21,5	28	420	6091
QMO06MN06	9/16	3/8	19	24	31	420	6091
QMO09MN04	11/16	1/4	19	27	31	420	6091
QMO09MN06	11/16	3/8	19	27	31	420	6091
QMO09MN08	11/16	1/2	22	28	37,5	420	6091
QMO11MN04	13/16	1/4	22	30,5	31	420	6091
QMO11MN06	13/16	3/8	22	30,5	31	420	6091
QMO11MN08	13/16	1/2	22	30,5	37,5	420	6091
QMO11MN12	13/16	3/4	27	31,5	42	280	4060
QMO13MN06	1	3/8	27	34	34	420	6091
QMO13MN08	1	1/2	27	34	38	420	6091
QMO13MN12	1	3/4	27	34	42	280	4060
QMO14MN08	1 3/16	1/2	30	37,5	40	420	6091
QMO14MN12	1 3/16	3/4	30	37,5	41	280	4060
QMO14MN16	1 3/16	1	33	41,5	52,5	210	3045
QMO15MN12	1 7/16	3/4	36	41,5	45,5	280	4060
QMO15MN16	1 7/16	1	36	41,5	50	210	3045
QMO21MN16	1 11/16	1	41	52	59	175	2538
QMO21MN20	1 11/16	1 1/4	41	52	60	175	2538
QMO32MN20	2	1 1/4	48	49	66	175	2538
QMO32MN24	2	1 1/2	48	49,5	67	175	2538

ADAPTOR MALE ORFS - Female NPT

ADATTATORE DIRITTO MASCHIO ORFS FEMMINA FISSA NPT

F1 - ORFS

F2 - NPT




Code	F1 inch	F2 inch	H1 mm	L mm	L1 mm	PN bar	PN psi
AMO06FFN04	9/16	1/4	19	31,5	10	420	6091
AMO09FFN04	11/16	1/4	19	32,5	11	420	6091
AMO11FFN04	13/16	1/4	22	36	13	420	6091
AMO11FFN06	13/16	3/8	24	36	13	420	6091
AMO13FFN08	1	1/2	30	44,5	16	420	6091
AMO14FFN08	1 3/16	1/2	32	45,5	17	420	6091
AMO14FFN12	1 3/16	3/4	36	47	17	380	5511
AMO15FFN16	1 7/16	1	41	54	17,5	310	4496
AMO21FFN20	1 11/16	1 1/4	55	56,5	17,5	210	3045
AMO32FFN24	2	1 1/2	60	56,5	17,5	200	2900

STRAIGHT BULKHEAD ADAPTOR MALE ORFS - FEMALE NPT

ADATTATORE PASSAPARETE MASCHIO ORFS FEMMINA NPT

F1 - ORFS

F2 - NPT




Code	F1 inch	F2 inch	H1 mm	H2 mm	L mm	L1 mm	PN bar	PN psi
APPMO06FFN04	9/16	1/4	22	22	53	31,5	420	6091
APPMO09FFN04	11/16	1/4	27	27	55,5	34	420	6091
APPMO11FFN06	13/16	3/8	30	30	59	36,5	420	6091
APPMO13FFN08	1	1/2	36	36	69	40,5	420	6091
APPMO14FFN12	1 3/16	3/4	41	41	71,5	41,5	380	5511
APPMO15FFN16	1 7/16	1	46	46	78,5	42	310	4496
APPMO21FFN20	1 11/16	1 1/4	50	50	81	42	210	3045
APPMO32FFN24	2	1 1/2	60	60	81	42	200	2900

ADAPTOR MALE ORFS - MALE DIN

ADATTATORE DIRITTO MASCHIO ORFS MASCHIO DIN

F1 - ORFS

F2 - DIN




Code	F1 inch	F2 mm	H1 mm	L1 mm	L2 mm	T mm	PN bar	PN psi
AMO06ME06L.1	9/16	12x1,5	17	10	10,5	6	500	7251
AMO06ME08L.1	9/16	14x1,5	17	10	10,5	8	500	7251
AMO09ME10L.1	11/16	16x1,5	19	11	13	10	500	7251
AMO11ME12L.1	13/16	18x1,5	22	13	13,5	12	400	5801
AMO13ME15L.1	1	22x1,5	27	16	16,5	15	400	5801
AMO14ME18L.1	1 3/16	26x1,5	32	17	17,5	18	400	5801
AMO15ME22L.1	1 7/16	30x2	41	17,5	21	22	250	3626
AMO21ME28L.1	1 11/16	36x2	46	17,5	23	28	250	3626
AMO32ME35L.1	2	45x2	55	17,5	22,5	35	250	3626
AMO32ME42L.1	2	52x2	55	17,5	22	42	250	3626
AMO06ME06S.1	9/16	14x1,5	17	10	12,5	6	630	9137
AMO06ME08S.1	9/16	16x1,5	17	10	12,5	8	630	9137
AMO09ME10S.1	11/16	18x1,5	19	11	13,5	10	630	9137
AMO11ME12S.1	13/16	20x1,5	22	13	14	12	630	9137
AMO11ME16S.1	13/16	16x1,5	27	13	16	16	420	6091
AMO13ME14S.1	1	22x1,5	27	16	19,5	14	420	6091
AMO13ME16S.1	1	24x1,5	27	16	20	16	420	6091
AMO14ME20S.1	1 3/16	30x2	32	17	18,5	20	420	6091
AMO15ME25S.1	1 7/16	36x2	41	17,5	20,5	25	420	6091
AMO21ME30S.1	1 11/16	42x2	46	17,5	23	30	420	6091
AMO32ME38S.1	2	52x2	55	17,5	23	38	420	6091

ADAPTOR MALE ORFS - FEMALE DIN (THRUST-WIRE NUT)

ADATTATORE DIRITTO MASCHIO ORFS FEMMINA DIN DADO SPINATO

F1 - ORFS

F2 - DIN




Code	F1 inch	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	T mm	PN bar	PN psi
AMO06FE06L	9/16	12x1,5	17	14	10	24,5	6	500	7251
AMO06FE08L	9/16	14x1,5	17	17	10	24	8	500	7251
AMO09FE10L	11/16	16x1,5	19	19	11	24,5	10	500	7251
AMO11FE12L	13/16	18x1,5	22	22	13	25	12	400	5801
AMO11FE15L	13/16	22x1,5	22	27	13	30,4	15	400	5801
AMO13FE15L	1	22x1,5	27	27	16	31	15	400	5801
AMO14FE18L	1 3/16	26x1,5	32	32	17	32	18	400	5801
AMO15FE22L	1 7/16	30x2	41	36	17,5	36,5	22	250	3626
AMO21FE28L	1 11/16	36x2	46	41	17,5	39,5	28	250	3626
AMO32FE35L	2	45x2	55	50	17,5	43,5	35	250	3626
AMO32FE42L	2	52x2	55	60	17,5	44,5	42	250	3626
AMO06FE06S	9/16	14x1,5	17	17	10	25	6	630	9137
AMO06FE08S	9/16	16x1,5	17	19	10	25	8	630	9137
AMO09FE10S	11/16	18x1,5	19	22	11	24,5	10	630	9137
AMO11FE12S	13/16	20x1,5	22	24	13	27,5	12	630	9137
AMO13FE14S	1	22x1,5	27	27	16	33	14	420	6091
AMO13FE16S	1	24x1,5	27	30	16	34,5	16	420	6091
AMO14FE20S	1 3/16	30x2	32	36	17	36	20	420	6091
AMO15FE25S	1 7/16	36x2	41	46	17,5	38,5	25	420	6091
AMO21FE30S	1 11/16	42x2	46	50	17,5	42,5	30	420	6091
AMO32FE38S	2	52x2	55	60	17,5	48,5	38	420	6091

ADAPTOR MALE ORFS - MALE JIC

ADATTATORE DIRITTO MASCHIO ORFS MASCHIO JIC (SAE J514)

F1 - ORFS

F2 - JIC 37°




Code	F1 inch	F2 inch	H1 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
AMO06MJ04	9/16	7/16	17	31,5	10	14	500	7251
AMO09MJ05	11/16	1/2	19	34	11	14	420	6091
AMO09MJ06	11/16	9/16	19	34	11	14,1	420	6091
AMO11MJ08	13/16	3/4	22	39	13	16,7	420	6091
AMO13MJ10	1	7/8	27	46,5	16	19,3	350	5076
AMO14MJ12	1 3/16	1 1/16	32	52	17	21,9	350	5076
AMO15MJ16	1 7/16	1 5/16	41	55	17,5	23,1	280	4060
AMO21MJ20	1 11/16	1 5/8	46	58,5	17,5	25	280	4060
AMO32MJ24	2	1 7/8	55	63	17,5	27,5	210	3045

ADAPTOR MALE ORFS - FEMALE JIC

ADATTATORE DIRITTO MASCHIO ORFS FEMMINA JIC

F1 - ORFS
F2 - JIC 37°




	Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	PN bar	PN psi
X	AMO06FGJ04	9/16	7/16	17	17	10	15,8	500	7251
Y	AMO09FGJ05	11/16	1/2	19	17	11	17,5	350	5076
X	AMO09FGJ06	11/16	9/16	19	19	11	22,5	350	5076
X	AMO11FGJ08	13/16	3/4	22	22	13	18,5	350	5076
X	AMO13FGJ10	1	7/8	27	27	16	23,5	350	5076
Y	AMO14FGJ12	1 3/16	1 1/16	32	32	17	24	350	5076
Y	AMO15FGJ16	1 7/16	1 5/16	41	41	17,5	31,5	250	3626
Y	AMO21FGJ20	1 11/16	1 5/8	46	50	17,5	34	250	3626
Y	AMO32FGJ24	2	1 7/8	55	55	17,5	38	210	3045

ADAPTOR FEMALE ORFS - MALE JIC

ADATTATORE DIRITTO FEMMINA ORFS MASCHIO JIC (SAE J514)

F1 - ORFS
F2 - JIC 37°




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	PN bar	PN psi
AFGO06MJ04	9/16	7/16	17	19	23,5	14	500	7251
AFGO09MJ05	11/16	1/2	22	22	27	14	350	5076
AFGO09MJ06	11/16	9/16	22	22	27	14	350	5076
AFGO11MJ08	13/16	3/4	24	24	30,3	16,7	350	5076
AFGO13MJ10	1	7/8	30	30	36,7	19,3	350	5076
AFGO14MJ12	1 3/16	1 1/16	36	36	40,5	22	350	5076
AFGO15MJ16	1 7/16	1 5/16	41	41	43	23	280	4060
AFGO21MJ20	1 11/16	1 5/8	50	50	44	25	280	4060
AFGO32MJ24	2	1 7/8	60	60	47	27,5	210	3045

WELDING ADAPTOR MALE ORFS (1)

ADATTATORE DIRITTO A SALDARE MASCHIO ORFS CON TASCA

F1 - ORFS

F2 - None



Code	F1 inch	H1 mm	L mm	L1 mm	D inch fraction	T mm	PN bar	PN psi
AMNSO06T6	9/16	17	22	10	1/4	6	420	6091
AMNSO06T8	9/16	17	22	10	5/16	8	420	6091
AMNSO06T10	9/16	17	22	10	3/8	10	420	6091
AMNSO06T12	9/16	19	22	10	1/2	12	420	6091
AMNSO09T6	11/16	19	23	11	1/4	6	420	6091
AMNSO09T8	11/16	19	23	11	5/16	8	420	6091
AMNSO09T10	11/16	19	23	11	3/8	10	420	6091
AMNSO09T12	11/16	19	23	11	1/2	12	420	6091
AMNSO09T14	11/16	22	23,5	11		14	420	6091
AMNSO09T15	11/16	22	23,5	11		15	420	6091
AMNSO09T16	11/16	22	23,5	11	5/8	16	420	6091
AMNSO11T6	13/16	22	24,5	13	1/4	6	420	6091
AMNSO11T8	13/16	22	24,5	13	5/16	8	420	6091
AMNSO11T10	13/16	22	24,5	13	3/8	10	420	6091
AMNSO11T12	13/16	22	24,5	13	1/2	12	420	6091
AMNSO11T14	13/16	22	25	13		14	420	6091
AMNSO11T15	13/16	22	25	13		15	420	6091
AMNSO11T16	13/16	22	25	13	5/8	16	420	6091
AMNSO11T18	13/16	27	28,5	13		18	420	6091
AMNSO11T20	13/16	27	28,5	13	3/4	20	420	6091
AMNSO11T22	13/16	32	28,5	13	7/8	22	420	6091
AMNSO11T25	13/16	32	30	13	1	25	420	6091
AMNSO13T10	1	27	27,5	16	3/8	10	420	6091
AMNSO13T12	1	27	27,5	16	1/2	12	420	6091
AMNSO13T14	1	27	28	16		14	420	6091
AMNSO13T15	1	27	28	16		15	420	6091

N.b.: No zinc-plated Parts


Elementi non sottoposti al trattamento di zincatura

WELDING ADAPTOR MALE ORFS (2)

ADATTATORE DIRITTO A SILDARE MASCHIO ORFS CON TASCA

F1 - ORFS

F2 - None



Code	F1 inch	H1 mm	L mm	L1 mm	D inch fraction	T mm	PN bar	PN psi
AMNSO13T16	1	27	28	16	5/8	16	420	6091
AMNSO13T18	1	27	31,5	16		18	420	6091
AMNSO13T20	1	27	31,5	16	3/4	20	420	6091
AMNSO14T12	1 3/16	32	29,5	17	1/2	12	420	6091
AMNSO14T14	1 3/16	32	30	17		14	420	6091
AMNSO14T15	1 3/16	32	30	17		15	420	6091
AMNSO14T16	1 3/16	32	30	17	5/8	16	420	6091
AMNSO14T18	1 3/16	32	33,5	17		18	420	6091
AMNSO14T20	1 3/16	32	33,5	17	3/4	20	420	6091
AMNSO14T22	1 3/16	32	33,5	17	7/8	22	420	6091
AMNSO14T25	1 3/16	32	35	17	1	25	420	6091
AMNSO15T12	1 7/16	41	33	17,5	1/2	12	420	6091
AMNSO15T14	1 7/16	41	33,5	17,5		14	420	6091
AMNSO15T15	1 7/16	41	33,5	17,5		15	420	6091
AMNSO15T16	1 7/16	41	33,5	17,5	5/8	16	420	6091
AMNSO15T18	1 7/16	41	37	17,5		18	420	6091
AMNSO15T20	1 7/16	41	37	17,5	3/4	20	420	6091
AMNSO15T22	1 7/16	41	37	17,5	7/8	22	420	6091
AMNSO15T25	1 7/16	41	38,5	17,5	1	25	420	6091
AMNSO15T28	1 7/16	41	38,5	17,5		28	280	4060
AMNSO15T30	1 7/16	41	38,5	17,5	1 1/4	30	280	4060
AMNSO15T32	1 7/16	41	38,5	17,5		32	280	4060
AMNSO21T18	1 11/16	46	37	17,5		18	280	4060
AMNSO21T20	1 11/16	46	37	17,5	3/4	20	280	4060
AMNSO21T22	1 11/16	46	37	17,5	7/8	22	280	4060
AMNSO21T25	1 11/16	46	38,5	17,5	1	25	280	4060

N.b.: No zinc-plated Parts


Elementi non sottoposti al trattamento di zincatura

WELDING ADAPTOR MALE ORFS (3)

ADATTATORE DIRITTO A SALDARE MASCHIO ORFS CON TASCA

F1 - ORFS

F2 - None



Code	F1 inch	H1 mm	L mm	L1 mm	D inch fraction	T mm	PN bar	PN psi
AMNSO21T28	1 11/16	46	38,5	17,5		28	280	4060
AMNSO21T30	1 11/16	46	38,5	17,5	1 1/4	30	280	4060
AMNSO21T32	1 11/16	46	38,5	17,5		32	280	4060
AMNSO21T35	1 11/16	50	38,5	17,5		35	280	4060
AMNSO21T38	1 11/16	50	38,5	17,5	1 1/2	38	280	4060
AMNSO32T25	2	55	38,5	17,5	1	25	280	4060
AMNSO32T28	2	55	38,5	17,5		28	280	4060
AMNSO32T30	2	55	38,5	17,5	1 1/4	30	280	4060
AMNSO32T32	2	55	38,5	17,5		32	280	4060
AMNSO32T35	2	55	38,5	17,5		35	280	4060
AMNSO32T38	2	55	38,5	17,5	1 1/2	38	280	4060

N.b.: No zinc-plated Parts


Elementi non sottoposti al trattamento di zincatura

WELDING ADAPTOR ORFS

CODOLO A SALDARE

F1 - ORFS

F2 - None



Code	F1 inch	L mm	D mm	D inch fraction	D1 mm	PN bar	PN psi
T006W	1/4	25,5	6	1/4	12,6	420	6091
T008W	5/16 - 3/8	26	8	5/16	15,6	420	6091
T010W	5/16 - 3/8	26,5	10	3/8	15,6	420	6091
T012W	1/2	26,5	12	1/2	18,6	420	6091
T014W	5/8	32	14		23,4	420	6091
T015W	5/8	32	15		23,4	420	6091
T016W	5/8	32	16	5/8	23,4	420	6091
T018W	3/4	37	18		27,8	420	6091
T020W	3/4	37	20	3/4	27,8	420	6091
T022W	7/8 - 1	38	22	7/8	34	420	6091
T025W	7/8 - 1	42	25	1	34	420	6091
T028W	1 1/4	44,5	28		40,55	280	4060
T030W	1 1/4	44,5	30	1 1/4	40,55	280	4060
T032W	1 1/4	44,5	32		40,55	280	4060
T035W	1 1/2	44	35		48,25	280	4060
T038W	1 1/2	49	38	1 1/2	48,25	280	4060

N.b.: No zinc-plated Parts


Elementi non sottoposti al trattamento di zincatura

90° ADAPTOR MALE ORFS - BUTT TO WELD

GOMITO 90° MASCHIO ORFS ESTREMITA' A SALDARE

F1 - ORFS

F2 - None



Code	F1 inch	H1 mm	L1 mm	L2 mm	D mm	PN bar	PN psi
LM006W6	9/16	14	21,5	20	6	420	6091
LM009W8	11/16	19	27	27,5	8	420	6091
LM009W10	11/16	19	27	29,5	10	420	6091
LM011W12	13/16	22	29	25	12	420	6091
LM013W14	1	27	34	37	14	420	6091
LM013W15	1	27	34	37	15	420	6091
LM013W16	1	27	34	37	16	420	6091
LM014W18	1 3/16	30	37,5	41	18	420	6091
LM014W20	1 3/16	30	37,5	41	20	420	6091
LM015W22	1 7/16	36	41,5	44,5	22	420	6091
LM015W25	1 7/16	36	41,5	44,5	25	420	6091
LM021W28	1 11/16	41	52	57	28	280	4060
LM021W30	1 11/16	41	52	57	30	280	4060
LM021W32	1 11/16	41	52	57	32	280	4060
LM032W35	2	48	49	61	35	280	4060
LM032W38	2	48	49	61	38	280	4060


N.b.: No zinc-plated Parts
Elementi non sottoposti al trattamento di zincatura

90° ADAPTOR MALE ORFS - SIDE WITH SOKET

GOMITO 90° FEMMINA ORFS ESTREMITA' A SALDARE

F1 - ORFS

F2 - None



Code	F1 inch	H1 mm	L1 mm	L2 mm	D mm	PN bar	PN psi
LM006T6	9/16	14	21,5	20	6	420	6091
LM009T8	11/16	19	25	25	8	420	6091
LM009T10	11/16	19	25	26	10	420	6091
LM011T12	13/16	22	30	27	12	420	6091
LM013T14	1	27	34	32	14	420	6091
LM013T15	1	27	34	32	15	420	6091
LM013T16	1	27	34	37	16	420	6091
LM014T18	1 3/16	30	37,5	32	18	420	6091
LM014T20	1 3/16	30	37,5	32	20	420	6091
LM015T22	1 7/16	36	41,5	37	22	420	6091
LM015T25	1 7/16	36	41,5	36,5	25	420	6091
LM021T28	1 11/16	41	52	48	28	280	4060
LM021T30	1 11/16	41	52	48	30	280	4060
LM021T32	1 11/16	41	52	48	32	280	4060
LM032T35	2	48	49,5	45	35	280	4060
LM032T38	2	48	49	45	38	280	4060

N.b.: No zinc-plated Parts


Elementi non sottoposti al trattamento di zincatura

90° ADJUSTABLE ADAPTOR MALE ORFS - MALE BSPP WITH O-RING (1)

GOMITO 90° MASCHIO ORFS MASCHIO GAS CILINDRICO ORIENTABILE

F1 - ORFS

F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
LMO06MOG02	9/16	1/8	14	14	21,5	30	23	250	3626
LMO06MOG04	9/16	1/4	14	19	23	34	24	250	3626
LMO06MOG06	9/16	3/8	19	22	24	38	27,5	250	3626
LMO09MOG04	11/16	1/4	19	19	26	37	27	250	3626
LMO09MOG06	11/16	3/8	19	22	26	38	27,5	250	3626
LMO09MOG08	11/16	1/2	22	27	28	48	32,5	250	3626
LMO11MOG04	13/16	1/4	22	19	30	38	28	250	3626
LMO11MOG06	13/16	3/8	22	22	30	38	27,5	250	3626
LMO11MOG08	13/16	1/2	22	27	30	48	32,5	250	3626
LMO11MOG12	13/16	3/4	27	36	33	50	33	250	3626
LMO13MOG04	1	1/4	27	19	33,5	42,5	32,5	250	3626
LMO13MOG06	1	3/8	27	22	35	42,5	32	250	3626
LMO13MOG08	1	1/2	27	27	35,5	48	32,5	250	3626
LMO13MOG12	1	3/4	27	36	35,5	51,5	36	250	3626
LMO13MOG16	1	1	33	41	38	58,5	43	250	3626
LMO14MOG04	1 3/16	1/4	30	19	37,5	44	34	250	3626
LMO14MOG08	1 3/16	1/2	30	27	37,5	49	33,5	250	3626
LMO14MOG12	1 3/16	3/4	30	36	37,5	51,5	37,5	250	3626
LMO14MOG16	1 3/16	1	33	41	42	58,5	43	250	3626
LMO15MOG04	1 7/16	1/4	36	19	41,5	52	42	250	3626
LMO15MOG12	1 7/16	3/4	36	36	41,5	57,5	42,5	250	3626
LMO15MOG16	1 7/16	1	36	41	42	58,5	43	210	3045
LMO15MOG20	1 7/16	1 1/4	41	50	51	60	46	210	3045
LMO21MOG16	1 11/16	1	41	41	52	60	44	250	3626
LMO21MOG20	1 11/16	1 1/4	41	50	52	60	44	210	3045
LMO21MOG24	1 11/16	1 1/2	48	55	53,5	67	45,5	140	2030

90° ADJUSTABLE ADAPTOR MALE ORFS - MALE BSPP WITH O-RING (2)

GOMITO 90° MASCHIO ORFS MASCHIO GAS CILINDRICO ORIENTABILE

F1 - ORFS

F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
LM032MOG24	2	1 1/2	48	55	49,5	64	43,5	140	2030

90° ADJUSTABLE ADAPTOR MALE ORFS - METRIC MALE WITH O-RING

GOMITO 90° MASCHIO ORFS MASCHIO GAS CILINDRICO ORIENTABILE

F1 - ORFS

F2 - METRIC




Code	F1 inch	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
LMO06MOM10R	9/16	10x1	14	14	21,5	30	19,5	250	3626
LMO06MOM12R	9/16	12x1,5	14	17	21,5	33	22	250	3626
LMO09MOM12R	11/16	12x1,5	19	17	26	36	25	250	3626
LMO09MOM14R	11/16	14x1,5	19	19	26	38	24,5	250	3626
LMO09MOM16R	11/16	16x1,5	19	22	25	37,5		250	3626
LMO11MOM14R	13/16	14x1,5	22	19	30	40,5	37	250	3626
LMO11MOM16R	13/16	16x1,5	22	22	31	39	26,5	250	3626
LMO11MOM18R	13/16	18x1,5	22	24	30	42	28	250	3626
LMO11MOM22R	13/16	22x1,5	27	27	30	45	28	250	3626
LMO13MOM18R	1	18x1,5	27	24	33,5	47,5	33,5	250	3626
LMO13MOM22R	1	22x1,5	27	27	33,5	49	34,5	250	3626
LMO13MOM27R	1	27x2	27	32	33,5	55,5	37	250	3626
LMO14MOM22R	1 3/16	22x1,5	30	27	37,5	49,5		250	3626
LMO14MOM27R	1 3/16	27x2	30	32	37,5	55,5	37	250	3626
LMO14MOM33R	1 3/16	33x2	33	41	38	59,5		140	2030
LMO15MOM27R	1 7/16	27x2	36	32	41,5	59,5	41	250	3626
LMO15MOM33R	1 7/16	33x2	36	41	41,5	59,5	41	140	2030
LMO15MOM42R	1 7/16	42x2	41	50	47,5	60	45,5	140	2030
LMO21MOM42R	1 11/16	42x2	41	50	52	63		140	2030
LMO21MOM48R	1 11/16	48x2	48	55	52	68,5		140	2030
LMO32MOM48R	2	48x2	48	55	49	68	46	140	2030

90° ADJUSTABLE ADAPTOR MALE ORFS - MALE UNF WITH O-RING (1)

GOMITO 90° MASCHIO ORFS MASCHIO UNF ORIENTABILE CON O-RING

F1 - ORFS

F2 - UNF




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
LMO06MOU04	9/16	7/16	14	14	21,5	32,5	22	420	6091
LMO06MOU06	9/16	9/16	14	17	21,5	32	20	420	6091
LMO06MOU08	9/16	3/4	19	22	24	40,5	26,5	420	6091
LMO09MOU04	11/16	7/16	19	14	25	35	23,5	420	6091
LMO09MOU06	11/16	9/16	19	17	25	37	25	420	6091
LMO09MOU08	11/16	3/4	19	22	25	40,5	26,5	420	6091
LMO09MOU10	11/16	7/8	22	27	28	50	34	420	6091
LMO09MOU12	11/16	1 1/16	27	32	29,5	55	38,5	420	6091
LMO11MOU06	13/16	9/16	22	17	30	37	25	420	6091
LMO11MOU08	13/16	3/4	22	22	30	40,5	24,5	420	6091
LMO11MOU10	13/16	7/8	22	27	30	50	34	420	6091
LMO11MOU12	13/16	1 1/16	27	32	32	55	38,5	420	6091
LMO13MOU08	1	3/4	27	22	33,5	46	32	420	6091
LMO13MOU10	1	7/8	27	27	36	50	34	420	6091
LMO13MOU12	1	1 1/16	27	32	36	55	38,5	420	6091
LMO14MOU08	1 3/16	3/4	30	22	37,5	47,5	33,5	420	6091
LMO14MOU10	1 3/16	7/8	30	27	37,5	51	35	420	6091
LMO14MOU12	1 3/16	1 1/16	30	32	37,5	55	38,5	420	6091
LMO14MOU16	1 3/16	1 5/16	33	41	38	59,5	43,5	380	5511
LMO15MOU12	1 7/16	1 1/16	36	32	41,5	59,5	43	420	6091
LMO15MOU16	1 7/16	1 5/16	36	41	41,5	59	43	380	5511
LMO15MOU20	1 7/16	1 5/8	41	50	50	62	40,5	380	5511
LMO21MOU16	1 11/16	1 5/16	41	41	52	60	42	380	5511
LMO21MOU20	1 11/16	1 5/8	41	50	52	60	40,5	380	5511
LMO21MOU24	1 11/16	1 7/8	48	55	53,5	66	42,5	380	5511
LMO32MOU20	2	1 5/8	48	50	49	66	42,5	380	5511

90° ADJUSTABLE ADAPTOR MALE ORFS - MALE UNF WITH O-RING (2)

GOMITO 90° MASCHIO ORFS MASCHIO UNF ORIENTABILE CON O-RING

F1 - ORFS

F2 - UNF




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
LM032MOU24	2	1 7/8	48	55	49	66	42,5	380	5511

45° ADJUSTABLE ADAPTOR MALE ORFS - MALE BSPP WITH O-RING (1)

GOMITO 45° MASCHIO ORFS MASCHIO GAS CILINDRICO ORIENTABILE
ADAPTATEUR ORIENTABLE

F1 - ORFS

F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
QMO06MOG02	9/16	1/8	14	14	21,5	30	23	250	3626
QMO06MOG04	9/16	1/4	14	19	21,5	34	24	250	3626
QMO06MOG06	9/16	3/8	19	22	24	38	27,5	250	3626
QMO09MOG04	11/16	1/4	19	19	26	37	27	250	3626
QMO09MOG06	11/16	3/8	19	22	26	38	27,5	250	3626
QMO09MOG08	11/16	1/2	22	27	28	48	32,5	250	3626
QMO11MOG04	13/16	1/4	22	19	30	38	28	250	3626
QMO11MOG06	13/16	3/8	22	22	30	38	27,5	250	3626
QMO11MOG08	13/16	1/2	22	27	30	47	31,5	250	3626
QMO11MOG12	13/16	3/4	27	36	33	50	33	250	3626
QMO13MOG04	1	1/4	27	19	33,5	42,5	32,5	250	3626
QMO13MOG06	1	3/8	27	22	34,5	42,5	32	250	3626
QMO13MOG08	1	1/2	27	27	35,5	48	32,5	250	3626
QMO13MOG12	1	3/4	27	36	33,5	51,5	36	250	3626
QMO13MOG16	1	1	33	41	38	58,5	43	250	3626
QMO14MOG04	1 3/16	1/4	30	19	37,5	44	34	250	3626
QMO14MOG08	1 3/16	1/2	30	27	37,5	49	33,5	250	3626
QMO14MOG12	1 3/16	3/4	30	36	37,5	51,5	37,5	250	3626
QMO14MOG16	1 3/16	1	33	41	42	58,6	42,5	250	3626
QMO15MOG04	1 7/16	1/4	36	19	41,5	52	42	250	3626
QMO15MOG12	1 7/16	3/4	36	36	41,5	57,5	42,5	250	3626
QMO15MOG16	1 7/16	1	36	41	42	58,5	43	250	3626
QMO15MOG20	1 7/16	1 1/4	41	50	51	60	46	210	3045
QMO21MOG16	1 11/16	1	41	41	52	59,5	43,5	210	3045
QMO21MOG20	1 11/16	1 1/4	41	50	57	60	44	210	3045
QMO21MOG24	1 11/16	1 1/2	48	55	53,5	67	45,5	140	2030

45° ADJUSTABLE ADAPTOR MALE ORFS - MALE BSPP WITH O-RING (2)

GOMITO 45° MASCHIO ORFS MASCHIO GAS CILINDRICO ORIENTABILE
ADAPTATEUR ORIENTABLE

F1 - ORFS
F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
QM032MOG24	2	1 1/2	48	55	49,5	64	43,5	140	2030

45° ADJUSTABLE ADAPTOR MALE ORFS - METRIC MALE WITH O-RING

GOMITO 45° MASCHIO ORFS MASCHIO METRICO CON O-RING

F1 - ORFS

F2 - METRIC




Code	F1 inch	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
QMO06MOM10R	9/16	10x1	14	14	21,5	30	19,5	250	3626
QMO06MOM12R	9/16	12x1,5	14	17	16	30	22	250	3626
QMO09MOM14R	11/16	14x1,5	19	19	26	38	24,5	250	3626
QMO09MOM16R	11/16	16x1,5	19	22	26,5	39	26,5	250	3626
QMO11MOM16R	13/16	16x1,5	22	22	31	39	26,5	250	3626
QMO11MOM18R	13/16	18x1,5	22	24	30	43	28	250	3626
QMO11MOM22R	13/16	22x1,5	27	27	30	45	28	250	3626
QMO13MOM18R	1	18x1,5	27	24	33,5	47,5	33,5	250	3626
QMO13MOM22R	1	22x1,5	27	27	33,5	49	34,5	250	3626
QMO13MOM27R	1	27x2	27	32	33,5	55,5	37	250	3626
QMO14MOM22R	1 3/16	22x1,5	30	27	35,5	49,5	33,5	250	3626
QMO14MOM27R	1 3/16	27x2	30	32	37,5	55,5	37	250	3626
QMO14MOM33R	1 3/16	33x2	33	41	42	57,5	41	140	2030
QMO15MOM27R	1 7/16	27x2	36	32	42	59,5	43	250	3626
QMO15MOM33R	1 7/16	33x2	36	41	41,5	59,5	41	140	2030
QMO15MOM42R	1 7/16	42x2	41	50	47,5	60	45,5	140	2030
QMO21MOM42R	1 11/16	42x2	41	50	52	60	43	140	2030
QMO21MOM48R	1 11/16	48x2	48	55	52	68	46,5	140	2030
QMO32MOM48R	2	48x2	48	55	49	68	46	140	2030

45° ADJUSTABLE ADAPTOR MALE ORFS - MALE UNF WITH O-RING

GOMITO 45° MASCHIO ORFS MASCHIO ORIENTABILE UNF CON O-RING

F1 - ORFS

F2 - UNF




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
QMO06MOU04	9/16	7/16	14	14	22,5	30,5	20	630	9137
QMO06MOU06	9/16	9/16	14	17	21,5	32	20	630	9137
QMO06MOU08	9/16	3/4	19	22	24	40,5	26,5	630	9137
QMO09MOU04	11/16	7/16	19	14	25	34	23,4	630	9137
QMO09MOU06	11/16	9/16	19	17	25	37	25	630	9137
QMO09MOU08	11/16	3/4	19	22	25	40,5	26,5	630	9137
QMO09MOU10	11/16	7/8	22	27	28	50	34	630	9137
QMO09MOU12	11/16	1 1/16	27	32	29,5	55	38,5	630	9137
QMO11MOU06	13/16	9/16	22	17	30	37	25	630	9137
QMO11MOU08	13/16	3/4	22	22	30	38,5	24,5	630	9137
QMO11MOU10	13/16	7/8	22	27	30	50	34	630	9137
QMO11MOU12	13/16	1 1/16	27	32	32	55	38,5	630	9137
QMO13MOU08	1	3/4	27	22	33,8	46	32	420	6091
QMO13MOU10	1	7/8	27	27	36	50	34	420	6091
QMO13MOU12	1	1 1/16	27	32	35,8	55	38,5	420	6091
QMO14MOU08	1 3/16	3/4	30	22	37,5	47,5	34	420	6091
QMO14MOU10	1 3/16	7/8	30	27	37,5	51	35	420	6091
QMO14MOU12	1 3/16	1 1/16	30	32	37,5	55	38,5	420	6091
QMO14MOU16	1 3/16	1 5/16	33	41	38	59,5	43,5	420	6091
QMO15MOU12	1 7/16	1 1/16	36	32	41,5	59,5	43	420	6091
QMO15MOU16	1 7/16	1 5/16	36	41	41,5	59	43	420	6091
QMO15MOU20	1 7/16	1 5/8	41	50	50	62	43	420	6091
QMO21MOU16	1 11/16	1 5/16	41	41	52	60	44	350	5076
QMO21MOU20	1 11/16	1 5/8	41	50	52	60	41	350	5076
QMO32MOU20	2	1 5/8	48	50	49	66	43	280	4060
QMO32MOU24	2	1 7/8	48	55	49	66	43	280	4060

RUN TEE MALE ORFS - ADJUSTABLE MALE BSPP WITH WITH O-RING (1)

RACCORDO A T MASCHIO ORFS MASCHIO GAS CILINDRICO ORIENTABILE

F1 - ORFS

F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
TM006MOG02B	9/16	1/8	14	14	21,5	30	19,5	250	3626
TM006MOG04B	9/16	1/4	14	19	21,5	34	24	250	3626
TM006MOG06B	9/16	3/8	19	22	25	36	26	250	3626
TM006MOG08B	9/16	1/2	-	-	-	-	-	250	3626
TM009MOG04B	11/16	1/4	19	19	25	36	26	250	3626
TM009MOG06B	11/16	3/8	19	22	25	37	26,5	250	3626
TM009MOG08B	11/16	1/2	22	27	28	45,5	27,5	250	3626
TM011MOG04B	13/16	1/4	22	19	30	38	28	250	3626
TM011MOG06B	13/16	3/8	22	22	30	38	27	250	3626
TM011MOG08B	13/16	1/2	22	27	30	45	28	250	3626
TM011MOG12B	13/16	3/4	27	36	33	50	33	250	3626
TM013MOG04B	1	1/4	27	19	35	42,5	32,5	250	3626
TM013MOG06B	1	3/8	27	22	35	42,5	32	250	3626
TM013MOG08B	1	1/2	27	27	33,5	48	32,5	250	3626
TM013MOG12B	1	3/4	27	36	35	50	34	250	3626
TM013MOG16B	1	1	33	41	38	53,5	38	250	3626
TM014MOG04B	1 3/16	1/4	30	19	37,5	44	34	250	3626
TM014MOG08B	1 3/16	1/2	30	27	37,5	49	34	250	3626
TM014MOG12B	1 3/16	3/4	30	36	37,5	51,5	37,5	250	3626
TM014MOG16B	1 3/16	1	33	41	42	54	38,5	250	3626
TM015MOG04B	1 7/16	1/4	36	19	41,5	52	42	250	3626
TM015MOG12B	1 7/16	3/4	36	36	41,5	57,5	40	250	3626
TM015MOG16B	1 7/16	1	36	41	42	58,5	43	210	3045
TM015MOG20B	1 7/16	1 1/4	41	50	51	60	46,5	210	3045
TM021MOG16B	1 11/16	1	41	41	52	60	44,5	250	3626
TM021MOG20B	1 11/16	1 1/4	41	50	52	60	44,5	210	3045

RUN TEE MALE ORFS - ADJUSTABLE MALE BSPP WITH WITH O-RING (2)

RACCORDO A T MASCHIO ORFS MASCHIO GAS CILINDRICO ORIENTABILE

F1 - ORFS

F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
TM021MOG24B	1 11/16	1 1/2	48	55	53,5	67	46	140	2030
TM032MOG24B	2	1 1/2	48	55	49,5	64	44	140	2030

RUN TEE MALE ORFS - ADJUSTABLE METRIC MALE WITH O-RING

RACCORDO A T MASCHIO ORFS MASCHIO METRICO ORIENTABILE

F1 - ORFS
F2 - METRIC




Code	F1 inch	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
TMO06MOM10RB	9/16	10x1	14	14	21,5	30	19,5	250	3626
TMO06MOM12RB	9/16	12x1,5	14	17	21,5	33	22	250	3626
TMO09MOM14RB	11/16	14x1,5	19	19	25	36	24,5	250	3626
TMO09MOM16RB	11/16	16x1,5	19	22	26,5	36	25	250	3626
TMO11MOM16RB	13/16	16x1,5	22	22	30	38,5	25	250	3626
TMO11MOM18RB	13/16	18x1,5	22	24	30	42	28	250	3626
TMO11MOM22RB	13/16	22x1,5	22	27	30	45	30,5	250	3626
TMO13MOM18RB	1	18x1,5	27	24	35	47,5	33,5	250	3626
TMO13MOM22RB	1	22x1,5	27	27	35	49	34,5	250	3626
TMO13MOM27RB	1	27x2	27	32	35	50	33,5	250	3626
TMO14MOM22RB	1 3/16	22x1,5	30	27	37,5	49,5	33,5	250	3626
TMO14MOM27RB	1 3/16	27x2	30	32	37,5	55,5	37	250	3626
TMO14MOM33RB	1 3/16	33x2	33	41	42	53	37,5	140	2030
TMO15MOM27RB	1 7/16	27x2	36	32	41,5	59,5	41	250	3626
TMO15MOM33RB	1 7/16	33x2	36	41	41,5	59,5	41	140	2030
TMO15MOM42RB	1 7/16	42x2	41	50	47,5	60	46	140	2030
TMO21MOM42RB	1 11/16	42x2	41	50	52	60	46	140	2030
TMO21MOM48RB	1 11/16	48x2	48	55	52	68	46,5	140	2030
TMO32MOM48RB	2	48x2	48	55	49	68,5	46,5	140	2030

RUN TEE MALE ORFS - MALE UNF WITH O-RING (1)

RACCORDO A TMASCHIO ORFS MASCHIO UNF CON O-RING AL BRACCIO

F1 - ORFS

F2 - UNF




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
TM006MOU04B	9/16	7/16	14	14	22	32,5	22	630	9137
TM006MOU06B	9/16	9/16	14	17	22	34	21	630	9137
TM006MOU08B	9/16	3/4	19	22	25	36	22,5	630	9137
TM009MOU04B	11/16	7/16	19	14	25	35	21,5	630	9137
TM009MOU06B	11/16	9/16	19	17	25	36	24	630	9137
TM009MOU08B	11/16	3/4	19	22	25	40,5	26,5	630	9137
TM009MOU10B	11/16	7/8	22	27	28	45	25,5	630	9137
TM009MOU12B	11/16	1 1/16	27	36	29,5	50	31	630	9137
TM011MOU06B	13/16	9/16	22	17	30	37	23	630	9137
TM011MOU08B	13/16	3/4	22	22	30	40,5	26,5	630	9137
TM011MOU10B	13/16	7/8	22	27	30	45	25	630	9137
TM011MOU12B	13/16	1 1/16	27	36	32	50	33	630	9137
TM013MOU08B	1	3/4	27	22	35	46	32	420	6091
TM013MOU10B	1	7/8	27	27	35	50	31,5	420	6091
TM013MOU12B	1	1 1/16	27	36	35	50	33	420	6091
TM014MOU08B	1 3/16	3/4	30	22	37,5	47,5	33,5	420	6091
TM014MOU10B	1 3/16	7/8	30	27	37,5	51	35	420	6091
TM014MOU12B	1 3/16	1 1/16	30	36	37,5	55	38,5	420	6091
TM014MOU16B	1 3/16	1 5/16	33	41	39	53	36	420	6091
TM015MOU12B	1 7/16	1 1/16	36	36	41,5	59,5	43	420	6091
TM015MOU16B	1 7/16	1 5/16	36	41	41,5	59,5	43,5	420	6091
TM015MOU20B	1 7/16	1 5/8	41	50	50	62	41	420	6091
TM021MOU16B	1 11/16	1 5/16	41	41	52	60	42	350	5076
TM021MOU20B	1 11/16	1 5/8	41	50	52	60	41	350	5076
TM021MOU24B	1 11/16	1 7/8	48	55	53,5	66	41	350	5076
TM032MOU20B	2	1 5/8	48	50	49	66	43	280	4060

RUN TEE MALE ORFS - MALE UNF WITH O-RING (2)

RACCORDO A T MASCHIO ORFS MASCHIO UNF CON O-RING AL BRACCIO

F1 - ORFS

F2 - UNF




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
TM032MOU24B	2	1 7/8	48	55	49	66	41	280	4060

BRANCH TEE MALE ORFS - ADJUSTABLE MALE BSPP WITH O-RING (1)

RACCORDO A T - MASCHIO ORFS MASCHIO GAS CILINDRICO ORIENTABILE

F1 - ORFS

F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
TMO06MOG02P	9/16	1/8	14	14	21,5	30	19,5	250	3626
TMO06MOG04P	9/16	1/4	14	19	21,5	34	24	250	3626
TMO06MOG06P	9/16	3/8	19	22	25	36	26	250	3626
TMO09MOG04P	11/16	1/4	19	19	25	36	26	250	3626
TMO09MOG06P	11/16	3/8	19	22	25	36	26	250	3626
TMO09MOG08P	11/16	1/2	22	27	28	45,5	27,5	250	3626
TMO11MOG04P	13/16	1/4	22	19	30	38	27	250	3626
TMO11MOG06P	13/16	3/8	22	22	30	38	27,5	250	3626
TMO11MOG08P	13/16	1/2	22	27	30	45	29,5	250	3626
TMO11MOG12P	13/16	3/4	27	36	33	50	33	250	3626
TMO13MOG04P	1	1/4	27	19	35	42,5	32,5	250	3626
TMO13MOG06P	1	3/8	27	22	35	42,5	32	250	3626
TMO13MOG08P	1	1/2	27	27	33,5	48	32,5	250	3626
TMO13MOG12P	1	3/4	27	36	35	50	33	250	3626
TMO13MOG16P	1	1	33	41	38	53,5	37,5	250	3626
TMO14MOG04P	1 3/16	1/4	30	19	37,5	44	34	250	3626
TMO14MOG08P	1 3/16	1/2	30	27	37,5	49	33,5	250	3626
TMO14MOG12P	1 3/16	3/4	30	36	37,5	51,5	37,5	250	3626
TMO14MOG16P	1 3/16	1	33	41	42	54	38	250	3626
TMO15MOG04P	1 7/16	1/4	36	19	42	52	42	250	3626
TMO15MOG12P	1 7/16	3/4	36	36	42	57,5	42,5	250	3626
TMO15MOG16P	1 7/16	1	36	41	42	58,5	40	210	3045
TMO15MOG20P	1 7/16	1 1/4	41	50	51	60	46,5	210	3045
TMO21MOG16P	1 11/16	1	41	41	52	60	44,5	250	3626
TMO21MOG20P	1 11/16	1 1/4	41	50	52	60	44,5	210	3045
TMO21MOG24P	1 11/16	1 1/2	48	55	53,5	67	46	140	2030

BRANCH TEE MALE ORFS - ADJUSTABLE MALE BSPP WITH O-RING (2)

RACCORDO A T - MASCHIO ORFS MASCHIO GAS CILINDRICO ORIENTABILE

F1 - ORFS

F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
TM032MOG24P	2	1 1/2	48	55	49,5	64	43,5	140	2030

BRANCH TEE MALE ORFS - ADJUSTABLE METRIC MALE WITH O-RING

T MASCHIO ORFS MASCHIO METRICO ORIENTABILE AL PIEDE

F1 - ORFS

F2 - METRIC



Code	F1 inch	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
TMO06MOM10RP	9/16	10x1	14	14	21,5	30	19,5	250	3626
TMO06MOM12RP	9/16	12x1,5	14	17	21,5	33	22	250	3626
TMO09MOM14RP	11/16	14x1,5	19	19	25	36	24,5	250	3626
TMO09MOM16RP	11/16	16x1,5	19	22	26,5	36	25	250	3626
TMO11MOM16RP	13/16	16x1,5	22	22	30	39	26,5	250	3626
TMO11MOM18RP	13/16	18x1,5	22	24	30	42	28	250	3626
TMO11MOM22RP	13/16	22x1,5	22	27	30	45	28	250	3626
TMO13MOM18RP	1	18x1,5	27	24	33,5	47,5	33,5	250	3626
TMO13MOM22RP	1	22x1,5	27	27	35	49	33	250	3626
TMO13MOM27RP	1	27x2	27	32	35	55,5	37	250	3626
TMO14MOM22RP	1 3/16	22x1,5	30	27	37,5	49,5	33,5	250	3626
TMO14MOM27RP	1 3/16	27x2	30	32	37,5	55,5	37	250	3626
TMO14MOM33RP	1 3/16	33x2	33	41	42	53,5	35	140	2030
TMO15MOM27RP	1 7/16	27x2	36	32	41,5	59,5	41	250	3626
TMO15MOM33RP	1 7/16	33x2	36	41	42	59,5	41	140	2030
TMO15MOM42RP	1 7/16	42x2	41	50	47,5	60	46	140	2030
TMO21MOM42RP	1 11/16	42x2	41	50	52	60	46	140	2030
TMO21MOM48RP	1 11/16	48x2	48	55	52	68,5	47	140	2030
TMO32MOM48RP	2	48x2	48	55	49	68,5	46,5	140	2030


ADJUSTABLE BRANCH TEE MALE ORFS - MALE UNF WITH O-RING

(1)

RACCORDO A T MASCHIO ORFS MASCHIO UNF CON O-RING AL PIEDE

F1 - ORFS

F2 - UNF




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
TMO06MOU04P	9/16	7/16	14	14	21,5	32	18,5	630	9137
TMO06MOU06P	9/16	9/16	14	17	21,5	34	21	630	9137
TMO06MOU08P	9/16	3/4	19	22	25	36	22,5	630	9137
TMO09MOU04P	11/16	7/16	19	14	25	35	24,5	630	9137
TMO09MOU06P	11/16	9/16	19	17	25	36	24	630	9137
TMO09MOU08P	11/16	3/4	19	22	25	36,5	22,5	630	9137
TMO09MOU10P	11/16	7/8	22	27	28	45	26	630	9137
TMO09MOU12P	11/16	1 1/16	27	36	29,5	50	31	630	9137
TMO11MOU06P	13/16	9/16	22	17	30	37	25	630	9137
TMO11MOU08P	13/16	3/4	22	22	30	40,5	26,5	630	9137
TMO11MOU10P	13/16	7/8	22	27	30	45,5	26	630	9137
TMO11MOU12P	13/16	1 1/16	27	36	32	50,5	33,5	630	9137
TMO13MOU08P	1	3/4	27	22	35	46	29	420	6091
TMO13MOU10P	1	7/8	27	27	35	50	31,5	420	6091
TMO13MOU12P	1	1 1/16	27	36	35	50	32	420	6091
TMO14MOU08P	1 3/16	3/4	30	22	37,5	47,5	33,5	420	6091
TMO14MOU10P	1 3/16	7/8	30	27	37,5	51	29	420	6091
TMO14MOU12P	1 3/16	1 1/16	30	36	38	55	38,5	420	6091
TMO14MOU16P	1 3/16	1 5/16	33	41	39	53	35	420	6091
TMO15MOU12P	1 7/16	1 1/16	36	36	42	59,5	43	420	6091
TMO15MOU16P	1 7/16	1 5/16	36	41	42	59,5	43,5	420	6091
TMO15MOU20P	1 7/16	1 5/8	41	50	50,5	60,5	27,5	420	6091
TMO21MOU16P	1 11/16	1 5/16	41	41	52	60	42	350	5076
TMO21MOU20P	1 11/16	1 5/8	41	50	52	60	41	350	5076
TMO21MOU24P	1 11/16	1 7/8	48	55	53,5	66	41	350	5076
TMO32MOU20P	2	1 5/8	48	50	49	66	43	280	4060

ADJUSTABLE BRANCH TEE MALE ORFS - MALE UNF WITH O-RING
(2)

RACCORDO A T MASCHIO ORFS MASCHIO UNF CON O-RING AL PIEDE

F1 - ORFS
F2 - UNF




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
TM032MOU24P	2	1 7/8	48	55	49	66	43	280	4060

90° ADAPTOR FEMALE ORFS - ADJUSTABLE MALE BSPP WITH O-RING

GOMITO A 90° FEMMINA ORFS MASCHIO GAS CILINDRICO ORIENTABILE

F1 - ORFS

F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	H2 mm	H3 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
LFG006MOG02	9/16	1/8	14	17	14	27,5	30	20,5	250	3626
LFG009MOG04	11/16	1/4	19	22	19	31,5	37	27	250	3626
LFG011MOG06	13/16	3/8	22	24	22	38	38	27,5	250	3626
LFG013MOG08	1	1/2	27	30	27	43	48	32,5	250	3626
LFG014MOG12	1 3/16	3/4	30	36	36	46,5	51,5	37,5	250	3626
LFG015MOG16	1 7/16	1	36	41	41	53,5	58,5	39,5	210	3045
LFG021MOG20	1 11/16	1 1/4	41	50	50	58	60,5	44	210	3045
LFG032MOG24	2	1 1/2	48	60	55	61	64	43,5	140	2030

90° ADAPTOR FEMALE ORFS - ADJUSTABLE METRIC MALE WITH O-RING

GOMITO A 90° FEMMINA ORFS MASCHIO METRICO ORIENTABILE

F1 - ORFS

F2 - METRIC




Code	F1 inch	F2 mm	H1 mm	H2 mm	H3 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
LFG006MOM12R	9/16	12x1,5	14	17	17	27,5	33	20,5	250	3626
LFG009MOM14R	11/16	14x1,5	19	22	19	31,5	39	25,5	250	3626
LFG011MOM18R	13/16	18x1,5	22	24	24	38	42	28	250	3626
LFG013MOM22R	1	22x1,5	27	30	27	43	49	33	250	3626
LFG014MOM27R	1 3/16	27x2	30	36	32	46,5	55,5	35,5	250	3626
LFG015MOM33R	1 7/16	33x2	36	41	41	53,5	59,5	41	140	2030
LFG021MOM42R	1 11/16	42x2	41	50	50	58	60	44	140	2030
LFG032MOM48R	2	48x2	48	60	55	61	68	46	140	2030

90° ADAPTOR FEMALE ORFS - MALE UNF WITH O-RING

GOMITO A 90° FEMMINA ORFS MASCHIO UNF CON O-RING

F1 - ORFS

F2 - UNF




Code	F1 inch	F2 inch	H1 mm	H2 mm	H3 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
LFG006MOU04	9/16	7/16	14	17	14	27,5	30	19,5	420	6091
LFG006MOU06	9/16	9/16	14	22	17	27,5	32	20	420	6091
LFG009MOU06	11/16	9/16	19	22	17	31,5	39	22,5	420	6091
LFG011MOU08	13/16	3/4	22	24	22	38	40,5	24,5	420	6091
LFG013MOU10	1	7/8	27	30	27	43	50	31	420	6091
LFG014MOU12	1 3/16	1 1/16	30	36	32	46,5	55	38,5	420	6091
LFG015MOU16	1 7/16	1 5/16	36	41	41	53,5	59,5	43	380	5511
LFG021MOU20	1 11/16	1 5/8	41	50	50	58	60	40,5	380	5511
LFG032MOU24	2	1 7/8	48	60	55	61	66	42,5	380	5511

MALE PLUG UNF/UN-2A

TAPPO MASCHIO FILETTO UNF/UN-2A

F1 - UNF
F2 - None




Code	F1 inch	H1 mm	L mm	PN bar	PN psi
ATM006	9/16	17	16,5	630	9137
ATM009	11/16	19	19	630	9137
ATM011	13/16	22	22	630	9137
ATM013	1	27	26	420	6091
ATM014	1 3/16	32	27,5	420	6091
ATM015	1 7/16	41	28	420	6091
ATM021	1 11/16	46	28	420	6091
ATM032	2	55	28	350	5076

SWIVEL FEMALE PLUG UNF/UN-2B

TAPPO FEMMINA CON DADO GIREVOLE FILETTO UNF/UN-2B

F1 - UNF
F2 - None




Code	F1 inch	H1 mm	L mm	L2 mm	PN bar	PN psi
ATFG006	9/16	17	17	9	630	9137
ATFG009	11/16	22	20	10,5	630	9137
ATFG011	13/16	24	23	12	630	9137
ATFG013	1	30	27	13,5	420	6091
ATFG014	1 3/16	36	29,5	15	420	6091
ATFG015	1 7/16	41	30	16	420	6091
ATFG021	1 11/16	50	30	16	420	6091
ATFG032	2	60	30,5	17	350	5076

ADAPTER MALE BSPP - MALE BSPP

ADATTATORE DIRITTO - MASCHIO GAS CILINDRICO SV 60°

F1 - BSPP

F2 - BSPP




Code	F1 inch	H1 mm	L mm	L1 mm	PN bar	PN psi
ANGG0202	1/8	14	25	9.5	350	5076
ANGG0404	1/4	19	29	11	350	5076
ANGG0606	3/8	22	34	12.5	350	5076
ANGG0808	1/2	27	38	14	315	4568
ANGG1010	5/8	30	42	16	315	4568
ANGG1212	3/4	32	42	16	250	3626
ANGG1616	1	41	48	18	200	2900
ANGG2020	1 1/4	50	54	20	160	2320
ANGG2424	1 1/2	55	57	21	125	1813
ANGG3232	2	70	67	25	80	1160

REDUCING ADAPTER MALE BSPP - MALE BSPP

ADATTATORE DIRITTO RIDOTTO MASCHIO GAS CILINDRICO SV 60°

F1 - BSPP

F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
ARGG0402	1/4	1/8	19	27.5	11	9.5	350	5076
ARGG0602	3/8	1/8	22	30	12.5	9.5	350	5076
ARGG0604	3/8	1/4	22	31.5	12.5	11	350	5076
ARGG0804	1/2	1/4	27	35	14	11	315	4568
ARGG0806	1/2	3/8	27	36.5	14	12.5	315	4568
ARGG1006	5/8	3/8	30	38.5	16	12.5	315	4568
ARGG1008	5/8	1/2	30	40	16	14	315	4568
ARGG1204	3/4	1/4	32	37	16	11	250	3626
ARGG1206	3/4	3/8	32	38.5	16	12.5	250	3626
ARGG1208	3/4	1/2	32	40	16	14	250	3626
ARGG1210	3/4	5/8	32	43.5	16	16	250	3626
ARGG1606	1	3/8	41	42.5	18	12.5	200	2900
ARGG1608	1	1/2	41	44	18	14	200	2900
ARGG1610	1	5/8	41	46	18	16	200	2900
ARGG1612	1	3/4	41	46	18	16	200	2900
ARGG2008	1 1/4	1/2	50	48.5	20	14	160	2320
ARGG2012	1 1/4	3/4	50	50.5	20	16	160	2320
ARGG2016	1 1/4	1	50	52.5	20	18	160	2320
ARGG2412	1 1/2	3/4	55	53	22	16	125	1813
ARGG2416	1 1/2	1	55	55	22	18	125	1813
ARGG2420	1 1/2	1 1/4	55	57	22	20	125	1813
ARGG3216	2	1	70	60,5	25	19	80	1160
ARGG3220	2	1 1/4	70	60.5	25	20	80	1160
ARGG3224	2	1 1/2	70	63	25	21	80	1160

STRAIGHT BULKHEAD ADAPTER BSPP

ADATTATORE PASSAPARETE - MASCHIO GAS CILINDRICO SV 60°

F1 - BSPP

F2 - BSPP




Code	F1 inch	H1 mm	H2 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
ANGG0202P	1/8	14	14	41	8	26	350	5076
ANGG0404P	1/4	19	19	48	11	29	350	5076
ANGG0606P	3/8	22	22	55.5	12.5	34	350	5076
ANGG0808P	1/2	27	27	64	14	38	315	4568
ANGG1010P	5/8	30	30	67.5	16	41.5	315	4568
ANGG1212P	3/4	32	32	73	16	45	250	3626
ANGG1616P	1	41	41	86	18	55	200	2900
ANGG2020P	1 1/4	50	50	81	20	44	160	2320
ANGG2424P	1 1/2	55	55	88	22	48	125	1813
ANGG3232P	2	70	70	95	24	53	80	1160

T ADAPTER MALE BSPP - MALE BSPP - ADJUSTABLE MALE BSPP

PROLUNGA - MASCHIO GAS CILINDRICO SV 60°

F1 - BSPP

F2 - BSPP




Code	F1 inch	H1 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
APMMG0404	1/4	19	48	11	26	350	5076
APMMG0606	3/8	22	50	12.5	25	350	5076
APMMG0808	1/2	27	56	14	28	315	4568
APMMG1212	3/4	32	72	16	40	250	3626
APMMG1616	1	41	85	18	49	200	2900
APMMG2020	1 1/4	50	98	20	58	160	2320

90° ADAPTER BSPP MALE - BSPP MALE

GOMITO 90° - MASCHIO GAS CILINDRICO SV 60°

F1 - BSPP

F2 - BSPP




Code	F1 inch	H1 mm	L1 mm	PN bar	PN psi
LMG02	1/8	14	22	350	5076
LMG04	1/4	14	27	350	5076
LMG06	3/8	19	29	350	5076
LMG08	1/2	22	36.5	315	4568
LMG10	5/8	27	38	315	4568
LMG12	3/4	27	42	250	3626
LMG16	1	33	50	200	2900
LMG20	1 1/4	41	56	160	2320

90° ADJUSTABLE ADAPTER MALE BSPP - MALE BSPP

GOMITO 90° - MASCHIO GAS CILINDRICO - MASCHIO ORIENTABILE GAS CILINDRICO
SV 60°

F1 - BSPP
F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
LMG02MOG02	1/8	1/8	14	14	22	26	19,5	350	5076
LMG02MOG04	1/8	1/4	14	19	22	34	24	350	5076
LMG04MOG04	1/4	1/4	14	19	26,5	34	24	350	5076
LMG04MOG06	1/4	3/8	19	22	28	38	27,5	350	5076
LMG06MOG06	3/8	3/8	19	22	29	37	27,5	350	5076
LMG06MOG08	3/8	1/2	22	27	29	45	29,5	315	4568
LMG08MOG08	1/2	1/2	22	27	36,5	45	29,5	315	4568
LMG08MOG12	1/2	3/4	27	36	38,5	48,5	33	250	3626
LMG12MOG08	3/4	1/2	27	27	42	48,5	33	250	3626
LMG12MOG12	3/4	3/4	27	36	42	48,5	33	250	3626
LMG12MOG16	3/4	1	33	41	47	53	37,5	200	2900
LMG16MOG12	1	3/4	33	36	50	52,5	37	200	2900
LMG16MOG16	1	1	33	41	50	54	38,5	200	2900

BSP MALE BULKHEAD ELBOW-BSP MALE

GOMITO PASSAPARETE MASCHIO DIN - MASCHIO DIN

F1 - BSPP

F2 - BSPP




Code	F1 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
LPPMG04	1/4	14	19	27	45	30	350	5076
LPPMG06	3/8	19	22	29	52	34	350	5076
LPPMG08	1/2	22	27	36,5	57,5	38,5	315	4568
LPPMG12	3/4	27	36	42	66	44	250	3626
LPPMG16	1	33	41	50	69	43	200	2900

TEE MALE ADAPTER BSPP

ADATTATORE T - MASCHIO GAS CILINDRICO SV 60°

F1 - BSPP

F2 - BSPP




Code	F1 inch	H1 mm	L1 mm	PN bar	PN psi
TMG02	1/8	14	22	350	5076
TMG04	1/4	14	27	350	5076
TMG06	3/8	19	29	350	5076
TMG08	1/2	22	36.5	315	4568
TMG10	5/8	27	38	315	4568
TMG12	3/4	27	42	250	3626
TMG16	1	33	50	200	2900
TMG20	1 1/4	41	56	160	2320

ADJUSTABLE TEE ADAPTER MALE BSPP - MALE BSPP

ADATTATORE T - MASCHIO GAS CILINDRICO SV 60° - MASCHIO GAS CILINDRICO
ORIENTABILE AL PIEDE

F1 - BSPP
F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
TMG02MOG02P	1/8	1/8	14	14	22	26	19,5	350	5076
TMG02MOG04P	1/8	1/4	14	19	22,5	34		350	5076
TMG04MOG04P	1/4	1/4	14	19	26	34	24	350	5076
TMG04MOG06P	1/4	3/8	19	19	29	37	26,5	350	5076
TMG06MOG06P	3/8	3/8	19	22	29	36,5	26	350	5076
TMG06MOG08P	3/8	1/2	22	27	29	45		315	4568
TMG08MOG08P	1/2	1/2	22	27	36,5	45	29,5	315	4568
TMG08MOG12P	1/2	3/4	27	36	38	48,5	33	250	3626
TMG12MOG08P	3/4	1/2	27	27	42	48,5	34,5	250	3626
TMG12MOG12P	3/4	3/4	27	36	42	48,5	33	250	3626
TMG12MOG16P	3/4	1	33	41	47	53	39,5	200	2900
TMG16MOG16P	1	1	33	41	50	54	38,5	200	2900

ADJUSTABLE TEE ADAPTER MALE BSPP - MALE BSPP

ADATTATORE T - MASCHIO GAS CILINDRICO SV 60° - MASCHIO ORIENTABILE GAS CILINDRICO AL BRACCIO

F1 - BSPP
F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
TMG02MOG02B	1/8	1/8	14	19	26	22	19,5	350	5076
TMG02MOG04B	1/8	1/4	14	19	34	22.5		350	5076
TMG04MOG04B	1/4	1/4	14	19	34	26	24	350	5076
TMG04MOG06B	1/4	3/8	19	19	37	29	26,5	350	5076
TMG06MOG06B	3/8	3/8	19	22	36	29	25,5	350	5076
TMG06MOG08B	3/8	1/2	22	27	45	29		315	4568
TMG08MOG08B	1/2	1/2	22	27	45	36.5	29,5	315	4568
TMG08MOG12B	1/2	3/4	27	36	48.5	38.5	33	250	3626
TMG12MOG08B	3/4	1/2	27	27	48.5	42	34,5	250	3626
TMG12MOG12B	3/4	3/4	27	36	48.5	42	33	250	3626
TMG12MOG16B	3/4	1	33	41	53	47	39,5	200	2900
TMG16MOG16B	1	1	33	41	54	50	38,5	200	2900
TMG20MOG20B	1 1/4	1 1/4	41	50	56	60	44,5	160	2320

ADAPTER MALE BSPP - Female BSPP (1)

PROLUNGA - MASCHIO GAS CILINDRICO SV 60° - FEMMINA FISSA GAS CILINDRICA

F1 - BSPP

F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
APMFG0230.5	1/8	1/8	14	30.5	9.5	21	350	5076
APMFG0270.5	1/8	1/8	14	70.5	9.5	61	350	5076
APMFG0426	1/4	1/4	19	26	11	15	350	5076
APMFG0433	1/4	1/4	19	33	11	22	350	5076
APMFG0442	1/4	1/4	19	42	11	31	350	5076
APMFG0450	1/4	1/4	19	50	11	39	350	5076
APMFG0455	1/4	1/4	19	55	11	44	350	5076
APMFG0635	3/8	3/8	22	35	13	22	350	5076
APMFG0639	3/8	3/8	22	39	13	26	350	5076
APMFG0642	3/8	3/8	22	42	13	29	350	5076
APMFG0654	3/8	3/8	22	54	13	41	350	5076
APMFG0674	3/8	3/8	22	74	13	61	350	5076
APMFG0835	1/2	1/2	27	35	14	21	315	4568
APMFG0840	1/2	1/2	27	40	14	26	315	4568
APMFG0845	1/2	1/2	27	45	14	31	315	4568
APMFG0850	1/2	1/2	27	50	14	36	315	4568
APMFG0860	1/2	1/2	27	60	14	46	315	4568
APMFG0874	1/2	1/2	27	74	14	60	315	4568
APMFG08104	1/2	1/2	27	104	14	90	315	4568
APMFG1045	5/8	5/8	30	45	16	29	250	3626
APMFG1248	3/4	3/4	32	48	16	32	250	3626
APMFG1257	3/4	3/4	32	57	16	41	250	3626
APMFG1267	3/4	3/4	32	67	16	51	250	3626
APMFG1272	3/4	3/4	32	72	16	56	250	3626
APMFG1654	1	1	41	54	18	36	200	2900
APMFG1660	1	1	41	60	18	42	200	2900

ADAPTER MALE BSPP - Female BSPP (2)

PROLUNGA - MASCHIO GAS CILINDRICO SV 60° - FEMMINA FISSA GAS CILINDRICA

F1 - BSPP

F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
APMFG1676	1	1	41	76	18	58	200	2900
APMFG1680	1	1	41	80	18	62	200	2900
APMFG1690	1	1	41	90	18	72	200	2900
APMFG2062	1 1/4	1 1/4	50	62	20	42	160	2320
APMFG2076	1 1/4	1 1/4	50	76	20	56	160	2320
APMFG2092	1 1/4	1 1/4	50	92	20	72	160	2320
APMFG2465	1 1/2	1 1/2	55	65	22	43	125	1813
APMFG2495	1 1/2	1 1/2	55	95	22	73	125	1813
APMFG3257	2	2	70	57	24	32	80	1160
APMFG3262	2	2	70	62	24	37	80	1160

ADAPTER MALE BSPP - SWIVEL FEMALE BSPP

ADATTATORE DIRITTO - MASCHIO GAS CILINDRICO SV 60° - FEMMINA GIREVOLE
GAS CILINDRICA

F1 - BSPP
F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	H2 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
AMFDG0202	1/8	1/8	14	15	31.5	9.5	26,7	350	5076
AMFDG0404	1/4	1/4	19	19	35.5	11	30,4	350	5076
AMFDG0606	3/8	3/8	22	22	41.5	12.5	34	350	5076
AMFDG0808	1/2	1/2	27	27	45.5	14	37,7	315	4568
AMFDG1010	5/8	5/8	30	28	48	16	41,6	315	4568
AMFDG1212	3/4	3/4	32	32	51.5	16	44	250	3626
AMFDG1616	1	1	41	38	58.5	18	47	200	2900
AMFDG2020	1 1/4	1 1/4	50	50	66	20,5	55	160	2320
AMFDG2424	1 1/2	1 1/2	55	55	69.5	22	58	125	1813
AMFDG3232*	2	2	70	70	80	25	65,7	80	1160

REDUCING MALE BSPP - SWIVEL FEMALE BSPP

ADATTATORE DIRITTO - MASCHIO GAS CILINDRICO SV 60° - FEMMINA GIREVOLE
GAS CILINDRICA

F1 - BSPP
F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	H2 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
AMFDG0204	1/8	1/4	14	19	33.6	9.5	28,9	350	5076
AMFDG0406	1/4	3/8	19	22	38.8	11	32,5	350	5076
AMFDG0408	1/4	1/2	19	27	42.2	11	34,7	315	4568
AMFDG0412	1/4	3/4	27	32	-	11	37	250	3626
AMFDG0604	3/8	1/4	22	19	37.6	12.5	32,9	350	5076
AMFDG0608	3/8	1/2	22	27	43.7	12.5	36,2	315	4568
AMFDG0612	3/8	3/4	27	32	47.5	12.5	38,5	250	3626
AMFDG0804	1/2	1/4	27	19	40.1	14	35,4	315	4568
AMFDG0806	1/2	3/8	27	22	42.8	14	36,5	315	4568
AMFDG0812	1/2	3/4	27	32	49	14	40	250	3626
AMFDG1206	3/4	3/8	32	22	44.8	16	38,5	250	3626
AMFDG1208	3/4	1/2	32	27	47.2	16	39,7	250	3626
AMFDG1216	3/4	1	32	38	52.4	16	42,5	200	2900
AMFDG1612	1	3/4	41	32	57.5	18	50,5	200	2900
AMFDG1620	1	1 1/4	41	50	63.5	18	52,5	160	2320
AMFDG2008	1 1/4	1/2	50	27		20	50,2	125	1813
AMFDG2016	1 1/4	1	50	38	59.9	20.5	50	160	2320
AMFDG2024	1 1/4	1 1/2	50	55	61.5	20.5	57,5	125	1813
AMFDG2420	1 1/2	1 1/4	55	50	66.5	21	55,5	125	1813
* AMFDG2432	1 1/2	2	55	70	75.3	21	60,7	80	1160
AMFDG3224	2	1 1/2	70	55	78.5	25	67	80	1160

* Thrust-wire nut
Dado spinato

REDUCING PLUG MALE BSPP - Female BSPP

RIDUZIONE CORTA - MASCHIO GAS CILINDRICO SV 60° - FEMMINA FISSA GAS CILINDRICA

F1 - BSPP
F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	L mm	L1 mm	PN bar	PN psi
ARMFC0402	1/4	1/8	19	18	11	350	5076
ARMFC0602	3/8	1/8	22	21.5	12.5	350	5076
ARMFC0604	3/8	1/4	22	21.5	12.5	350	5076
ARMFC0802	1/2	1/8	27	24	14	315	4568
ARMFC0804	1/2	1/4	27	24	14	315	4568
ARMFC0806	1/2	3/8	27	24	14	315	4568
ARMFC1204	3/4	1/4	32	27	16	250	3626
ARMFC1206	3/4	3/8	32	27	16	250	3626
ARMFC1208	3/4	1/2	32	27	16	250	3626
ARMFC1604	1	1/4	41	32,5	18	200	2900
ARMFC1606	1	3/8	41	32.5	18	200	2900
ARMFC1608	1	1/2	41	31.5	18	200	2900
ARMFC1612	1	3/4	41	32	18,5	200	2900
ARMFC2008	1 1/4	1/2	50	34	20	160	2320
ARMFC2012	1 1/4	3/4	50	34	20	160	2320
ARMFC2016	1 1/4	1	50	35.5	20	160	2320
ARMFC2408	1 1/2	1/2	55	36	21	125	1813
ARMFC2412	1 1/2	3/4	55	36	21	125	1813
ARMFC2416	1 1/2	1	55	36	21	125	1813
ARMFC2420	1 1/2	1 1/4	55	36	21	125	1813
ARMFC3208	2	1/2	70	42	24,5	80	1160
ARMFC3216	2	1	70	42	24,5	80	1160
ARMFC3220	2	1 1/4	70	42	24,5	80	1160
ARMFC3224	2	1 1/2	70	42	24,5	80	1160

REDUCING ADAPTER MALE BSPP - Female BSPP (1)

RIDUZIONE LUNGA - MASCHIO CILINDRICO SV 60° - FEMMINA FISSA GAS CILINDRICA

F1 - BSPP
F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	L mm	L1 mm	PN bar	PN psi
ARMFL0204	1/8	1/4	19	29	9.5	350	5076
ARMFL0206	1/8	3/8	22	31.5	9.5	350	5076
ARMFL0402	1/4	1/8	19	32	11	350	5076
ARMFL0406	1/4	3/8	22	33	11	350	5076
ARMFL0408	1/4	1/2	27	38	11	315	4568
ARMFL0412	1/4	3/4	32	41	11	250	3626
ARMFL0604	3/8	1/4	22	35	12.5	350	5076
ARMFL0608	3/8	1/2	27	40	12.5	315	4568
ARMFL0612	3/8	3/4	32	41.5	12.5	250	3626
ARMFL0616	3/8	1	41	43.5	12.5	200	2900
ARMFL0804	1/2	1/4	27	41	14	315	4568
ARMFL0806	1/2	3/8	27	41	14	315	4568
ARMFL0812	1/2	3/4	32	46	14	250	3626
ARMFL0816	1/2	1	41	53.5	14	200	2900
ARMFL0820	1/2	1 1/4	50	51	14	160	2320
ARMFL0824	1/2	1 1/2	55	52.5	14	125	1813
ARMFL1204	3/4	1/4	32	38	16	250	3626
ARMFL1206	3/4	3/8	32	42	16	250	3626
ARMFL1208	3/4	1/2	32	43	16	250	3626
ARMFL1216	3/4	1	41	49	16	200	2900
ARMFL1220	3/4	1 1/4	50	52	16	160	2320
ARMFL1224	3/4	1 1/2	55	54	16	125	1813
ARMFL1606	1	3/8	41	49.5	18	200	2900
ARMFL1608	1	1/2	41	49.5	18	200	2900
ARMFL1612	1	3/4	41	64	18	200	2900
ARMFL1620	1	1 1/4	50	54	18	160	2320

REDUCING ADAPTER MALE BSPP - Female BSPP (2)

RIDUZIONE LUNGA - MASCHIO CILINDRICO SV 60° - FEMMINA FISSA GAS CILINDRICA

F1 - BSPP
F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	L mm	L1 mm	PN bar	PN psi
ARMFL1624	1	1 1/2	55	54	18	125	1813
ARMFL1632	1	2	70	58	18	80	1160
ARMFL2012	1 1/4	3/4	50	48	21,5	160	2320
ARMFL2016	1 1/4	1	50	63	21,5	160	2320
ARMFL2024	1 1/4	1 1/2	55	61	20	125	1813
ARMFL2032	1 1/4	2	70	62	21,5	80	1160
ARMFL2406	1 1/2	3/8	55	56	22	125	1813
ARMFL2412	1 1/2	3/4	55	56	21	125	1813
ARMFL2416	1 1/2	1	55	63	22	125	1813
ARMFL2420	1 1/2	1 1/4	55	63	22	125	1813
ARMFL2432	1 1/2	2	70	62	21,5	80	1160
ARMFL3216	2	1	70	57	25	80	1160
ARMFL3220	2	1 1/4	70	57	25	80	1160
ARMFL3224	2	1 1/2	70	57	25	80	1160

90° ADAPTER MALE BSPP - SWIVEL FEMALE BSPP

ADATTATORE 90° - MASCHIO GAS CILINDRICO SV 60° - FEMMINA GIREVOLE GAS CILINDRICA

F1 - BSPP
F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	PN bar	PN psi
AMF90G0202	1/8	1/8	15	14	29	33	350	5076
AMF90G0404	1/4	1/4	19	19	28	39	350	5076
AMF90G0606	3/8	3/8	22	22	39.5	46,5	350	5076
AMF90G0808	1/2	1/2	27	27	44.5	61,5	315	4568
AMF90G1010	5/8	5/8	28	30	54	69	315	4568
AMF90G1212	3/4	3/4	32	32	56.5	77	250	3626
AMF90G1616	1	1	38	41	71	87	200	2900
* AMF90G2020	1 1/4	1 1/4	50	50	66	79	160	2320
* AMF90G2424	1 1/2	1 1/2	55	55	89	100	125	1813
* AMF90G3232	2	2	70	65	107	126	80	1160

* Thrust-wire nut
Dado spinato

45° ADAPTER MALE BSPP - SWIVEL FEMALE BSPP

ADATTATORE 45° - MASCHIO GAS CILINDRICO SV 60° - FEMMINA GIREVOLE GAS CILINDRICA

F1 - BSPP
F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	H2 mm	PN bar	PN psi
AMF45G0202	1/8	1/8	15	14	350	5076
AMF45G0404	1/4	1/4	19	19	350	5076
AMF45G0606	3/8	3/8	22	22	350	5076
AMF45G0808	1/2	1/2	27	27	315	4568
AMF45G1010	5/8	5/8	28	30	315	4568
AMF45G1212	3/4	3/4	32	32	250	3626
AMF45G1616	1	1	38	41	200	2900
AMF45G2020	1 1/4	1 1/4	50	50	160	2320
* AMF45G2424	1 1/2	1 1/2	55	55	125	1813
* AMF45G3232	2	2	70	65	80	1160

* Thrust-wire nut
Dado spinato

ELBOW ADAPTER MALE BSPP - SWIVEL FEMALE BSPP

GOMITO 90° - MASCHIO GAS CILINDRICO SV 60° - FEMMINA GIREVOLE GAS CILINDRICA

F1 - BSPP
F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	H2 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
LMG02FGG02	1/8	1/8	14	15	28,5	22	25,2	350	5076
LMG04FGG04	1/4	1/4	14	19	30,5	27	27	350	5076
LMG06FGG06	3/8	3/8	19	22	36	29	29,8	350	5076
LMG08FGG08	1/2	1/2	22	27	39	36.5	32	315	4568
LMG10FGG10	5/8	5/8	27	28	42,5	38	35,5	315	4568
LMG12FGG12	3/4	3/4	27	32	45	42	36,3	250	3626
LMG16FGG16	1	1	33	38	50	50	42,5	200	2900
LMG20FGG20	1 1/4	1 1/4	41	50	64	56	54,5	160	2320
LMG24FGG24	1 1/2	1 1/2	48	55	58,5	59	58,5	125	1813

RUN TEE MALE BSPP - SWIVEL FEMALE BSPP

ADATTATORE T - MASCHIO GAS CILINDRICO SVB 60° - FEMMINA GIREVOLE GAS CINLINDRICA AL BRACCIO

F1 - BSPP
F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	H2 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
TMG02FGG02B	1/8	1/8	14	15	28,5	22	25,2	350	5076
TMG04FGG04B	1/4	1/4	14	19	30,5	27	27	350	5076
TMG06FGG06B	3/8	3/8	19	22	36	29	30,3	350	5076
TMG08FGG08B	1/2	1/2	22	27	39	36.5	32,5	315	4568
TMG12FGG12B	3/4	3/4	27	32	45	42	36,3	250	3626
TMG16FGG16B	1	1	33	38	50	50	42,5	200	2900
TMG20FGG20B	1 1/4	1 1/4	41	50	64	56	54,5	160	2320
TMG24FGG24B	1 1/2	1 1/2	48	55	70	59	58,5	125	1813

BRANCH TEE MALE BSPP - SWIVEL FEMALE BSPP

ADATTATORE T - MASCHIO GAS CILINDRICO SV 60° - FEMMINA GIREVOLE GAS CILINDRICA AL PIEDE

F1 - BSPP
F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	H2 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
TMG02FGG02P	1/8	1/8	14	15	28,5	22	25,2	350	5076
TMG04FGG04P	1/4	1/4	14	19	30,5	27	26	350	5076
TMG06FGG06P	3/8	3/8	19	22	36	29	30,3	350	5076
TMG08FGG08P	1/2	1/2	22	27	39	36.5	32,5	315	4568
TMG12FGG12P	3/4	3/4	27	32	45	42	36,3	250	3626
TMG16FGG16P	1	1	33	38	50	50	42,5	200	2900
TMG20FGG20P	1 1/4	1 1/4	41	50	64	56	54,5	160	2320

ADAPTER SWIVEL FEMALE BSPP - SWIVEL FEMALE BSPP

ADATTATORE DIRITTO - FEMMINA GIREVOLE GAS CILINDRICA

F1 - BSPP

F2 - BSPP



Code	F1 inch	F2 inch	H1 mm	H2 mm	H3 mm	L mm	L1 mm	PN bar	PN psi
AFFDG0202	1/8	1/8	15	15	14	38	28,9	350	5076
AFFDG0404	1/4	1/4	19	19	19	41	30,8	350	5076
AFFDG0408	1/4	1/4	19	27	27	47	35,1	315	4568
AFFDG0606	3/8	3/8	22	22	22	45	34	350	5076
AFFDG0808	1/2	1/2	27	27	27	52	37,4	315	4568
AFFDG1010	5/8	5/8	28	28	27			315	4568
AFFDG1212	3/4	3/4	32	32	32	61	42	250	3626
AFFDG1616	1	1	38	38	41	68	46	200	2900
AFFDG2020	1 1/4	1 1/4	50	50	50	77	56	160	2320
AFFDG2424	1 1/2	1 1/2	55	55	55	82	61	125	1813
* AFFDG3232	2	2	70	70	70	90	61,4	80	1160


* Thrust-wire nut
Dado spinato

90° ADAPTER SWIVEL FEMALE BSPP - SWIVEL FEMALE BSPP

ADATTATORE 90° - FEMMINA GIREVOLE GAS CILINDRICA

F1 - BSPP

F2 - BSPP



Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	PN bar	PN psi
AFF90G0202	1/8	1/8	15	15	29	31	350	5076
AFF90G0404	1/4	1/4	19	19	29.5	31	350	5076
AFF90G0606	3/8	3/8	22	22	39	44	350	5076
AFF90G0808	1/2	1/2	27	27	44.5	50.5	315	4568
AFF90G1010	5/8	5/8	28	28	48	50	315	4568
AFF90G1212	3/4	3/4	32	32	60	65	250	3626
AFF90G1616	1	1	38	38	70	83	200	2900
* AFF90G2020	1 1/4	1 1/4	50	50	67	70	160	2320
* AFF90G2424	1 1/2	1 1/2	55	55	80	95	125	1813
* AFF90G3232	2	2	70	70	120	115	80	1160

* Thrust-wire nut


Dado spinato

45 ° ADAPTER SWIVEL FEMALE BSPP - SWIVEL FEMALE BSPP

ADATTATORE FEMMINA GIREVOLE GAS CILINDRICA

F1 - BSPP

F2 - BSPP



Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	PN bar	PN psi
AFF45G0202	1/8	1/8	15	15	-	-	350	5076
AFF45G0404	1/4	1/4	19	19	18	52	350	5076
AFF45G0606	3/8	3/8	22	22	24	66	350	5076
AFF45G0808	1/2	1/2	27	27	28	78	315	4568
AFF45G1010	5/8	5/8	28	28	31	73	315	4568
AFF45G1212	3/4	3/4	32	32	33	101	250	3626
AFF45G1616	1	1	38	38	37	115	200	2900
* AFF45G2020	1 1/4	1 1/4	50	50	-	-	160	2320
* AFF45G2424	1 1/2	1 1/2	55	55	-	-	125	1813
* AFF45G3232	2	2	70	70	41	132	80	1160


* Thrust-wire nut
Dado spinato

ADAPTER Female BSPP - Female BSPP

PROLUNGA - FEMMINA FISSA CILINDRICA

F1 - BSPP

F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	L mm	PN bar	PN psi
APFFG0202	1/8	1/8	14	25	350	5076
APFFG0402	1/4	1/8	19	30	350	5076
APFFG0404	1/4	1/4	19	30	350	5076
APFFG0604	3/8	1/4	22	35,5	350	5076
APFFG0606	3/8	3/8	22	35	350	5076
APFFG0804	1/2	1/4	27	40	315	4568
APFFG0808	1/2	1/2	27	40	315	4568
APFFG1010	5/8	5/8	27	35	315	4568
APFFG1206	3/4	3/8	32	40	250	3626
APFFG1208	3/4	1/2	32	40	250	3626
APFFG1212	3/4	3/4	32	40	250	3626
APFFG1608	1	1/2	41	50	200	2900
APFFG1612	1	3/4	41	50	200	2900
APFFG1616	1	1	41	50	200	2900
APFFG2008	1 1/4	1/2	50	55	160	2320
APFFG2020	1 1/4	1 1/4	50	55	160	2320
APFFG2424	1 1/2	1 1/2	55	60	125	1813
APFFG3232	2	2	70	54	80	1160

90° ADAPTER Female BSPP - Female BSPP

GOMITO 90° - FEMMINA FISSA GAS CILINDRICA

F1 - BSPP

F2 - BSPP




Code	F1 inch	H1 mm	L1 mm	PN bar	PN psi
LFFG02	1/8	14	17,5	350	5076
LFFG04	1/4	19	23	350	5076
LFFG06	3/8	22	26	350	5076
LFFG08	1/2	27	31	315	4568
LFFG10	5/8	30	31	315	4568
LFFG12	3/4	33	34.5	250	3626
LFFG16	1	41	43	200	2900
LFFG20	1 1/4	48	48	160	2320

90° SWIVEL FEMALE ADAPTER BSPP

GOMITO 90° - FEMMINA GIREVOLE - GAS CILINDRICA

F1 - BSPP

F2 - BSPP




Code	F1 inch	H1 mm	H2 mm	L mm	L1 mm	PN bar	PN psi
LFGG02	1/8	14	15	28,5	25,2	350	5076
LFGG04	1/4	14	19	30,5	27	350	5076
LFGG06	3/8	19	22	36	29,8	350	5076
LFGG08	1/2	22	27	39	32	315	4568
LFGG12	3/4	27	32	45	36,3	250	3626
LFGG16	1	33	38	50	42,5	200	2900
LFGG20	1 1/4	41	50	64	54,5	160	2320

TEE Female ADAPTER BSPP

ADATTATORE T - FEMMINA FISSA GAS CILINDRICA

F1 - BSPP

F2 - BSPP




Code	F1 inch	H1 mm	L1 mm	L2 mm	PN bar	PN psi
TFFG02	1/8	14	17,5	17	350	5076
TFFG04	1/4	19	22.5	22.5	350	5076
TFFG06	3/8	22	26	26	350	5076
TFFG08	1/2	27	31	31	315	4568
TFFG12	3/4	33	34.5	34.5	250	3626
TFFG16	1	41	43	43	200	2900
TFFG20	1 1/4	48	48		160	2320

TEE FEMALE BSPP

ADATTATORE T - FEMMINA - GIREVOLE CILINDRICA

F1 - BSPP

F2 - BSPP




Code	F1 inch	H1 mm	H2 mm	L mm	L1 mm	PN bar	PN psi
TFGG02	1/8	14	15	28.5	25,2	350	5076
TFGG04	1/4	14	19	30.5	27	350	5076
TFGG06	3/8	19	22	36	29,8	350	5076
TFGG08	1/2	22	27	39	32	315	4568
TFGG12	3/4	27	32	45	36,3	250	3626
TFGG16	1	33	38	50	42,5	200	2900
TFGG20	1 1/4	41	50	64	54,5	160	2320

ADAPTER MALE BSPP - MALE BSPT

ADATTATORE DIRITTO - MASCHIO GAS CILINDRICO SV 60° -

F1 - BSPP

F2 - BSPT




Code	F1 inch	F2 inch	H1 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
ANGK0202	1/8	1/8	14	25.5	9.5	9	350	5076
ANGK0404	1/4	1/4	19	32	11	14	350	5076
ANGK0406	1/4	3/8	19	32	11	14	350	5076
ANGK0408	1/4	1/2	22	39	11	19	315	4568
ANGK0606	3/8	3/8	22	34.5	12.5	14	350	5076
ANGK0608	3/8	1/2	22	40.5	12.5	19	315	4568
ANGK0808	1/2	1/2	27	43	14	19	315	4568
ANGK1212	3/4	3/4	32	46	16	19	250	3626
ANGK1616	1	1	41	57	18	26	200	2900
ANGK2020	1 1/4	1 1/4	50	59.5	20	25	160	2320
ANGK2424	1 1/2	1 1/2	55	58	21	23	125	1813
ANGK3232	2	2	70	67	25	27	80	1160

REDUCING ADAPTER MALE BSPP - MALE BSPT

ADATTATORE DIRITTO RIDOTTO - MASHIO GAS CILINDRICO SV 60° - MASCHIO GAS CONICO

F1 - BSPP
F2 - BSPT




Code	F1 inch	F2 inch	H1 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
ARGK0402	1/4	1/8	19	27	11	9	350	5076
ARGK0602	3/8	1/8	22	30,5	12.5	10	350	5076
ARGK0604	3/8	1/4	22	34.5	12.5	14	350	5076
ARGK0804	1/2	1/4	27	38	14	14	315	4568
ARGK0806	1/2	3/8	27	38	14	14	315	4568
ARGK1006	5/8	3/8	30	41	16	14	315	4568
ARGK1008	5/8	1/2	30	46	16	19	315	4568
ARGK1204	3/4	1/4	32	41	16	14	250	3626
ARGK1206	3/4	3/8	32	41	16	14	250	3626
ARGK1208	3/4	1/2	32	46	16	19	250	3626
ARGK1606	1	3/8	41	45	18	14	200	2900
ARGK1608	1	1/2	41	50	18	19	200	2900
ARGK1612	1	3/4	41	50	18	19	200	2900

90° ADAPTER MALE BSPP - MALE BSPT

GOMITO 90° - MASCHIO GAS CONICO - MASCHIO GAS CILINDRICO SV 60°

F1 - BSPP

F2 - BSPT




Code	F1 inch	F2 inch	H1 mm	L1 mm	L2 mm	PN bar	PN psi
LMGK02MG02	1/8	1/8	14	22	21	350	5076
LMGK04MG04	1/4	1/4	14	26	28	350	5076
LMGK06MG06	3/8	3/8	19	29	31	350	5076
LMGK08MG08	1/2	1/2	22	36,5	37,5	315	4568
LMGK08MG10	1/2	5/8	27	38	37,5	315	4568
LMGK12MG12	3/4	3/4	27	42	42	250	3626
LMGK16MG16	1	1	33	52,5	52,5	200	2900
LMGK20MG20	1 1/4	1 1/4	41	56	60	160	2320
LMGK24MG24	1 1/2	1 1/2	50	59	63	125	1813

RUN TEE MALE BSPP - MALE BSPT

ADATTATORE T - MASCHIO GAS CILINDRICO SV 60° - MASCHIO GAS CONICO AL BRACCIO SV 60°

F1 - BSPP
F2 - BSPT




Code	F1 inch	F2 inch	H1 mm	L1 mm	L2 mm	PN bar	PN psi
TMG02MGK02B	1/8	1/8	14	22	22	350	5076
TMG04MGK04B	1/4	1/4	14	26	28	350	5076
TMG06MGK06B	3/8	3/8	19	29	31	350	5076
TMG08MGK08B	1/2	1/2	22	36.5	37.5	315	4568
TMG10MGK08B	5/8	1/2	27	38,5	39,5	315	4568
TMG12MGK12B	3/4	3/4	27	42	42	250	3626
TMG16MGK16B	1	1	33	52,5	52,5	200	2900
TMG20MGK20B	1 1/4	1 1/4	41	56	60	160	2320

BRANCH TEE MALE BSPP - MALE BSPT

ADATTATORE T - MASCHIO GAS CILINDRICO SV 60° - MASCHIO GAS CONICO AL
PIEDE

F1 - BSPP
F2 - BSPT




Code	F1 inch	F2 inch	H1 mm	L1 mm	L2 mm	PN bar	PN psi
TMG02MGK02P	1/8	1/8	14	22	21	350	5076
TMG04MGK04P	1/4	1/4	14	26	28	350	5076
TMG06MGK06P	3/8	3/8	19	29	31	350	5076
TMG08MGK08P	1/2	1/2	22	36.5	37.5	315	4568
TMG10MGK08P	5/8	1/2	27	38,5	39	315	4568
TMG12MGK12P	3/4	3/4	27	42	42	250	3626
TMG16MGK16P	1	1	33	52,5	52,5	200	2900
TMG20MGK20P	1 1/4	1 1/4	41	56	60	160	2320

90° ADAPTER MALE BSPT - FEMALE BSPP

GOMITO 90° - MASCHIO GAS CONICO - FEMMINA FISSA GAS CILINDRICA SV 60°

F1 - BSPT

F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	L1 mm	L2 mm	PN bar	PN psi
LMGK02FFG02	1/8	1/8	14	23	17	350	5076
LMGK04FFG04	1/4	1/4	19	31	22.5	350	5076
LMGK06FFG06	3/8	3/8	22	32	26	350	5076
LMGK08FFG08	1/2	1/2	27	38	31	315	4568
LMGK12FFG12	3/4	3/4	33	45	34.5	250	3626
LMGK16FFG16	1	1	41	55	43	200	2900
LMGK20FFG20	1 1/4	1 1/4	48	60	48	160	2320

90° ADAPTER MALE BSPT - SWIVEL FEMALE BSPP

GOMITO 90° - MASCHIO GAS CONICO - FEMMINA GIREVOLE GAS CILINDRICA

F1 - BSPT

F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	H2 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
LMGK02FGG02	1/8	1/8	14	15	28,5	21	25,2	350	5076
LMGK04FGG04	1/4	1/4	14	19	30,5	27	28	350	5076
LMGK06FGG06	3/8	3/8	19	22	36	30	31	350	5076
LMGK08FGG08	1/2	1/2	22	27	39	32	37,5	315	4568
LMGK12FGG12	3/4	3/4	27	32	45	36,3	42	250	3626
LMGK16FGG16	1	1	33	38	50	42,5	52	200	2900
LMGK20FGG20	1 1/4	1 1/4	41	50	64	54,5	60	160	2320

TEE ADAPTER Female BSPP - FEMALE BSPP - MALE BSPT

ADATTATORE T - FEMMINA FISSA GAS CILINDRICA - MASCHIO CONICO AL BRACCIO

F1 - BSPP

F2 - BSPT




Code	F1 inch	F2 inch	H1 mm	L1 mm	L2 mm	PN bar	PN psi
TFFG02MGK02B	1/8	1/8	14	17	20.5	350	5076
TFFG04MGK04B	1/4	1/4	19	22.5	31	350	5076
TFFG06MGK06B	3/8	3/8	22	26	32	350	5076
TFFG08MGK08B	1/2	1/2	27	31	38,5	315	4568
TFFG12MGK12B	3/4	3/4	33	34.5	42	250	3626
TFFG16MGK16B	1	1	41	43	55	200	2900

TEE ADAPTER FEMALE BSPP - MALE BSPT - FEMALE BSPP

ADATTATORE T - FEMMINA FISSA GAS CILINDRICA - MASCHIO GAS CONICO AL
PIEDE

F1 - BSPP
F2 - BSPT




Code	F1 inch	F2 inch	H1 mm	L1 mm	L2 mm	PN bar	PN psi
TFFG02MGK02P	1/8	1/8	14	17	20.5	350	5076
TFFG04MGK04P	1/4	1/4	19	22.5	31	350	5076
TFFG06MGK06P	3/8	3/8	22	26	32	350	5076
TFFG08MGK08P	1/2	1/2	27	31	37.5	315	4568
TFFG12MGK12P	3/4	3/4	33	34.5	42	250	3626
TFFG16MGK16P	1	1	41	43	55	200	2900

ADAPTER MALE BSPP - MALE NPT

ADATTATORE DIRITTO MASCHIO GAS CILINDRICO SV 60° MASCHIO NPT

F1 - BSPP

F2 - NPT




Code	F1 inch	F2 inch	H1 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
ANGNPT0202	1/8	1/8	14	26	9.5	9,5	350	5076
ANGNPT0204	1/8	1/4	17	30,5	9,5	14	350	5076
ANGNPT0606	3/8	3/8	22	34.5	12.5	14	350	5076
ANGNPT0608	3/8	1/2	22	39,5	12,5	19	315	4568
ANGNPT0808	1/2	1/2	27	43	14	19	315	4568
ANGNPT1212	3/4	3/4	32	46	16	19	250	3626
ANGNPT1616	1	1	41	55	18	24	200	2900
ANGNPT1620	1	1 1/4	46	57,5	18	25	160	2320
ANGNPT2020	1 1/4	1 1/4	50	59.5	20	25	160	2320
ANGNPT2424	1 1/2	1 1/2	55	58	21	23	125	1813
ANGNPT3232	2	2	70	70,5	25	27	80	1160

90° ADAPTER MALE BSPP - MALE NPT

GOMITO 90° - MASCHIO GAS CILINDRICO SV 60° - MASCHIO NPT

F1 - BSPP

F2 - NPT




Code	F1 inch	F2 inch	H1 mm	L1 mm	L2 mm	PN bar	PN psi
LMG02MN02	1/8	1/8	14	21	22	350	5076
LMG04MN04	1/4	1/4	14	28	26	350	5076
LMG06MN06	3/8	3/8	19	31	29	350	5076
LMG08MN08	1/2	1/2	22	37,5	36,5	315	4568
LMG10MN08	5/8	1/2	27	39	38	315	4568
LMG12MN12	3/4	3/4	27	42	42	250	3626
LMG16MN16	1	1	33	50	50	200	2900
LMG20MN20	1 1/4	1 1/4	41	60	56	160	2320

RUN TEE MALE BSPP - MALE NPT

ADATTATORE T - MASCHIO GAS CILINDRICO SV 60° - MASCHIO NPT AL BRACCIO

F1 - BSPP

F2 - NPT




Code	F1 inch	F2 inch	H1 mm	L1 mm	L2 mm	PN bar	PN psi
TMG02MN02B	1/8	1/8	14	22	22	350	5076
TMG04MN04B	1/4	1/4	14	27	28	350	5076
TMG06MN06B	3/8	3/8	19	29	31	350	5076
TMG08MN08B	1/2	1/2	22	36.5	37.5	315	4568
TMG10MN08B	5/8	1/2	27	38	39	315	4568
TMG12MN12B	3/4	3/4	27	42	42	250	3626
TMG16MN16B	1	1	33	50	50	200	2900
TMG20MN20B	1 1/4	1 1/4	41	56	60	160	2320

BRANCH TEE MALE BSPP - MALE NPT

ADATTATORE T - MASCHIO GAS CILINDRICO SV 60° - M. NPT AL PIEDE

F1 - BSPP

F2 - NPT




Code	F1 inch	F2 inch	H1 mm	L1 mm	L2 mm	PN bar	PN psi
TMG02MN02P	1/8	1/8	14	22	21	350	5076
TMG04MN04P	1/4	1/4	14	27	28	350	5076
TMG06MN06P	3/8	3/8	19	29	31	350	5076
TMG08MN08P	1/2	1/2	22	36.5	37.5	315	4568
TMG10MN08P	5/8	1/2	27	38	39	315	4568
TMG12MN12P	3/4	3/4	27	42	42	250	3626
TMG16MN16P	1	1	33	50	50	200	2900
TMG20MN20P	1 1/4	1 1/4	41	56	60	160	2320

90° ADAPTER MALE NPT - SWIVEL FEMALE BSPP

GOMITO 90° - MASCHIO NPT - FEMMINA GIREVOLE GAS CILINDRICA

F1 - NPT
F2 - BSPP




Code	F1 inch	F2 inch	H1 mm	H2 mm	L1 mm	L2 mm	PN bar	PN psi
LMN02FGG02	1/8	1/8	14	15	20.5	28.5	350	5076
LMN04FGG04	1/4	1/4	14	19	28	30.5	350	5076
LMN06FGG06	3/8	3/8	19	22	31	30	350	5076
LMN08FGG08	1/2	1/2	22	27	37.5	32	315	4568
LMN12FGG12	3/4	3/4	27	32	42	36,3	250	3626
LMN16FGG16	1	1	33	38	52	42,5	200	2900
LMN20FGG20	1 1/4	1 1/4	41	50	60	54,5	160	2320

REDUCING ADAPTER MALE BSPP - METRIC MALE (1)

ADATTATORE DIRITTO RIDOTTO - MASCHIO GAS CILINDRICO 60° - MASCHIO METRICO SV 60°

F1 - BSPP
F2 - METRIC




Code	F1 inch	F2 mm	H1 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
ARGM0206	1/8	6x1	14	-	9,8	8,5	350	5076
ARGM0210	1/8	10x1	14	25	9.5	9.5	350	5076
ARGM0212	1/8	12x1,5	17	27.5	9.5	11	350	5076
ARGM0410	1/4	10x1	19	27.5	11	9.5	350	5076
ARGM0412	1/4	12x1,5	19	30	11	11	350	5076
ARGM0414	1/4	14x1,5	19	29	11	11	350	5076
ARGM0416	1/4	16x1,5	22	32.5	11	12.5	350	5076
ARGM0418	1/4	18x1,5	24	35	11	14	315	4568
ARGM0422	1/4	22x1,5	27	35	11	14	315	4568
ARGM0612	3/8	12x1,5	22	31.5	12.5	11	350	5076
ARGM0614	3/8	14x1,5	22	32.5	12.5	11	350	5076
ARGM0616	3/8	16x1,5	22	34	12.5	12.5	350	5076
ARGM0618	3/8	18x1,5	24	36.5	12.5	14	315	4568
ARGM0620	3/8	20x1,5	27	36.5	12.5	14	315	4568
ARGM0622	3/8	22x1,5	27	37	12.5	14	315	4568
ARGM0812	1/2	12x1,5	27	35	14	11	315	4568
ARGM0814	1/2	14x1,5	27	35	14	11	315	4568
ARGM0816	1/2	16x1,5	27	36.5	14	12.5	315	4568
ARGM0818	1/2	18x1,5	27	38	14	14	315	4568
ARGM0820	1/2	20x1,5	27	38	14	14	315	4568
ARGM0822	1/2	22x1,5	27	38	14	14	315	4568
ARGM0824	1/2	24x1,5	30	40	14	16	315	4568
ARGM0826	1/2	26x1,5	32	40	14	16	250	3626
ARGM1018	5/8	18x1,5	30	41	16	14	315	4568
ARGM1020	5/8	20x1,5	30	41	16	14	315	4568
ARGM1022	5/8	22x1,5	30	41	16	14	315	4568

REDUCING ADAPTER MALE BSPP - METRIC MALE (2)

ADATTATORE DIRITTO RIDOTTO - MASCHIO GAS CILINDRICO 60° - MASCHIO METRICO SV 60°

F1 - BSPP
F2 - METRIC




Code	F1 inch	F2 mm	H1 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
ARGM1218	3/4	18x1,5	32	40	16	14	250	3626
ARGM1220	3/4	20x1,5	32	40	16	14	250	3626
ARGM1222	3/4	22x1,5	32	41	16	15	250	3626
ARGM1226	3/4	26x1,5	32	42	16	16	250	3626
ARGM1230	3/4	30x1,5	38	46	16	18	200	2900
ARGM1622	1	22x1,5	41	45	18	15	200	2900
ARGM1626	1	26x1,5	41	46	18	16	200	2900
ARGM1630	1	30x1,5	41	48	18	18	200	2900
ARGM1633	1	33x2	41	48	18	18	200	2900
ARGM2030	1 1/4	30x1,5	50	52,5	20	18	160	2320
ARGM2038	1 1/4	38x1,5	50	52.5	20	18	160	2320

ADAPTER MALE BSPP - METRIC SWIVEL FEMALE

ADATTATORE DIRITTO - MASCHIO GAS CILINDRICO SV 60° - FEMMINA GIREVOLE
METRICA

F1 - BSPP
F2 - METRIC




Code	F1 inch	F2 mm	H1 mm	H2 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
AMFDGM0414	1/4	14x1,5	19	19	35.5	11	-	350	5076
AMFDGM0822	1/2	22x1,5	27	27	44	14	-	315	4568

REDUCING PLUG MALE BSPP - METRIC Female

RIDUZIONE CORTA - MASCHIO GAS CILINDRICO SV 60° - FEMMINA FISSA METRICA

F1 - BSPP
F2 - METRIC




Code	F1 inch	F2 mm	H1 mm	L mm	L1 mm	PN bar	PN psi
ARMFCM0612	3/8	12x1,5	22	21.5	12.5	350	5076
ARMFCM0614	3/8	14x1,5	22	21.5	12.5	350	5076
ARMFCM0812	1/2	12x1,5	27	24	14	315	4568
ARMFCM0814	1/2	14x1,5	27	24	14	315	4568

REDUCING ADAPTER METRIC MALE - METRIC Female

RIDUZIONE LUNGA - MASCHIO GAS CILINDRICO SV 60° - FEMMINA FISSA METRICA

F1 - BSPP
F2 - METRIC




Code	F1 inch	F2 mm	H1 mm	L mm	L1 mm	PN bar	PN psi
ARMFLM0414	1/4	14x1,5	19	33	11	350	5076
ARMFLM0416	1/4	16x1,5	22	33,5	11	350	5076
ARMFLM0616	3/8	16x1,5	22	35	12.5	350	5076
ARMFLM0618	3/8	18x1,5	24	40	12.5	315	4568
ARMFLM0818	1/2	18x1,5	27	41	14	315	4568

REDUCING PLUG METRIC MALE - Female BSPP

RIDUZIONE CORTA - MASCHIO METRICO SV 60° - FEMMINA FISSA GAS CILINDRICA

F1 - METRIC

F2 - BSPP




Code	F1 mm	F2 inch	H1 mm	L mm	L1 mm	PN bar	PN psi
ARMFCM1804	18x1,5	1/4	24	24	14	315	4568
ARMFCM2204	22x1,5	1/4	27	24	14	315	4568
ARMFCM2206	22x1,5	3/8	27	24	14	315	4568

REDUCING ADAPTER METRIC MALE - Female BSPP

RIDUZIONE LUNGA - MASCHIO METRICO SV 60° - FEMMINA FISSA GAS CILINDRICA

F1 - METRIC

F2 - BSPP




Code	F1 mm	F1 inch	H1 mm	L mm	L1 mm	PN bar	PN psi
ARMFLM1002	10x1	1/8	17	40,5	9,5	350	5076
ARMFLM1404	14x1,5	1/4	19	33	11	350	5076
ARMFLM1604	16x1,5	1/4	22	35	12,5	350	5076
ARMFLM1804	18x1,5	1/4	24	41	14	315	4568
ARMFLM1806	18x1,5	3/8	24	41	14	315	4568
ARMFLM1808	18x1,5	1/2	27	42	14	315	4568
ARMFLM2208	22x1,5	1/2	27	45	14	315	4568

ADAPTER MALE BSPT - MALE BSPT

ADATTATORE DIRITTO MASCHIO GAS CONICO SV 60° -

F1 - BSPT

F2 - BSPT




Code	F1 inch	F2 inch	H1 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
ANKK0202	1/8	1/8	12	26	10	10	350	5076
ANKK0404	1/4	1/4	17	35	14	14	350	5076
ANKK0606	3/8	3/8	19	36	14	14	350	5076
ANKK0808	1/2	1/2	22	47.5	19	19	315	4568
ANKK1212	3/4	3/4	27	48	19	19	250	3626
ANKK1616	1	1	36	52	21	21	200	2900
ANKK2020	1 1/4	1 1/4	46	63.5	24	24	160	2320
ANKK2424	1 1/2	1 1/2	50	66	26	26	125	1813
ANKK3232	2	2	65	73	28	28	80	1160

REDUCING ADAPTER MALE BSPT - MALE BSPT

RIDUZIONE ADATTATORE DIRITTO MASCHIO GAS CONICO SV 60° -

F1 - BSPT

F2 - BSPT




Code	F1 inch	F2 inch	H1 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
ARKK0402	1/4	1/8	17	30	14	10	350	5076
ARKK0604	-	-	-					
ARKK0804	-	-	-					
ARKK0806	1/2	3/8	22	42,5	19	14	315	4568
ARKK1208		-	-					
ARKK1612	1	3/4	36	55	26	19	200	2900

90° ADAPTER MALE BSPT - MALE BSPT

GOMITO 90° - MASCHIO GAS CONICO

F1 - BSPT

F2 - BSPT




Code	F1 inch	H1 mm	L1 mm	PN bar	PN psi
LMGK02	1/8	14	21	350	5076
LMGK04	1/4	14	28	350	5076
LMGK06	3/8	19	31	350	5076
LMGK08	1/2	22	37.5	315	4568
LMGK12	3/4	27	42	250	3626
LMGK16	1	33	50	200	2900
LMGK20	1 1/4	41	60	160	2320
LMGK24	1 1/2	50	63	125	1813

90° ADAPTER MALE NPT - MALE NPT

GOMITO 90° - MASCHIO NPT

F1 - NPT

F2 - NPT




Code	F1 inch	H1 mm	L1 mm	PN bar	PN psi
LMN02	1/8	14	20,5	350	5076
LMN04	1/4	14	28	350	5076
LMN06	3/8	19	31	350	5076
LMN08	1/2	22	38,5	315	4568
LMN12	3/4	27	42	250	3626
LMN16	1	33	52	200	2900
LMN20	1 1/4	41	60	160	2320

90° ADAPTER MALE NPT - Female NPT

GOMITO 90° - MASCHIO NPT - FEMMINA FISSA NPT

F1 - NPT

F2 - NPT




Code	F1 inch	F2 inch	H1 mm	L1 mm	L2 mm	PN bar	PN psi
LMN02FFN02	1/8	1/8	14	23	17	350	5076
LMN04FFN02	1/4	1/8	-	-	-	-	-
LMN04FFN04	1/4	1/4	19	28	22.5	350	5076
LMN04FFN08	1/4	1/2	-	33	31	315	4568
LMN06FFN04	-	-	-	-	-	-	-
LMN06FFN06	3/8	3/8	22	31	26	350	5076
LMN06FFN08	-	-	-	-	-	-	-
LMN08FFN06	-	-	-	-	-	-	-
LMN08FFN08	1/2	1/2	27	38,5	31	315	4568
LMN08FFN12	-	-	-	-	-	-	-
LMN12FFN08	-	-	-	-	-	-	-
LMN12FFN12	3/4	3/4	33	46	34.5	250	3626
LMN16FFN16	1	1	41	59	43	200	2900
LMN20FFN20	-	-	-	-	-	-	-

TEE FIXED ADAPTER FEMALE NPT - MALE NPT - FEMALE NPT

ADATTATORE T - FEMMINA FISSA NPT - MASCHIO NPT AL PIEDE

F1 - NPT

F2 - NPT




Code	F1 inch	F2 inch	H1 mm	L1 mm	L2 mm	PN bar	PN psi
TFFN02MN02P	1/8	1/8	14	17	20.5	350	5076
TFFN04MN04P	1/4	1/4	19	22.5	28	350	5076
TFFN06MN06P	3/8	3/8	22	26	31	350	5076
TFFN08MN08P	1/2	1/2	27	31	38,5	315	4568
TFFN12MN12P	3/4	3/4	33	34.5	42	250	3626
TFFN16MN16P	1	1	41	43	59	200	2900

TEE ADAPTER Female NPT - Female NPT - MALE NPT

ADATTATORE T - FEMMINA FISSA NPT - MASCHIO NPT AL BRACCIO

F1 - NPT

F2 - NPT




Code	F1 inch	F2 inch	H1 mm	L1 mm	L2 mm	PN bar	PN psi
TFFN02MN02B	1/8	1/8	14	17	20.5	350	5076
TFFN04MN04B	1/4	1/4	19	22.5	28	350	5076
TFFN06MN06B	3/8	3/8	22	26	31	350	5076
TFFN08MN08B	1/2	1/2	27	31	38,5	315	4568
TFFN12MN12B	3/4	3/4	33	34.5	42	250	3626
TFFN16MN16B	1	1	41	43	59	200	2900

90° ADAPTER Female NPT - Female NPT

GOMITO 90° - FEMMINA FISSA NPT

F1 - NPT

F2 - NPT




Code	F1 inch	H1 mm	L1 mm	PN bar	PN psi
LFFN02	1/8	14	20	350	5076
LFFN04	1/4	19	22.5	350	5076
LFFN06	3/8	22	25	350	5076
LFFN08	1/2	27	31	315	4568
LFFN12	3/4	33	34.5	250	3626
LFFN16	1	41	43	200	2900

TEE Female ADAPTER NPT

ADATTATORE T - FEMMINA FISSA NPT

F1 - NPT

F2 - NPT




Code	F1 inch	H1 mm	L1 mm	PN bar	PN psi
TFFN02	1/8	14	17	350	5076
TFFN04	1/4	19	22.5	350	5076
TFFN06	3/8	22	25	350	5076
TFFN08	1/2	27	31	315	4568
TFFN12	3/4	33	34.5	250	3626
TFFN16	1	41	43	200	2900

METRIC MALE ADAPTER

ADATTATORE DIRITTO MASCHIO METRICO SV 60° -

F1 - METRIC

F2 - METRIC




Code	F1 mm	H1 mm	L mm	L1 mm	PN bar	PN psi
ANMM1010	10x1	14	25	9.5	350	5076
ANMM1212	12x1,5	17	30	11	350	5076
ANMM1414	14x1,5	19	29	11	350	5076
ANMM1616	16x1,5	22	34	12.5	350	5076
ANMM1818	18x1,5	24	37	14	315	4568
ANMM2020	20x1,5	27	38	14	315	4568
ANMM2222	22x1,5	27	38	14	315	4568
ANMM2424	24x1,5	30	42	16	315	4568
ANMM2626	26x1,5	32	42	16	250	3626
ANMM2828	28x1,5	34	43	16	250	3626
ANMM3030	30x1,5	38	48	18	200	2900

REDUCING METRIC MALE ADAPTER

ADATTATORE DIRITTO RIDOTTO - MASCHIO METRICO SV 60°

F1 - METRIC

F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
ARMM1210	12x1,5	10x1	17	28.5	11	9.5	350	5076
ARMM1410	14x1,5	10x1	19	27.5	11	9	350	5076
ARMM1412	14x1,5	12x1,5	19	29	11	11	350	5076
ARMM1612	16x1,5	12x1,5	22	31.5	12.5	11	350	5076
ARMM1614	16x1,5	14x1,5	22	31.5	12.5	11	350	5076
ARMM1814	18x1,5	14x1,5	24	35	14	11	315	4568
ARMM1816	18x1,5	16x1,5	24	36.5	14	12.5	315	4568
ARMM2014	20x1,5	14x1,5	24	35	14	11	315	4568
ARMM2016	20x1,5	16x1,5	27	36.5	14	12.5	315	4568
ARMM2018	20x1,5	18x1,5	27	38	14	14	315	4568
ARMM2214	22x1,5	14x1,5	27	35	14	11	315	4568
ARMM2216	22x1,5	16x1,5	27	36.5	14	12.5	315	4568
ARMM2218	22x1,5	18x1,5	27	38	14	14	315	4568
ARMM2220	22x1,5	20x1,5	27	38	14	14	315	4568
ARMM2418	24x1,5	18x1,5	30	40	16	14	315	4568
ARMM2422	24x1,5	22x1,5	30	40	16	15	315	4568
ARMM2622	26x1,5	22x1,5	32	41	16	15	250	3626
ARMM2624	26x1,5	24x1,5	32	42	16	16	250	3626
ARMM3022	30x1,5	22x1,5	38	45	18	15	200	2900
ARMM3026	30x1,5	26x1,5	38	46	18	16	200	2900

METRIC STRAIGHT BULKHEAD ADAPTER

ADATTATORE PASSAPARETE - MASCHIO METRICO SV 60°

F1 - METRIC

F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	H2 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
ANMM1414P	14x1,5	14x1,5	19	19	48	11	29	350	5076
ANMM1616P	16x1,5	16x1,5	22	22	55.5	12.5	34	350	5076
ANMM1818P	18x1,5	18x1,5	24	24	56	14	32	315	4568
ANMM2222P	22x1,5	22x1,5	27	27	60	15	34	315	4568

90° ADAPTER METRIC MALE - METRIC MALE

GOMITO 90° - MASCHIO METRICO SV 60°

F1 - METRIC

F2 - METRIC




Code	F1 mm	H1 mm	L1 mm	PN bar	PN psi
LMM10	10x1	14	22	350	5076
LMM12	12x1,5	14	22	350	5076
LMM14	14x1,5	14	27	350	5076
LMM16	16x1,5	19	29	350	5076
LMM18	18x1,5	19	29	315	4568
LMM20	20x1,5	22	36.5	315	4568
LMM22	22x1,5	22	36.5	315	4568
LMM26	26x1,5	27	42	250	3626
LMM30	30x1,5	33	50	200	2900

90° ADJUSTABLE ADAPTER METRIC MALE - METRIC MALE

GOMITO 90° - MASCHIO METRICO SV 60° - MASCHIO ORIENTABILE METRICO SV 60°

F1 - METRIC
F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
LMM10MOMR12	10x1	12x1,5	14	14	22	34	23	350	5076
LMM12MOMR12	12x1,5	12x1,5	14	14	22	34	23	350	5076
LMM12MOMR14	12x1,5	14x1,5	14	19	22	36	22	350	5076
LMM14MOMR14	14x1,5	14x1,5	14	19	26	36	22	350	5076
LMM14MOMR16	14x1,5	16x1,5	19	19	29	39	26	350	5076
LMM16MOMR16	16x1,5	16x1,5	19	22	29	39	26	350	5076
LMM16MOMR18	16x1,5	18x1,5	19	22	29	42	28	315	4568
LMM18MOMR18	18x1,5	18x1,5	19	22	29	42	28	315	4568
LMM18MOMR22	18x1,5	22x1,5	22	27	36	45	30,5	315	4568
LMM22MOMR22	22x1,5	22x1,5	22	27	36,5	47	33	315	4568
LMM26MOMR22	26x1,5	22x1,5	27	36	42	45,5	31	250	3626
LMM26MOMR27	26x1,5	27x2	27	36	42	52,5	34	200	2900
LMM30MOMR27	30x1,5	27x2	33	41	50	55	36,5	180	2610
LMM30MOMR33	30x1,5	33x2	33	41	50	55	36,5	180	2610

ADAPTEUR TEE MALE METRIQUE

ADATTATORE T - MASCHIO METRICO SV 60°

F1 - METRIC

F2 - METRIC




Code	F1 mm	H1 mm	L1 mm	PN bar	PN psi
TMM10	10x1	14	22	350	5076
TMM12	12x1,5	14	22	350	5076
TMM14	14x1,5	14	27	350	5076
TMM16	16x1,5	19	29	350	5076
TMM18	18x1,5	19	29	315	4568
TMM20	20x1,5	22	36.5	315	4568
TMM22	22x1,5	22	36.5	315	4568
TMM26	26x1,5	27	42	250	3626
TMM30	30x1,5	33	50	200	2900

ADJUSTABLE TEE ADAPTER METRIC MALE - ADJUSTABLE METRIC
MALE

ADATTATORE T - MASCHIO METRICO SV 60° - MASCHIO METRICO ORIENTABILE AL
PIEDE

F1 - METRIC

F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
TMM10MOMR12P	10x1	12x1,5	14	19	22	34	23	350	5076
TMM12MOMR12P	12x1,5	12x1,5	14	19	22	34	23	350	5076
TMM12MOMR14P	12x1,5	14x1,5	14	19	22	34	22	350	5076
TMM14MOMR14P	14x1,5	14x1,5	14	19	27	34,5	22	350	5076
TMM14MOMR16P	14x1,5	16x1,5	19	19	29	37,5	25	350	5076
TMM16MOMR16P	16x1,5	16x1,5	19	22	29	37	-	350	5076
TMM16MOMR18P	16x1,5	18x1,5	19	22	29	37	-	315	4568
TMM18MOMR18P	18x1,5	18x1,5	19	22	36	45	29,5	315	4568
TMM18MOMR22P	18x1,5	22x1,5	22	27	36	45	30,5	315	4568
TMM22MOMR22P	22x1,5	22x1,5	22	27	36,5	45	29	315	4568
TMM26MOMR22P	26x1,5	22x1,5	27	36	38	48,5	-	250	3626
TMM26MOMR27P	26x1,5	27x2	27	36	42	52,5	-	200	2900
TMM30MOMR27P	30x1,5	27x2	33	41	50	55	36,5	180	2610
TMM30MOMR33P	30x1,5	33x2	33	41	50	55	36,5	180	2610

ADJUSTABLE TEE ADAPTER METRIC MALE - METRIC MALE

ADATTATORE T - MASCHIO METRICO SV 60° - MASCHIO METRICO ORIENTABILE
AL BRACCIO

F1 - METRIC
F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	L3 mm	PN bar	PN psi
TMM10MOMR12B	10x1	12x1,5	14	19	22	34	23	350	5076
TMM12MOMR12B	12x1,5	12x1,5	14	19	22	34	23	350	5076
TMM12MOMR14B	12x1,5	14x1,5	14	19	27	34	22	350	5076
TMM14MOMR14B	14x1,5	14x1,5	14	19	29	34,5	22	350	5076
TMM14MOMR16B	14x1,5	16x1,5	19	19	29	37,5	25	350	5076
TMM16MOMR16B	16x1,5	16x1,5	19	22	29	37	-	350	5076
TMM16MOMR18B	16x1,5	18x1,5	19	22	29	37	-	315	4568
TMM18MOMR18B	18x1,5	18x1,5	19	22	29,5	45	29,5	315	4568
TMM18MOMR22B	18x1,5	22x1,5	22	27	30,5	45	30,5	315	4568
TMM22MOMR22B	22x1,5	22x1,5	22	27	29	45	29	315	4568
TMM26MOMR22B	26x1,5	22x1,5	27	36	42	45,5	-	250	3626
TMM26MOMR27B	26x1,5	27x2	27	36	42	52,5	-	200	2900
TMM30MOMR27B	30x1,5	27x2	33	41	50	55	36,5	180	2610
TMM30MOMR33B	30x1,5	33x2	33	41	50	55	36,5	180	2610

ADAPTER MALE METRIC - METRIC SWIVEL FEMALE

ADATTATORE DIRITTO - MASCHIO METRICO SV 60° - FEMMINA GIREVOLE
METRICA

F1 - METRIC
F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	H2 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
AMFDM1212	12x1,5	12x1,5	17	17	34	11	30,2	350	5076
AMFDM1414	14x1,5	14x1,5	19	19	35	11	30,2	350	5076
AMFDM1616	16x1,5	16x1,5	22	22	41.5	12.5	34	350	5076
AMFDM1818	18x1,5	18x1,5	22	24	42	14	35,5	315	4568
AMFDM2020	20x1,5	20x1,5	27	27	45.5	14	37,7	315	4568
AMFDM2222	22x1,5	22x1,5	27	27	45.5	14	37,7	315	4568
AMFDM2424	24x1,5	24x1,5	30	30	49	16	40,5	315	4568
AMFDM2626	26x1,5	26x1,5	32	32	51.5	16	44	250	3626
AMFDM3030	30x1,5	30x1,5	38	36	57.5	18	46	200	2900

90° ADAPTER METRIC MALE - METRIC SWIVEL FEMALE

ADATTATORE 90° - MASCHIO METRICO SV 60° - FEMMINA GIREVOLE METRICA

F1 - METRIC

F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	PN bar	PN psi
AMF90M1010	10x1	10x1	14	15	29	33	350	5076
AMF90M1212	12x1,5	12x1,5	17	17	35	33	350	5076
AMF90M1414	14x1,5	14x1,5	19	19	28	30	350	5076
AMF90M1616	16x1,5	16x1,5	22	22	39	48	350	5076
AMF90M1818	18x1,5	18x1,5	24	24	41	48	315	4568
AMF90M2020	20x1,5	20x1,5	27	27	44.5	61.5	315	4568
AMF90M2222	22x1,5	22x1,5	27	27	44.5	61.5	315	4568
AMF90M2424	24x1,5	24x1,5	30	30	54	69	315	4568
AMF90M2626	26x1,5	26x1,5	32	32	55.5	77	250	3626

45° ADAPTER METRIC MALE - METRIC SWIVEL FEMALE

ADATTATORE 45° - MASCHIO METRICO SV 60° - FEMMINA GIREVOLE METRICA

F1 - METRIC

F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	PN bar	PN psi
AMF45M1010	10x1	10x1	14	15	-	-	350	5076
AMF45M1212	12x1,5	12x1,5	17	17	-	-	350	5076
AMF45M1414	14x1,5	14x1,5	19	19	23	55	350	5076
AMF45M1616	16x1,5	16x1,5	22	22	34	65	350	5076
AMF45M1818	18x1,5	18x1,5	24	24	-	81	315	4568
AMF45M2020	20x1,5	20x1,5	27	27	30	81	315	4568
AMF45M2222	22x1,5	22x1,5	27	27	-	81	315	4568
AMF45M2424	24x1,5	24x1,5	30	30	-	-	315	4568
AMF45M2626	26x1,5	26x1,5	32	32	35	115	250	3626

METRIC MALE ADAPTER - METRIC Female

PROLUNGA - MASCHIO METRICO SV 60° - FEMMINA FISSA METRICA

F1 - METRIC

F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	L mm	L1 mm	PN bar	PN psi
APMFM1027	10x1	10x1	14	27	9.5	350	5076
APMFM1040.5	10x1	10x1	14	40.5	9.5	350	5076
APMFM1433	14x1,5	14x1,5	19	33	11	350	5076
APMFM1635	16x1,5	16x1,5	22	35	12.5	350	5076
APMFM1840	18x1,5	18x1,5	24	40	14	315	4568
APMFM1850	18x1,5	18x1,5	24	50	14	315	4568
APMFM2045	20x1,5	20x1,5	27	45	14	315	4568
APMFM2060	20x1,5	20x1,5	27	60	14	315	4568
APMFM2240	22x1,5	22x1,5	27	40	14	315	4568
APMFM2260	22x1,5	22x1,5	27	60	14	315	4568

REDUCING ADAPTER METRIC MALE - FIXED METRIC FEMALE

RIDUZIONE LUNGA - MASCHIO METRICO SV 60° - FEMMINA METRICA

F1 - METRIC

F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	L mm	L1 mm	PN bar	PN psi
ARMFLM1814	18x1,5	14x1,5	24	41	14	315	4568
ARMFLM1822	18x1,5	22x1,5	27	45	14	315	4568
ARMFLM2218	22x1,5	18x1,5	27	45	14	315	4568

ELBOW ADAPTER METRIC MALE - METRIC SWIVEL FEMALE

GOMITO 90° - MASCHIO METRICO SV 60° - FEMMINA GIREVOLE METRICA

F1 - METRIC

F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	H2 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
LMM12FGM12	12x1,5	12x1,5	14	15	29	22	26,2	350	5076
LMM14FGM14	14x1,5	14x1,5	14	19	30,5	27	27	350	5076
LMM16FGM16	16x1,5	16x1,5	19	22	36	29	30	350	5076
LMM18FGM18	18x1,5	18x1,5	19	22	36	29	30	315	4568
LMM20FGM20	20x1,5	20x1,5	22	27	39	36,5	32	315	4568
LMM22FGM22	22x1,5	22x1,5	22	27		36,5	39	315	4568
LMM26FGM26	26x1,5	26x1,5	27	32	45	42	36,5	250	3626
LMM30FGM30	30x1,5	30x1,5	33	36	50	50	40,5	200	2900

RUN TEE METRIC MALE - METRIC SWIVEL FEMALE

ADATTATORE T - MASCHIO METRICO SV 60° - FEMMINA GIREVOLE METRICA AL BRACCIO

F1 - METRIC
F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	H2 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
TMM12FGM12B	12x1,5	12x1,5	14	15	28.5	22	26,2	350	5076
TMM14FGM14B	14x1,5	14x1,5	14	19	30.5	27		350	5076
TMM16FGM16B	16x1,5	16x1,5	19	22	36	29	30,3	350	5076
TMM18FGM18B	18x1,5	18x1,5	19	24	36	29	30,3	315	4568
TMM20FGM20B	20x1,5	20x1,5	22	27	39	36.5	32	315	4568
TMM22FGM22B	22x1,5	22x1,5	22	27	39	36.5	32	315	4568
TMM26FGM26B	26x1,5	26x1,5	27	32	45	42	36	250	3626
TMM30FGM30B	30x1,5	30x1,5	33	36	50	50	40,5	200	2900

BRANCH TEE METRIC MALE - METRIC SWIVEL FEMALE

ADATTATORE T - MASCHIO METRICO SV 60° - FEMMINA GIREVOLE METRICA AL
PIEDE

F1 - METRIC
F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	H2 mm	L mm	L1 mm	L2 mm	PN bar	PN psi
TMM12FGM12P	12x1,5	12x1,5	14	15	28.5	22	26,2	350	5076
TMM14FGM14P	14x1,5	14x1,5	14	19	30.5	27		350	5076
TMM16FGM16P	16x1,5	16x1,5	19	22	36	29	30,3	350	5076
TMM18FGM18P	18x1,5	18x1,5	19	22	36	29	30,3	315	4568
TMM20FGM20P	20x1,5	20x1,5	22	27	39	36.5	32	315	4568
TMM22FGM22P	22x1,5	22x1,5	22	27	39	36.5	32	315	4568
TMM26FGM26P	26x1,5	26x1,5	27	32	45	42	36	250	3626
TMM30FGM30P	30x1,5	30x1,5	33	41	50	50	40,5	200	2900

ADAPTER METRIC SWIVEL FEMALE - METRIC SWIVEL FEMALE

ADATTATORE DIRITTO - FEMMINA GIREVOLE METRICA

F1 - METRIC

F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	H2 mm	H3 mm	L mm	L1 mm	PN bar	PN psi
AFFDM1010	10x1	10x1	15	15	14	38	-	350	5076
AFFDM1212	12x1,5	12x1,5	17	17	14	37	-	350	5076
AFFDM1414	14x1,5	14x1,5	19	19	19	40	-	350	5076
AFFDM1616	16x1,5	16x1,5	22	22	22	43.5	-	350	5076
AFFDM1818	18x1,5	18x1,5	22	22	22	44	-	315	4568
AFFDM2020	20x1,5	20x1,5	27	27	27	50	-	315	4568
AFFDM2222	22x1,5	22x1,5	27	27	27	50	-	315	4568
AFFDM2424	24x1,5	24x1,5	30	30	30	54	39	315	4568
AFFDM2626	26x1,5	26x1,5	32	32	32	56.5	-	250	3626

90° ADAPTER METRIC SWIVEL FEMALE - METRIC SWIVEL FEMALE

ADATTATORE 90° - FEMMINA GIREVOLE METRICA

F1 - METRIC
F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	PN bar	PN psi
AFF90M1010	10x1	10x1	15	15	29	31	350	5076
AFF90M1212	12x1,5	12x1,5	17	17	29	31	350	5076
AFF90M1414	14x1,5	14x1,5	19	19	30	30	350	5076
AFF90M1616	16x1,5	16x1,5	22	22	43	43	350	5076
AFF90M1818	18x1,5	18x1,5	22	22	43	43	315	4568
AFF90M2020	20x1,5	20x1,5	27	27	48	48	315	4568
AFF90M2222	22x1,5	22x1,5	27	27	47	47	315	4568
AFF90M2424	24x1,5	24x1,5	30	30	48	50	315	4568
AFF90M2626	26x1,5	26x1,5	32	32	61	61	250	3626

45° ADAPTER METRIC SWIVEL FEMALE - METRIC SWIVEL FEMALE

ADATTATORE 45° - FEMMINA GIREVOLE METRICA

F1 - METRIC
F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	H2 mm	L1 mm	L2 mm	PN bar	PN psi
AFF45M1010	10x1	10x1	15	15	-	-	350	5076
AFF45M1212	12x1,5	12x1,5	17	17	-	-	350	5076
AFF45M1414	14x1,5	14x1,5	19	19	20	51	350	5076
AFF45M1616	16x1,5	16x1,5	22	22	20	65	350	5076
AFF45M1818	18x1,5	18x1,5	22	22	20	65	315	4568
AFF45M2020	20x1,5	20x1,5	27	27	25	73	315	4568
AFF45M2222	22x1,5	22x1,5	27	27	27	78	315	4568
AFF45M2424	24x1,5	24x1,5	30	30	31	73	315	4568
AFF45M2626	26x1,5	26x1,5	32	32	30	103	250	3626

ADAPTER METRIC Female - METRIC Female

PROLUNGA - FEMMINA FISSA METRICA

F1 - METRIC

F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	L mm	PN bar	PN psi
APFFM1010	10x1	10x1	14	25	350	5076
APFFM1414	14x1,5	14x1,5	19	30	350	5076
APFFM1616	16x1,5	16x1,5	22	35	350	5076
APFFM1818	18x1,5	18x1,5	24	35	315	4568
APFFM2222	22x1,5	22x1,5	27	40	315	4568

90° METRIC SWIVEL FEMALE ADAPTER

GOMITO 90° - FEMMINA GIREVOLE METRICA

F1 - METRIC

F2 - METRIC




Code	F1 mm	F2 mm	H1 mm	H2 mm	L mm	L1 mm	PN bar	PN psi
LFGM14	14x1,5	14x1,5	14	19	30.5	27,2	350	5076
LFGM16	16x1,5	16x1,5	19	22	36	28,8	350	5076
LFGM18	18x1,5	18x1,5	19	22	36	28,8	315	4568
LFGM20	20x1,5	20x1,5	22	27	39	32	315	4568
LFGM22	22x1,5	22x1,5	22	27	39	32	315	4568
LFGM26	26x1,5	26x1,5	27	32	45	36,3	250	3626
LFGM30	30x1,5	30x1,5	33	41	50	41	200	2900

TEE METRIC FEMALE

ADATTATORE T - FEMMINA GIREVOLE METRICA

F1 - METRIC

F2 - METRIC




Code	F1 mm	H1 mm	H2 mm	L mm	L1 mm	PN bar	PN psi
TFGM12	12x1,5	14	15	28.5	25,2	350	5076
TFGM14	14x1,5	14	19	30.5	27,2	350	5076
TFGM16	16x1,5	19	22	36	28,8	350	5076
TFGM18	18x1,5	19	22	36	28,8	315	4568
TFGM20	20x1,5	22	27	39	32	315	4568
TFGM22	22x1,5	22	27	39	32	315	4568
TFGM26	26x1,5	27	32	45	36,3	250	3626
TFGM30	30x1,5	33	41	50	41	200	2900

MALE PLUG BSPP

TAPPO MASCHIO - GAS CILINDRICO SV 60°

F1 - BSPP

F2 - None




Code	F1 inch	H1 mm	L mm	L1 mm	PN bar	PN psi
ATMG02	1/8	14	15,5	9,5	350	5076
ATMG02	1/8	14	15,5	9,5	350	5076
ATMG04	1/4	19	18	11	350	5076
ATMG06	3/8	22	20,5	12,5	350	5076
ATMG08	1/2	27	24	14	315	4568
ATMG10	5/8	30	27	16	315	4568
ATMG12	3/4	32	26	16	250	3626
ATMG16	1	41	31	18	200	2900
ATMG20	1 1/4	50	34	20	160	2320
ATMG24	1 1/2	55	36	22	125	1813
ATMG32	2	70	41	25	80	1160

SWIVEL FEMALE PLUG BSPP

TAPPO FEMMINA GIREVOLE - GAS CILINDRICA SV 60°

F1 - BSPP

F2 - None



Code	F1 inch	H1 mm	L mm	L1 mm	PN bar	PN psi
ATFG02	1/8	15	17,5	14,2	350	5076
ATFG04	1/4	19	20	16	350	5076
ATFG06	3/8	22	22,7	18	350	5076
ATFG08	1/2	27	24,5	18	315	4568
ATFG10	5/8	28	24,5	19	315	4568
ATFG12	3/4	32	28	20	250	3626
ATFG16	1	38	30	21	200	2900
ATFG20	1 1/4	50	34,5	24,5	160	2320
ATFG24	1 1/2	55	39	29	125	1813
ATFG32	2	70	41	27,2	80	1160


* Thrust-wire nut
Dado spinato

METRIC MALE PLUG

TAPPO - MASCHIO METRICO SV 60°

F1 - METRIC

F2 - None




Code	F1 mm	H1 mm	L mm	L1 mm	PN bar	PN psi
ATMM08	8x1	9	18	12.5	350	5076
ATMM10	10x1	14	15.5	9.5	350	5076
ATMM10x1.5	10x1,5	14	15.5	9.5	350	5076
ATMM12	12x1,5	17	18	11	350	5076
ATMM14	14x1,5	19	18	11	350	5076
ATMM16	16x1,5	22	20.5	12.5	350	5076
ATMM18	18x1,5	24	22	14	315	4568
ATMM20	20x1,5	27	24	14	315	4568
ATMM22	22x1,5	27	24	14	315	4568
ATMM24	24x1,5	30	25	16	315	4568
ATMM26	26x1,5	32	26	16	250	3626
ATMM28	28x1,5	34	26	16	250	3626
ATMM30	30x1,5	38	29	18	200	2900

SWIVEL METRIC FEMALE PLUG

TAPPO - FEMMINA GIREVOLE - METRICA SV 60°

F1 - METRIC

F2 - None




Code	F1 mm	H1 mm	L mm	L1 mm	PN bar	PN psi
ATFM10	10x1	15	18	-	350	5076
ATFM12	12x1,5	17	18.5	-	350	5076
ATFM14	14x1,5	19	20	-	350	5076
ATFM16	16x1,5	22	21.5	-	350	5076
ATFM18	18x1,5	22	21.5	-	315	4568
ATFM20	20x1,5	27	24	-	315	4568
ATFM22	22x1,5	27	24	-	315	4568
ATFM24	24x1,5	30	26.5	19,5	315	4568
ATFM26	26x1,5	32	28.5	-	250	3626
ATFM28	28x1,5	32	30	22,5	250	3626
ATFM30	30x1,5	36	30.5	20,5	200	2900

METRIC WELDING ADAPTER BSPP - SOCKET

ADATTATORE DIRITTO A SALDARE - MASCHIO GAS CILINDRICO SV 60° CON TASCA

F1 - BSPP

F2 - None



Code	F1 inch	H1 mm	L mm	L1 mm	A mm	D mm	PN bar	PN psi
AMNS04T08	1/4	19	18	11	4	8	350	5076
AMNS04T10	1/4	19	18	11	4	10	350	5076
AMNS04T12	1/4	19	18	11	4	12	350	5076
AMNS06T10	3/8	22	20.5	12.5	6	10	350	5076
AMNS06T12	3/8	22	20.5	12.5	5.5	12	350	5076
AMNS06T14	3/8	22	20.5	12.5	5.5	14	350	5076
AMNS06T15	3/8	22	20,5	12,5	5,5	15	350	5076
AMNS06T16	3/8	22	20,5	12,5	5,5	16	350	5076
AMNS08T12	1/2	27	24	14	5,5	12	350	5076
AMNS08T14	1/2	27	24	14	6	14	315	4568
AMNS08T15	1/2	27	24	14	6	15	315	4568
AMNS08T16	1/2	27	24	14	6	16	315	4568
AMNS08T15FP	1/2	27	25	14,5	6	15	315	4568
AMNS08T16FP	1/2	27	25	14,5	6	16	315	4568
AMNS12T22	3/4	32	27	16	6	22	250	3626
AMNS12T25	3/4	32	27	16	6	25	250	3626
AMNS16T26	1	41	31	18	7	26	200	2900
AMNS16T28	1	41	30	18	8	28	200	2900


note: items not galvanized

WELDING ADAPTER BSPP

ADATTATORE DIRITTO A SALDARE - MASCHIO GAS CILINDRICO SV 60°

F1 - BSPP

F2 - None



Code	F1 inch	H1 mm	L mm	L1 mm	D mm	PN bar	PN psi
AMNS02	1/8	14	15.5	9.5	4	350	5076
AMNS04	1/4	19	18	11	5	350	5076
AMNS06	3/8	22	20.5	12.5	9.5	350	5076
AMNS08	1/2	27	24	14	12	315	4568
AMNS10	5/8	27	26	16	14	315	4568
AMNS12	3/4	32	26	16	16	250	3626
AMNS16	1	41	30	18	22	200	2900
AMNS20	1 1/4	50	34	20	26	160	2320
AMNS24	1 1/2	55	36	22	35	125	1813
AMNS32	2	70	41	25	45	80	1160


note: items not galvanized

METRIC WELDING ADAPTER BSPP

ADATTATORE DIRITTO A SALDARE - MASCHIO METRICO SV 60°

F1 - METRIC

F2 - None



Code	F1 mm	H1 mm	L mm	L1 mm	D mm	PN bar	PN psi
AMNSM10	10x1	14	15.5	9.5	4	350	5076
AMNSM12	12x1,5	17	18	11	6	350	5076
AMNSM14	14x1,5	19	18	11	7	350	5076
AMNSM16	16x1,5	22	20.5	12.5	9.5	350	5076
AMNSM18	18x1,5	24	22	14	9.5	315	4568
AMNSM20	20x1,5	27	24	14	12	315	4568
AMNSM22	22x1,5	27	24	14	12	315	4568
AMNSM24	24x1,5	30	25	16	14	315	4568
AMNSM26	26x1,5	32	26	16	16	250	3626
AMNSM30	30x1,5	38	29	18	19	200	2900


note: items not galvanized

METRIC WELDING ADAPTER BSPP - SOCKET

ADATTATORE DIRITTO A SALDARE - MASCHIO METRICO SV 60° CON TASCA

F1 - METRIC

F2 - None



Code	F1 mm	H1 mm	L mm	L1 mm	A mm	D mm	PN bar	PN psi
AMNSM14T10	14x1,5	19	18	11	4	10	350	5076
AMNSM14T12	14x1,5	19	18	11	6	12	350	5076
AMNSM16T12	16x1,5	22	20.5	12.5	6	12	350	5076
AMNSM18T14	18x1,5	24	22	14	6	14	315	4568
AMNSM18T15	18x1,5	24	22	14	6	15	315	4568
AMNSM22T16	22x1,5	27	24	14	7	16	315	4568
AMNSM22T18	18x1,5	27	24	14	6	18	315	4568
AMNSM22T20	20x1,5	27	24	14	6	20	315	4568
AMNSM22T22	22x1,5	27	24	14	7	22	315	4568


note: items not galvanized

WELDING UNION MALE BSPP

TERMINALE A SILDARE - MASCHIO GAS CILINDRICO SV 60°

F1 - BSPP

F2 - None



Code	F1 inch	L mm	L1 mm	D mm	PN bar	PN psi
ATSG02	1/8	24	9.5	10	350	5076
ATSG04	1/4	25	12	14	350	5076
ATSG06	3/8	35	17	17	350	5076
ATSG08	1/2	35	14	21	315	4568
ATSG10	5/8	35	16	24	315	4568
ATSG12	3/4	36	16	28	250	3626
ATSG16	1	41	18	34	200	2900
ATSG20	1 1/4	45	23	42	160	2320
ATSG24	1 1/2	50	24	48	125	1813
ATSG32	2	50	27	60	80	1160


note: items not galvanized

WELDING METRIC UNION MALE

TERMINALE A SALDARE - MASCHIO METRICO SV 60°

F1 - METRIC

F2 - None



Code	F1 mm	L mm	L1 mm	D mm	PN bar	PN psi
ATSM14	14x1,5	25	12	14	350	5076
ATSM16	16x1,5	30	12.5	16	350	5076
ATSM18	18x1,5	35	14	18	315	4568
ATSM20	20x1,5	35	14	20	315	4568
ATSM22	22x1,5	35	14	22	315	4568
ATSM26	26x1,5	40	16	26	250	3626


note: items not galvanized

WELDING STUD BSPP

BORCHIA A SALDARE - GAS CILINDRICA

F1 - BSPP

F2 - None



Code	F1 inch	A mm	D mm	PN bar	PN psi
ABSG02	1/8	14	20	350	5076
ABSG08	1/2	18	30	315	4568
ABSG08D30H49	1/2	49	30	315	4568
ABSG12	3/4	20	38	250	3626
ABSG12H40	3/4	40	38	250	3626
ABSG16	1	26	46	200	2900
ABSG16D36H61	1	61	36	200	2900
ABSG16H40	1	40	46	200	2900
ABSG24	1 1/2	30	62	125	1813
ABSG24D65H40	1 1/2	40	65	125	1813
ABSG32	2	30	70	80	1160
ABSG32H50	2	50	70	80	1160


note: items not galvanized

METRIC WELDING STUD

BORCHIA A SALDARE METRICA SV 60°

F1 - METRIC

F2 - None



Code	F1 mm	A mm	D mm	PN bar	PN psi
ABSM10	10X1	14	20	350	5076
ABSM12	12x1,5	14	20	350	5076
ABSM14	14x1,5	16	22	350	5076
ABSM16	16x1,5	18	26	350	5076
ABSM18	18x1,5	18	26	315	4568
ABSM20	20x1,5	18	30	315	4568
ABSM22	22x1,5	18	30	315	4568


note: items not galvanized

WELDING BANJO BSPP

OCCHIO A SALDARE - GAS CILINDRICO

F1 - BSPP

F2 - None



Code	L mm	A mm	D inch fraction	S mm	T mm
AOSG0206	19	17	1/8	10	6
AOSG0406	24	24	1/4	14	6
AOSG0408	24	24	1/4	14	8
AOSG0410	24	24	1/4	14	10
AOSG0412	24	24	1/4	15	12
AOSG0610	27	28	3/8	17	10
AOSG0612	27	28	3/8	17	12
AOSG0614	27	28	3/8	17	14
AOSG0615	27	28	3/8	18	15
AOSG0812	32	35	1/2	22	12
AOSG0814	32	35	1/2	22	14
AOSG0815	32	35	1/2	22	15
AOSG0816	32	35	1/2	22	16
AOSG0818	32	35	1/2	22	18
AOSG1018	33	38	5/8	24	18
AOSG1022	35	38	5/8	25	22
AOSG1218	41	46	3/4	30	18
AOSG1220	41	46	3/4	30	20
AOSG1222	41	46	3/4	30	22
AOSG1622	45	58	1	38	22
AOSG1625	45	58	1	38	25
AOSG1627	45	58	1	38	27


note: items not galvanized

METRIC WELDING BANJO (1)

OCCHIO A SALDARE METRICO

F1 - METRIC

F2 - None



Code	L mm	A mm	D mm	S mm	T mm
AOSM0604	14	12	6	8	4
AOSM0804	15	14	8	8	4
AOSM0805	15	14	8	8	5
AOSM0806	15	14	8	8	6
AOSM1006	19	17	10	10	6
AOSM1008	22	20	10	12	8
AOSM1206	22	20	12	12	6
AOSM1208	22	20	12	12	8
AOSM1210	22	20	12	13	10
AOSM1406	24	24	14	14	6
AOSM1408	24	24	14	14	8
AOSM1410	24	24	14	14	10
AOSM1412	24	24	14	15	12
AOSM1610	27	28	16	17	10
AOSM1612	27	28	16	17	12
AOSM1614	27	28	16	17	14
AOSM1810	29	32	18	20	10
AOSM1812	29	32	18	20	12
AOSM1814	29	32	18	20	14
AOSM1815	29	32	18	20	15
AOSM1816	29	32	18	20	16
AOSM1818	29	32	18	20	18
AOSM2010	32	35	20	22	10
AOSM2012	32	35	20	22	12
AOSM2014	32	35	20	22	14
AOSM2015	32	35	20	22	15


note: items not galvanized

METRIC WELDING BANJO (2)

OCCHIO A SALDARE METRICO

F1 - METRIC

F2 - None



Code	L mm	A mm	D mm	S mm	T mm
AOSM2016	32	35	20	22	16
AOSM2210	32	35	22	22	10
AOSM2212	32	35	22	22	12
AOSM2214	32	35	22	22	14
AOSM2215	32	35	22	22	15
AOSM2216	32	35	22	22	16
AOSM2218	32	35	22	22	18
AOSM2220	32	38	22	23	20
AOSM2416	36	42	24	26	16
AOSM2418	27	40	24	25	18
AOSM2420	36	42	24	26	20
AOSM2620	40	46	26	30	20
AOSM2622	41	46	26	30	22
AOSM3028	40	54	30	36	28


note: items not galvanized

BANJO BSPP - MALE BSPP

OCCHIO GAS CILINDRICO - MASCHIO GAS CILINDRICO SV 60°

F1 - BSPP

F2 - BSPP




Code	F1 inch	L mm	A mm	D inch fraction	S mm
AOFG0202	1/8	20	17	1/8	10
AOFG0404	1/4	25	24	1/4	14
AOFG0604	1/4	29	28	3/8	17
AOFG0606	3/8	28	28	3/8	17
AOFG0608	1/2	35	32	3/8	22
AOFG0804	1/4	29	35	1/2	22
AOFG0806	3/8	32	35	1/2	22
AOFG0808	1/2	32	35	1/2	22
AOFG1208	1/2	41	46	3/4	30
AOFG1212	3/4	38	46	3/4	30
AOFG1612	3/4	49	58	1	38
AOFG1616	1	44	58	1	38

BANJO BSPP - METRIC MALE

OCCHIO GAS CILINDRICO - MASCHIO METRICO SV 60°

F1 - BSPP
F2 - METRIC




Code	F1 mm	L mm	A mm	D inch fraction	S mm
AOFGM0414	14x1,5	25	24	1/4	14
AOFGM0614	14x1,5	29	28	3/8	17
AOFGM0616	16x1,5	29	28	3/8	17
AOFGM0618	18x1,5	28	28	3/8	18
AOFGM0818	18x1,5	32	35	1/2	22
AOFGM0822	22x1,5	32	35	1/2	22

METRIC BANJO - MALE BSPP

OCCHIO METRICO - MASCHIO GAS CILINDRICO SV 60°

F1 - METRIC

F2 - BSPP




Code	F1 inch	L mm	A mm	D mm	S mm
AOFMG1404	1/4	25	24	14	14
AOFMG1406	3/8	27	28	14	17
AOFMG1606	3/8	28	28	16	17
AOFMG1806	3/8	32	32	18	20
AOFMG1808	1/2	32	32	18	21
AOFMG2206	3/8	32	35	22	22
AOFMG2208	1/2	32	35	22	22

BANJO BSPP - MALE BSPP WITH SHOULDER

OCCHIO GAS CILINDRICO - MASCHIO GAS CILINDRICO SV 60° CON BATTUTA

F1 - BSPP

F2 - BSPP




Code	F1 inch	L mm	A mm	D inch fraction	S mm
AOFG0404B	1/4	34.5	24	1/4	14
AOFG0604B	1/4	39.5	28	3/8	17
AOFG0606B	3/8	39.5	28	3/8	17
AOFG0608B	1/2	45.5	28	3/8	17
AOFG0806B	3/8	45	35	1/2	22
AOFG0808B	1/2	46	35	1/2	22
AOFG1212B	3/4	45	46	3/4	30
AOFG1616B	1	54	58	1	38

METRIC BANJO - METRIC MALE

OCCHIO METRICO - MASCHIO METRICO SV 60°

F1 - METRIC

F2 - METRIC




Code	F1 mm	L mm	A mm	D mm	S mm
AOFM1010	10x1	20	17	10	10
AOFM1212	12x1,5	24	20	12	12
AOFM1414	14x1,5	25	24	14	14
AOFM1616	16x1,5	29	28	16	17
AOFM1816	16x1,5	28	32	18	20
AOFM1818	18x1,5	32	32	18	20
AOFM1822	22x1,5	32	32	18	23
AOFM2018	18x1,5	32	35	20	22
AOFM2020	20x1,5	32	35	20	22
AOFM2218	18x1,5	30	35	22	23
AOFM2222	22x1,5	32	35	22	23
AOFM2626	26x1,5	38	46	26	29

METRIC BANJO - MALE DIN 24°

OCCHIO METRICO - MASCHIO DIN 24°

F1 - METRIC

F2 - DIN




Code	F1 mm	L mm	A mm	D mm	D1 mm	S mm
AOM12L6.1	12x1,5	21	20	12	6	13
AOM14L8.1	14x1,5	22	24	14	8	14
AOM16L10.1	16x1,5	28.6	28	16	10	18
AOM18L10.1	16x1,5	28	32	18	10	20
AOM18L12.1	18x1,5	28	32	18	12	20
AOM18L15.1	22x1,5	28	32	18	15	22
AOM20L12.1	18x1,5	29	35	20	12	22
AOM20L15.1	22x1,5	29	35	20	15	22
AOM22L12.1	18x1,5	29	35	22	12	22
AOM22L15.1	22x1,5	29	35	22	15	22
AOM26L18.1	26x1,5	30,5	46	26	18	30

BANJO BSPP - MALE DIN 24°

OCCHIO GAS CILINDRICO - MASCHIO DIN 24°

F1 - BSPP

F2 - DIN




Code	F1 mm	L mm	A mm	D inch fraction	D1 mm	S mm
AOG04L8.1	14x1,5	22	24	1/4	8	14
AOG06L8.1	14x1,5	24	28	3/8	8	17
AOG06L10.1	16x1,5	27	28	3/8	10	17
AOG06L12.1	18x1,5	27	28	3/8	12	17
AOG08L12.1	18x1,5	29	35	1/2	12	22
AOG08L15.1	22x1,5	29	35	1/2	15	22

BANJO BSPP WITH STANDPIPE

OCCHIO GAS CILINDRICO CON ESTREMITA' TUBOLARE

F1 - BSPP

F2 - None




Code	L mm	A mm	D inch fraction	S mm
AOG04PDL12	42	24	1/4	15
AOG06PDL12	42	28	3/8	17

BSPP BOLT

BULLONE FORATO - GAS CILINDRICO

F1 - BSPP

F2 - None




Code	F1 inch	H1 mm	L mm	L1 mm	PN bar	PN psi
ABFG02	1/8	14	27,5	22	350	5076
ABFG02L24.5	1/8	14	24,5	19	350	5076
ABFG04	1/4	19	33	27	350	5076
ABFG06	3/8	22	40	32.5	350	5076
ABFG08	1/2	27	47	38	315	4568
ABFG10	5/8	30	49	41	315	4568
ABFG12	3/4	32	56	46	250	3626
ABFG16	1	41	70.5	57	200	2900
ABFG20	1 1/4	50	83	69	160	2320
ABFG24	1 1/2	55	80	69	125	1813

METRIC BOLT

BULLONE FORATO METRICO

F1 - METRIC

F2 - None




Code	F1 mm	H1 mm	L mm	L1 mm	PN bar	PN psi
ABFM06	6x1	10	21	16	350	5076
ABFM08	8x1	12	21	16,5	350	5076
ABFM08X1.25	8x1,25	12	21	16,5	350	5076
ABFM08X1.5	8x1,5	12	21	16,5	350	5076
ABFM10	10x1	14	24.5	19.5	350	5076
ABFM10X1.25	10x1,25	14	24.5	19.5	350	5076
ABFM10X1.5	10x1,5	14	24.5	19.5	350	5076
ABFM12	12x1,5	17	31	24.5	350	5076
ABFM12X1	12x1	17	31	24.5	350	5076
ABFM12X1.25	12x1,25	17	31	24.5	350	5076
ABFM14	14x1,5	19	33,5	27	350	5076
ABFM16	16x1,5	22	40	32,5	350	5076
ABFM18	18x1,5	24	44	36	315	4568
ABFM20	20x1,5	27	47	38	315	4568
ABFM22	22x1,5	27	47	38	315	4568
ABFM24	24x1,5	30	56,5	46.5	315	4568
ABFM24X2	24x2	30	56.5	46.5	315	4568
ABFM26	26x1,5	32	56	46	250	3626
ABFM27	27x2	32	46	56	250	3626
ABFM30	30x1,5	38	69	58	200	2900

BSPP BOLT

BULLONE FORATO DOPPIO - GAS CILINDRICO

F1 - BSPP

F2 - None




Code	F1 inch	H1 mm	L mm	L1 mm	PN bar	PN psi
ABFDG02	1/8	14	38,5	33	350	5076
ABFDG04	1/4	19	49,5	43	350	5076
ABFDG06	3/8	22	58	50,5	350	5076
ABFDG08	1/2	27	73	64	315	4568
ABFDG10	5/8	30	74,5	66,5	315	4568
ABFDG12	3/4	32	92	81	250	3626
ABFDG16	1	41	110	96	200	2900
ABFDG20	1 1/4	50	131	117	160	2320
ABFDG24	1 1/2	55			125	1813

METRIC BOLT

BULLONE FORATO DOPPIO METRICO

F1 - METRIC

F2 - None



Code	F1 mm	H1 mm	L mm	L1 mm	PN bar	PN psi
ABFDM08	8x1	12	31	26	350	5076
ABFDM08X1.25	8x1,25	12	31	26	350	5076
ABFDM10	10x1	14	35	30	350	5076
ABFDM10X1.25	10x1,25	14	35	30	350	5076
ABFDM12	12x1,5	17	43,5	37	350	5076
ABFDM12X1.25	12x1,25	17	43,5	37	350	5076
ABFDM14	14x1,5	19	49,5	43	350	5076
ABFDM16	16x1,5	22	58	50,5	350	5076
ABFDM18	18x1,5	24	66	58	315	4568
ABFDM20	20x1,5	27	73	64	315	4568
ABFDM22	22x1,5	27	73	64	315	4568
ABFDM26	26x1,5	32	92	81	250	3626

Selecting the appropriate hydraulic hose is fundamental for achieving a safe, efficient, and durable system.

Our products are meticulously engineered based on extensive industrial experience and advanced technology. However, their optimal performance and safety depend critically on careful consideration of your specific application and adherence to best practices.

Essential Considerations for Hose Selection and Use: The suitability of any hose is shaped by numerous factors, including the precise installation environment, the required curvature, and the chosen coupling combination. It is paramount to verify the compatibility of the fluid medium with the hose's inner liner. Always ensure the selected product is fully appropriate for your application's specific demands.

- **Fluid Compatibility:** The use of inappropriate or incompatible fluids can severely degrade the hose's internal components, potentially leading to leaks or catastrophic system failure. For any new or untested media, or for applications not clearly described in our product literature, always seek expert consultation.
- **Pressure and Temperature Limits:** Strict adherence to the maximum working pressure and the recommended temperature range specified for each hose is non-negotiable. Exceeding these operational limits can drastically shorten the hose's service life and significantly increase the risk of rupture or coupling blow-off.
- **Bend Radius:** Avoiding excessively tight bends is crucial to prevent premature wear and potential failures. Always respect the minimum bending radius stipulated for each hose type and size. Utilizing appropriate adapters or spring guards can help maintain the correct curvature during installation.
- **Coupling Assembly:** Correctly tightening couplings to the recommended torque is critical for system integrity. Under-tightening can result in leaks, while over-tightening may lead to over-stressing or cracking, compromising the safety and reliability of the entire assembly.

SAFETY NOTES

Prioritizing Safety in Operation: Hydraulic systems operate under considerable pressure, demanding rigorous attention to safety to prevent serious injury, property damage, or even fatalities.

- **Pressurized Fluid Hazards:** Highly pressurized fluid escaping through even a tiny pinhole can be nearly invisible yet possess immense force, capable of penetrating skin and other tissues, leading to severe injury. Hot fluids or chemicals pose a risk of severe burns, and an uncontrolled release of pressurized fluids can unleash tremendous explosive force. Many hydraulic fluids are also highly flammable.
- **Personal Protection:** Always position a shield between yourself and pressurized hydraulic lines, or ensure pressure is shut off before working nearby. Wear safety glasses. Never use your hands to check for leaks or touch a pressurized hydraulic hose assembly. If fluid penetrates the skin, even without immediate pain, it constitutes a serious medical emergency requiring immediate medical attention to prevent severe, irreversible consequences, including loss of the injured body part or death.
- **Electrical Conductivity:** Be aware that many hydraulic hoses are electrically conductive. For applications where electrical conductivity is undesirable, such as near live electrical power lines, non-conductive thermoplastic hoses must be specified and used.
- **Protect Against External Factors:** Safeguard hose assemblies from abrasion, impacts, excessive external force, tension, or twisting. Avoid prolonged negative pressure within the hose, as this can damage the inner tube and cause leakage.
- **Remove Trapped Air:** Ensure all air is thoroughly purged from inside the hose during installation to prevent damage to the inner tube and potential failures.

Installation, Maintenance, and Storage for Extended Life: A proactive approach to maintenance, coupled with correct installation and storage, is paramount for maximizing the service life and ensuring the safety of your hydraulic hoses.

- **Regular Inspections:** Implement a comprehensive program of regular inspection, testing, and timely replacement. Only properly trained personnel should routinely check for any signs of damage, such as swelling, exposed reinforcement, or mechanical alterations like sharp bending. Adjust your replacement cycles based on specific operating conditions, including frequency of use and severity of the application, as unfavorable conditions (e.g., maximum pressure, temperature, minimum bending radius) can significantly reduce product lifespan. Document all maintenance, inspections, and testing.
- **Storage and Handling:** Store hoses in dry conditions, within a temperature range of -10°C to $+40^{\circ}\text{C}$, away from direct sunlight, noxious gases, oils, and chemicals. All products must be stored, handled, and maintained in accordance with our instructions and recognized industry standards like DIN 7716:1982.
- **No Repairs or Modifications:** For safety reasons and to maintain specified performance, our hoses should never be repaired or remodelled.
- **Component Compatibility:** For optimal safety and reliability, we strongly recommend using our hoses exclusively with fittings specified and tested for them, and to follow all our assembly recommendations. The use of components from different manufacturers, or those not explicitly validated for compatibility with our products, is not recommended and may lead to unreliable or unsafe assemblies. A simple burst or pressure test cannot fully determine the suitability of a hose and coupling combination.

Staying Informed: Our products are subject to continuous development and improvement. Information contained in our catalogs and data-sheets may be updated without prior notice.

To ensure you always have access to the most current product and safety information, please visit our website regularly or contact one of our specialist dealers or application engineers for specific advice.

Please note, our products are not suitable for use in airplanes or other aerial vehicles under any circumstance.

GENERAL WARRANTY CONDITIONS

1. NATURE OF THE WARRANTY

Vitillo S.p.A. warrants that the Products Supplied to the Purchaser:

- comply with the agreed Product Specifications;
- comply with the technical regulations currently in force in the European Union;
- are free from design and manufacturing defects;
- are fit for their normal intended purpose;
- do not infringe the intellectual property rights of third parties.

Furthermore, The Supplier guarantees that it has full and valid title to the Products and undertakes to deliver them free from any encumbrance.

2. WARRANTY PERIOD

The warranty shall apply for a period of 24 months from the date of delivery of the Product to the Purchaser.

3. WARRANTY SERVICE

The warranty service consists of the complete replacement or repair of the defective and/or faulty part. In the event of repair, the Purchaser shall send the defective Product at its own expense to the headquarters or branch indicated by the Supplier. The Supplier shall send the new Product or the repaired Product to the Purchaser, bearing the shipping costs. This warranty only covers the replacement or repair of defective Products, excluding any further and different obligations.

In order to obtain the warranty service, the Purchaser must report the fault and/or defect or malfunction in writing within 8 days of receipt of the Product for apparent and obvious faults and/or defects, and within 8 days of the date of discovery of the faults and/or defects for hidden or not easily recognizable faults and/or defects, under penalty of forfeiture of the right.

The complaint must be notified to the Supplier by email to the Supplier's Customer Service, specifying the nature and extent of the faults and/or defects in detail. If no complaint is sent by the Purchaser to the Supplier within this strict deadline, the Product shall be deemed to have been automatically accepted.

The Supplier shall send the Purchaser written notification of receipt of the complaint within 3 business days and undertakes to respond within 30 business days of receipt of the complaint.

The Purchaser shall consult with the Supplier in advance on the actions to be taken in relation to any intervention under the Warranty.

Any replacement of components or parts of the Product carried out during the warranty period shall not renew the expiry of the warranty on the Product as a whole nor extend its expiry date, without prejudice to the separate warranty on the replaced component or part.

The replacement of the entire Product shall entitle the Purchaser to a renewal of the contractual warranty for the entire period provided for.

GENERAL WARRANTY CONDITIONS



4. LIABILITY

The Supplier's liability shall in no case extend to the obligation to reimburse the costs of dismantling, assembly or transport or to pay compensation or indemnity for machine downtime, line downtime or damage of any kind, whether direct or indirect, including to third parties.

For conformity defects relating to goods supplied to an end consumer, no compensation or damages of any kind shall be payable by the Supplier, except in cases of willful misconduct or gross negligence and/or where liability cannot be excluded under mandatory law.

5. WARRANTY EXCLUSIONS

The warranty shall not apply and shall not be valid, by way of example and without limitation, when: ■ the Products have been used incorrectly, modified, damaged, stored in an unsuitable environment or subjected to incorrect maintenance, or whose malfunction is due to products not supplied by the Supplier;

- the Products have been repaired without prior written authorization from the Supplier;
- the defects have occurred for reasons attributable to the Purchaser or caused by errors, omissions, design characteristics or other shortcomings in the technical documentation provided by the Purchaser to the Supplier;

- the Products have not been assembled and stored in accordance with the Supplier's technical specifications and in compliance with current regulations;
- in the case of normal wear and tear of the Product;
- in the event that the Warranty Period for such Products has already expired.

6. PLACE OF JURISDICTION AND APPLICABLE LAW

For any dispute arising from or related to these General Warranty Conditions, including, but not limited to, disputes relating to their existence, validity, interpretation, effectiveness, and execution, the Court of Benevento shall have exclusive jurisdiction, even if the Contract contains international elements, without prejudice to the mandatory provisions of the Consumer Code.

These General Warranty Conditions are entirely subject to Italian law and interpreted in accordance with it, even if the Contract has international elements.

We feel better under pressure

Vitillo

ITALY

*Zona Pip Camporeale
83031 Ariano Irpino (AV)*

+39 0825 881555

+39 0825 881956

Vitillo Germany

GERMANY

*Düsselberger Str.19
D-42781 Haan*

+49 2104-17420-0

+49 2104-17420-39

Vitillo USA

USA (MASSACHUSETTS)

*76 Blackburn Center
01930 Gloucester MA*

978-283-0601

978-283-0602

Vitillo Poland

POLAND

*Ul. Dworcowa, 53
44340 Laziska-Godow*

+48 327203540

+48 327203541

